

Cafeterias • Convenience Stores Supermarkets & Delis • Restaurants & Cafés Clubs & Bars • Catering • Concessions



**GRPWS-4818T** with base heat only (signs not included) *pg. 2* 



**GRSDS-36D** with dual slanted shelves *pg. 4* 



**GR2SDS-48D** with standard *Designer* Black inset panels and corner caps *pg. 126* 



**HZMS-36D** in standard *Designer* Black with optional red LED accent lighting *pg. 9* 



**GR3SDS-39D** in optional *Designer* Antique Copper *pg. 11* 



**FSCDH-2PD** in standard *Designer* Black with a sign holder (sign not included), 3-sided skirt, perforated shelf and simulated stone Night Sky base. Also with accessory risers and food pans *pg. 16* 



# **Glo-Ray®** Pizza Warmers

Convenient for self-serve and quick-serve areas. The Hatco Glo-Ray<sup>®</sup> Pizza Warmers with base heat only hold boxed or bagged pizzas. Available in one, two, three or four shelf configurations to showcase food in an easy pass-through display.

- · Box stop doubles as the sign holder (signs not included), a standard feature (excluding base only unit)
- Ideal for holding boxed products for high volume applications like stadiums, schools, convenience stores and amusement parks
- Constructed of aluminum and stainless steel with tempered glass side panels (excluding base only unit)



- Separate power switch for each thermostatically-controlled shelf
- Incandescent lights with bright annealed reflectors illuminate the holding areas (excluding base only unit)



#### SLANT DISPLAY WARMERS WITH BASE HEAT ONLY

| Model               | No. of Bulbs,<br>Divider Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs  | Voltage<br>Single Phase | Usable Heated Shelf Space $W \ x \ D$ | Watts | Plug         | Ship Weight |
|---------------------|-------------------------------|--|-------------------------|---------------------------------------|-------|--------------|-------------|
| Base Only           |                               |  |                         |                                       |       |              |             |
| GRPWS-2424          | 0,5                           | 22 <sup>7</sup> /8" x 24 <sup>1</sup> /8" x 10 <sup>3</sup> /8"  | 120                     | 221⁄2" x 23¾"                         | 345   | NEMA 5-15P   | 40 lbs.     |
| GRPWS-3624          | 0,7                           | 34 <sup>7</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>8</sub> " x 10 <sup>3</sup> / <sub>8</sub> " | 120                     | 34½" x 23¾"                           | 505   | NEMA 5-15P   | 45 lbs.     |
| GRPWS-4824          | 0,9                           | 46 <sup>7</sup> / <sub>8</sub> " x 24 <sup>1</sup> / <sub>8</sub> " x 10 <sup>3</sup> / <sub>8</sub> " | 120                     | 46½" x 23¾"                           | 660   | NEMA 5-15P   | 60 lbs.     |
| Dual Shelf          |                               |  |                         |                                       |       |              |             |
| GRPWS-2418D         | 4,0                           | 23 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 22 <sup>5</sup> / <sub>8</sub> " | 120                     | 22½" x 17¾"                           | 960   | NEMA 5-15P   | 76 lbs.     |
| GRPWS-3618D         | 6,0                           | 35 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 22 <sup>5</sup> / <sub>8</sub> " | 120                     | 34½" x 17¾"                           | 1440  | NEMA 5-15P   | 91 lbs.     |
| GRPWS-4818D         | 8,0                           | 47 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 22 <sup>5</sup> / <sub>8</sub> " | 120                     | 46½" x 17¾"                           | 1920  | NEMA 5-20P   | 136 lbs.    |
| GRPWS-2424D         | 4,0                           | 23 <sup>7</sup> ⁄ <sub>8</sub> " x 26 <sup>1</sup> ⁄ <sub>8</sub> " x 23 <sup>5</sup> ⁄ <sub>8</sub> " | 120                     | 22½" x 23¾"                           | 1200  | NEMA 5-15P   | 108 lbs.    |
| GRPWS-3624D         | 6,0                           | 35 <sup>7</sup> ⁄ <sub>8</sub> " x 26 <sup>1</sup> ⁄ <sub>8</sub> " x 23 <sup>5</sup> ⁄ <sub>8</sub> " | 120                     | 34½" x 23¾"                           | 1800  | NEMA 5-20P   | 136 lbs.    |
| GRPWS-4824D         | 8,0                           | 47%" x 261/8" x 235/8"   | 120/208-240             | 46½" x 23¾"                           | 2390  | NEMA L14-20P | 177 lbs.    |
| Triple Shelf        |                               |  |                         |                                       |       |              |             |
| GRPWS-2418T         | 6,0                           | 23 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 29 <sup>3</sup> / <sub>4</sub> " | 120                     | 22½" x 17¾"                           | 1440  | NEMA 5-15P   | 98 lbs.     |
| GRPWS-3618T         | 9,0                           | 35 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 29 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 34½" x 17¾"                           | 2160  | NEMA L14-20P | 136 lbs.    |
| GRPWS-4818T         | 12,0                          | 47 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 29 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 46½" x 17¾"                           | 2880  | NEMA L14-20P | 175 lbs.    |
| GRPWS-2424T         | 6,0                           | 23 <sup>7</sup> / <sub>8</sub> " x 26 <sup>1</sup> / <sub>8</sub> " x 30 <sup>3</sup> / <sub>4</sub> " | 120                     | 221⁄2" x 233⁄4"                       | 1800  | NEMA 5-15P   | 116 lbs.    |
| GRPWS-3624T         | 9,0                           | 35 <sup>7</sup> / <sub>8</sub> " x 26 <sup>1</sup> / <sub>8</sub> " x 30 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 34½" x 23¾"                           | 2700  | NEMA L14-20P | 167 lbs.    |
| GRPWS-4824T*        | 12,0                          | 47 <sup>7</sup> / <sub>8</sub> " x 26 <sup>1</sup> / <sub>8</sub> " x 30 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 46½" x 23¾"                           | 3585  | NEMA L14-20P | 227 lbs.    |
| Quadruple Shelf     |                               |  |                         |                                       |       |              |             |
| GRPWS-2418Q         | 8,0                           | 23 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 36 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 22½" x 17¾"                           | 1920  | NEMA L14-20P | 119 lbs.    |
| GRPWS-3618Q         | 12,0                          | 35 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 36 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 34½" x 17¾"                           | 2880  | NEMA L14-20P | 157 lbs.    |
| GRPWS-4818Q         | 16,0                          | 47 <sup>7</sup> / <sub>8</sub> " x 20 <sup>1</sup> / <sub>8</sub> " x 36 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 46½" x 17¾"                           | 3840  | NEMA L14-20P | 214 lbs.    |
| GRPWS-2424Q         | 8,0                           | 23 <sup>7</sup> / <sub>8</sub> " x 26 <sup>1</sup> / <sub>8</sub> " x 37 <sup>7</sup> / <sub>8</sub> " | 120/208-240             | 22½" x 23¾"                           | 2400  | NEMA L14-20P | 151 lbs.    |
| GRPWS-3624Q         | 12,0                          | 35 <sup>7</sup> ⁄ <sub>8</sub> " x 26 <sup>1</sup> ⁄ <sub>8</sub> " x 37 <sup>7</sup> ⁄ <sub>8</sub> " | 120/208-240             | 34½" x 23¾"                           | 3600  | NEMA L14-20P | 214 lbs.    |
| GRPWS-4824Q*        | 16,0                          | 47 <sup>7</sup> ⁄ <sub>8</sub> " x 26 <sup>1</sup> ⁄ <sub>8</sub> " x 37 <sup>7</sup> ⁄ <sub>8</sub> " | 120/208-240             | 46½" x 23¾"                           | 4780  | NEMA L14-20P | 277 lbs.    |
| Also available in . | 120/208-2401/                 |  |                         |                                       |       |              |             |

Also available in 120/208-240V.

▲ Canadian models use NEMA 5-20P.

Canadian models use NEMA L14-30P.

All Slant Display Warmer Models Feature:


Cord Location: Control side at right base corner.

#### **OPTIONS** (available at time of purchase only)

|        | – Non-standard colors are<br>- Stainless Steel Standard – |
|--------|---|
| RED    | Warm Red  |
| BLACK  | Black   |
| GRAY   | Gray Granite  |
| WHITE  | White Granite   |
| NAVY   | Navy Blue   |
| GREEN  | Hunter Green  |
| COPPER | Antique Copper  |
| HAL    | Halogen Bulb in lieu of standard Display                  |
|        | Light (60 Watt)   |

**COLORS AND FINISHES – PAGE 20** 

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY.



Depth of Unit (Inches)

Width of Unit (Inches)



# Glo-Ray<sup>®</sup> Merchandising Warmers

Designed with both a slanted and horizontal shelf, Glo-Ray<sup>®</sup> Merchandising Warmers offer the convenience of customer self-serve with the efficiency of preparing and holding product in advance for peak serving periods.

**HIGH WATT MODELS:** Top shelf overhead heat is designed to hold fries and sandwiches.

- Warmer includes a slant and horizontal shelf for merchandising a variety of products like popcorn on the top shelf and nachos, boxed pizza or wrapped food on the bottom
- Standard Indicating Temperature Control (ITC) enhances accuracy and provides digital readout of temperatures
- Thermostatically-controlled hardcoated heated base to extend holding times
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Product divider rods and 4" legs included
- Shatter-resistant incandescent lights illuminate the holding areas and emphasize the product



**GRSDS/H-36D** with slant and horizontal shelves and optional 15" clearance top shelf

#### SLANT/HORIZONTAL DISPLAY WARMERS – DUAL SHELVES

|                | No. of Bulbs, | Dimensions        | Voltage      |       |              |             |
|----------------|---------------|-------------------|--------------|-------|--------------|-------------|
| Model          | Divider Rods  | W x D x H         | Single Phase | Watts | Plug         | Ship Weight |
| GRSDS/H-30D    | 4, 12         | 30" x 24¼" x 33½" | 120          | 1530  | NEMA 5-15PA  | 140 lbs.    |
| GRSDS/H-36D    | 4, 14         | 36" x 24¼" x 33½" | 120          | 1810  | NEMA 5-20P   | 158 lbs.    |
| GRSDS/H-41D    | 6, 16         | 41" x 24¼" x 33½" | 120/208-240  | 2120  | NEMA L14-20P | 178 lbs.    |
| GRSDS/H-30DHW® | 4, 12         | 30" x 24¼" x 33½" | 120/208-240  | 2450  | NEMA L14-20P | 140 lbs.    |
| GRSDS/H-36DHW® | 4, 14         | 36" x 24¼" x 33½" | 120/208-240  | 2910  | NEMA L14-20P | 158 lbs.    |
| GRSDS/H-41DHW® | 6, 16         | 41" x 24¼" x 33½" | 120/208-240  | 3360  | NEMA L14-20P | 178 lbs.    |
|                |               |                   |              |       |              |             |

▲ Canadian model uses NEMA 5-20P.

High wattage on top shelf only.

#### All Slant/Horizontal Shelf Models Feature:

Cord Location - Back Counter Display Models: Control side at right base corner.

#### **OPTIONS** (available at time of purchase only)


| Designer Col | ors – Non-standard colors are non-returnable – Glossy Gray Standard – |
|--------------|---|
| RED          | Warm Red  |
| BLACK        | Black   |
| GRAY         | Gray Granite  |
| WHITE        | White Granite   |
| NAVY         | Navy Blue   |
| GREEN        | Hunter Green  |
| COPPER       | Antique Copper  |
| 15SPACE      | 15" clearance top shelf in lieu of standard 12" clearance (adds 3" to |
|              | height of unit)   |
| HAL          | Halogen Bulb in lieu of standard Display Light (60 Watt)              |
|              |   |

#### **ACCESSORIES** (available for purchase at any time)

| GRSDS-DIV | Additional Stainless Steel Divider Rods (bottom shelf only) |
|-----------|---|
| GRSDH-DIV | Additional Stainless Steel Divider Rods (top shelf only)    |

#### **COLORS AND FINISHES – PAGE 20**

| ONE YEAR ON-SITE PARTS AND LABOR WARRANTY,<br>PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY<br>ON ALL GLO-RAY METAL SHEATHED HEATING ELEMENTS. |
|---|
| ALL GLO-RAY® BLANKET HEATING ELEMENTS<br>WARRANTED AGAINST BURNOUT FOR ONE YEAR.  |





# **Glo-Ray®** Merchandising Warmers

GRSDS-30 with

Designed specifically for showcasing wrapped or boxed product, the Hatco Glo-Ray® Merchandising Warmers hold hot food safely at proper serving temperatures. These warmers offer the convenience of self-serve and the efficiency of kitchen-toserver holding.

- Available in single- or two-tier models (slant models available in three-tier)
- Product divider rods sort food displays
- Thermostatically-controlled hardcoated heated base, with a temperature range of 185°-200°F, to extend holding times
- Horizontal or slant shelves
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Shatter-resistant incandescent lights illuminate the holding areas and emphasize the product



accessory 4" legs

#### HORIZONTAL MERCHANDISING WARMERS

| Model                  | No. of Bulbs,<br>Divider Rods | <b>Dimensions</b> (W x D x H)<br>Height includes leas | Voltage     | Usable Heated Shelf Space | Watts | Plug         | Ship Weight |
|------------------------|-------------------------------|---|-------------|---------------------------|-------|--------------|-------------|
| WOUGI                  | Divider nous                  | Theight Includes legs                                 | voltage     | W X D                     | wallo | Tiug         | Ship weight |
| Single Shelf           |                               |   |             |                           |       |              |             |
| GRSDH-24               | 2, 5                          | 24" x 19½" x 12"                                      | 120         | 22¾" x 16½"               | 830   | NEMA 5-15P   | 48 lbs.     |
| GRSDH-30               | 2,6                           | 30" x 19½" x 12"                                      | 120         | 28¾" x 16½"               | 970   | NEMA 5-15P   | 56 lbs.     |
| GRSDH-36               | 2, 7                          | 36" x 19½" x 12"                                      | 120         | 34¾" x 16½"               | 1170  | NEMA 5-15P   | 66 lbs.     |
| GRSDH-41               | 3, 8                          | 41" x 19½" x 15"                                      | 120         | 39¾" x 16½"               | 1340  | NEMA 5-15P   | 74 lbs.     |
| GRSDH-52 <sup>+</sup>  | 4, 10                         | 52" x 19½" x 15"                                      | 120         | 50¾" x 16½"               | 1760  | NEMA 5-15P   | 86 lbs.     |
| GRSDH-60               | 5, 12                         | 60" x 19½" x 15"                                      | 120/208-240 | 58¾" x 16½"               | 2100  | NEMA L14-20P | 133 lbs.    |
| Dual Shelf             |                               |   |             |                           |       |              |             |
| GRSDH-24D <sup>+</sup> | 4, 10                         | 24" x 19½" x 25¾"                                     | 120         | 22¾" x 16½"               | 1660  | NEMA 5-15P   | 88 lbs.     |
| GRSDH-30D*             | 4, 12                         | 30" x 19½" x 25¾"                                     | 120         | 28¾" x 16½"               | 1920  | NEMA 5-20P   | 100 lbs.    |
| GRSDH-36D              | 4, 14                         | 36" x 19½" x 25¾"                                     | 120/208-240 | 34¾" x 16½"               | 2340  | NEMA L14-20P | 120 lbs.    |
| GRSDH-41D              | 6, 16                         | 41" x 19½" x 25%"                                     | 120/208-240 | 39¾" x 16½"               | 2680  | NEMA L14-20P | 137 lbs.    |
| GRSDH-52D              | 8, 20                         | 52" x 19½" x 25¾"                                     | 120/208-240 | 50¾" x 16½"               | 3520  | NEMA L14-20P | 172 lbs.    |
| GRSDH-60D**            | 10, 24                        | 60" x 19½" x 25¾"                                     | 120/208-240 | 58¾" x 16½"               | 4200  | NEMA L14-20P | 197 lbs.    |

GRSDH-30D

#### **SLANT MERCHANDISING WARMERS**

|                        | No. of Bulbs,          | Dimensions (W x D x H)  | Malla and   | Usable Heated Shelf Space |          | Disco              | 01:           |
|------------------------|------------------------|---|-------------|---------------------------|----------|--------------------|---------------|
| Model                  | Divider Rods           | Height includes legs  | Voltage     | W x D                     | Watts    | Plug               | Ship Weight   |
| Single Shelf           |                        |   |             |                           |          |                    |               |
| GRSDS-24               | 2, 5                   | 24" x 24¼" x 18½"   | 120         | 221⁄2" x 21"              | 695      | NEMA 5-15P         | 80 lbs.       |
| GRSDS-30               | 2, 6                   | 30" x 24¼" x 18½"   | 120         | 28½" x 21"                | 790      | NEMA 5-15P         | 80 lbs.       |
| GRSDS-36               | 2, 7                   | 36" x 24¼" x 21½"   | 120         | 34½" x 21"                | 935      | NEMA 5-15P         | 92 lbs.       |
| GRSDS-41               | 3, 8                   | 41" x 24¼" x 21½"   | 120         | 39½" x 21"                | 1090     | NEMA 5-15P         | 96 lbs.       |
| GRSDS-52               | 4, 10                  | 52" x 24¼" x 21½"   | 120         | 50½" x 21"                | 1400     | NEMA 5-15P         | 110 lbs.      |
| GRSDS-60 <sup>+</sup>  | 5, 12                  | 60" x 24¼" x 21½"   | 120         | 58½" x 21"                | 1715     | NEMA 5-15P         | 167 lbs.      |
| Dual Shelf             |                        |   |             |                           |          |                    |               |
| GRSDS-24D              | 4, 10                  | 24" x 24¼" x 32¾"   | 120         | 22½" x 21"                | 1355     | NEMA 5-15P         | 115 lbs.      |
| GRSDS-30D <sup>*</sup> | 4, 12                  | 30" x 24¼" x 32¾"   | 120         | 28½" x 21"                | 1530     | NEMA 5-15P         | 140 lbs.      |
| GRSDS-36D              | 4, 14                  | 36" x 24¼" x 32¾"   | 120         | 34½" x 21"                | 1810     | NEMA 5-20P         | 160 lbs.      |
| GRSDS-41D              | 6, 16                  | 41" x 24¼" x 32%"   | 120/208-240 | 39½" x 21"                | 2120     | NEMA L14-20P       | 180 lbs.      |
| GRSDS-52D              | 8, 20                  | 52" x 24¼" x 32¾"   | 120/208-240 | 50½" x 21"                | 2725     | NEMA L14-20P       | 215 lbs.      |
| GRSDS-60D              | 10, 24                 | 60" x 24¼" x 32¾"   | 120/208-240 | 58½" x 21"                | 3340     | NEMA L14-20P       | 238 lbs.      |
| Triple Shelf           |                        |   |             |                           |          |                    |               |
| GRSDS-24T <sup>§</sup> | 6, 15                  | 23 <sup>7</sup> /8" x 24 <sup>1</sup> /4" x 43 <sup>7</sup> /8" | 120         | 221⁄2" x 21"              | 2015     | NEMA 5-20P         | 164 lbs.      |
| GRSDS-36T              | 6, 21                  | 351/8" x 241/4" x 437/8"  | 120/208-240 | 34½" x 21"                | 2685     | NEMA L14-20P       | 219 lbs.      |
| ▲ Canadian mode        | ls use NEMA 5-20P.     |   |             |                           |          |                    |               |
| * For Canada only      | , external fuse box on | top of unit (adds 3" to height).                                |             | ONE YEAR ON-SITE PARTS A  | ND LABOR | NARRANTY, PLUS ONE | ADDITIONAL YE |

\* For Canada only, external fuse box on top of unit (adds 3" to height).

Canadian models use NEMA L14-30P.

§ Not available for Canada.

#### All Merchandising Warmer Models Feature:

Cord Location: Horizontal Models: Left rear corner toward server side. Slant Models: Control side at right base corner.

**OPTIONS AND ACCESSORIES – PAGE 5** 

GRSDX-XXX None = Single Shelf Glo-Ray D = Dual Shelf Sandwich Display T = Triple Shelf Width of Unit (Inches) H = Horizontal Shelf S = Slanted Shelf

PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

*Sturgeon Bay, WI 54235 U.S.A.* Telephone: (800) 558-0607 or (414) 671-6350 hatcocorp.com





**GRSDS-36D** with dual slanted shelves

## **OPTIONS** (available at time of purchase only)

| ITC-S   | Indicating Temperature Control (LED) for single shelf                        |  |  |  |
|---|--|--|--|--|
| ITC-D   | Indicating Temperature Control (LED) for dual shelf                          |  |  |  |
| SSEND   | Stainless Steel End Panels in lieu of Glass End Panels                       |  |  |  |
| 5" Sneeze Guard (C  | GRSDS one side, GRSDH two sides) –   |  |  |  |
| GRSD24BP  | 24" wide models  |  |  |  |
| GRSD30BP  | 30" wide models  |  |  |  |
| GRSD36BP  | 36" wide models  |  |  |  |
| GRSD41BP  | 41" wide models  |  |  |  |
| GRSD52BP  | 52" wide models  |  |  |  |
| GRSD60BP  | 60" wide models  |  |  |  |
| HAL   | Halogen Bulb in lieu of standard Display Light (60 Watt)                     |  |  |  |
| GRSDFLIPLOCK1   | Flip-Up Door Locking Plate (for GRSDS, GRSDS-xxD and GRSDS-xxT 24" to 41"    |  |  |  |
|   | wide models)   |  |  |  |
| GRSDFLIPLOCK2   | Flip-up Door Locking Plates (for GRSDS and GRSDS-xxD 52" to 60" wide models) |  |  |  |
| Display Sign Holder (Signs not included) – Color matches unit color – Top or intermediate shelf<br>(Slant or Horizontal models) – |  |  |  |  |

| GRSDS-24SIGN | 24" width. Requires 225/8"W x 37/8"H x 1/16"D Sign |
|--------------|--|
| GRSDS-30SIGN | 30" width. Requires 285/8"W x 37/8"H x 1/16"D Sign |
| GRSDS-36SIGN | 36" width. Requires 34%"W x 3%"H x 1/16"D Sign     |
| GRSDS-41SIGN | 41" width. Requires 395/8"W x 37/8"H x 1/16"D Sign |
| GRSDS-52SIGN | 52" width. Requires 50%"W x 37/8"H x 1/16"D Sign   |
| GRSDS-60SIGN | 60" width. Requires 58% "W x 37% "H x 1/16"D Sign  |
|              | · · · · · · · · · · · · · · · · · · ·              |

#### **ACCESSORIES** (available for purchase at any time)

| 4"LEGS | 4" Adjustable Legs (standard on units GRSDH-41 and larger, GRSDS-36 and larger |
|--------|--|
|        | and all duals)   |

Plexi-Glass Flip-Up Doors on one side for GRSDS models – Not compatible with optional Sneeze Guards or Display Sign Holders in same opening –

| SDS24FLIP | 24" Wide models               |
|-----------|-------------------------------|
| SDS30FLIP | 30" wide models               |
| SDS36FLIP | 36" wide models               |
| SDS41FLIP | 41" wide models               |
| SDS52FLIP | 52" wide models – split doors |
| SDS60FLIP | 60" wide models – split doors |
|           |                               |

Plexi-Glass Flip-Up Doors on one side for GRSDH models – Not compatible with optional Sneeze Guards or Display Sign Holders in same opening –

| GRSDH24FLIP | 24" wide models  |
|-------------|--|
| GRSDH30FLIP | 30" wide models  |
| GRSDH36FLIP | 36" wide models  |
| GRSDH41FLIP | 41" wide models  |
| GRSDH52FLIP | 52" wide models – split doors                              |
| GRSDH60FLIP | 60" wide models – split doors                              |
| GRSDH-DIV   | Additional Stainless Steel Divider Rods – Horizontal model |
| GRSDS-DIV   | Additional Stainless Steel Divider Rods – Slant model      |
|             |  |

# **OPTIONS** (available at time of purchase only)

| Designer Colors – Non-standard colors are<br>non-returnable – Glossy Gray Standard – |                |  |  |  |  |  |
|--|----------------|--|--|--|--|--|
| RED  | Warm Red       |  |  |  |  |  |
| BLACK  | Black          |  |  |  |  |  |
| GRAY   | Gray Granite   |  |  |  |  |  |
| WHITE  | White Granite  |  |  |  |  |  |
| NAVY   | Navy Blue      |  |  |  |  |  |
| GREEN  | Hunter Green   |  |  |  |  |  |
| COPPER   | Antique Copper |  |  |  |  |  |

#### **COLORS AND FINISHES – PAGE 20**





# Glo-Ray<sup>®</sup> *Designer* Merchandising Warmers

Boost impulse sales by showcasing your hot foods in the Hatco Glo-Ray<sup>®</sup> *Designer* Merchandising Warmers. Designed specifically for displaying wrapped or boxed product, these warmers hold hot food safely at proper serving temperatures.

**NOTE:** *Designer* Series width dimensions are 6<sup>1</sup>/<sub>4</sub>" greater than the number listed in model.

- Constructed of aluminum and stainless steel with tempered glass side panels
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Convenient for self-serve or quick-serve areas
- Available in single- or two-tier models
- Horizontal or slant shelves
- Thermostatically-controlled hardcoated heated base extends holding times

- Product divider rods sort food displays
- Shatter-resistant incandescent lights illuminate the holding areas and emphasize the product



**GR2SDH-30** with standard *Designer* Black inset panels and accessory flip-up plexi-glass door

| DESIGNER HURIZONTAL DISPLAY WARMERS |                               |   |             |  |       |              |             |  |  |
|-------------------------------------|-------------------------------|---|-------------|--|-------|--------------|-------------|--|--|
| Model*                              | No. of Bulbs,<br>Divider Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs | Voltage     | Usable Heated Shelf Space $W \mbox{ x } D$ | Watts | Plug         | Ship Weight |  |  |
| Single Shelf                        |                               |   |             |  |       |              |             |  |  |
| GR2SDH-24                           | 2, 5                          | 30¼" x 27" x 181/8"                                   | 120         | 23 <sup>7</sup> /8" x 22"                  | 820   | NEMA 5-15P   | 87 lbs.     |  |  |
| GR2SDH-30                           | 2,6                           | 36¼" x 27" x 181⁄8"                                   | 120         | 29 <sup>7</sup> ⁄8" x 22"                  | 1020  | NEMA 5-15P   | 120 lbs.    |  |  |
| GR2SDH-36                           | 2, 7                          | 42¼" x 27" x 181⁄8"                                   | 120         | 35 <sup>7</sup> ⁄8" x 22"                  | 1220  | NEMA 5-15P   | 129 lbs.    |  |  |
| GR2SDH-42*                          | 4, 8                          | 48¼" x 27" x 181⁄8"                                   | 120         | 41 <sup>7</sup> ⁄8" x 22"                  | 1490  | NEMA 5-15P   | 138 lbs.    |  |  |
| GR2SDH-48*                          | 4, 9                          | 54¼" x 27" x 181⁄8"                                   | 120         | 47 <sup>7</sup> /8" x 22"                  | 1690  | NEMA 5-15P   | 160 lbs.    |  |  |
| GR2SDH-54                           | 4, 10                         | 60¼" x 27" x 181⁄8"                                   | 120         | 53 <sup>7</sup> ⁄8" x 22"                  | 1890  | NEMA 5-20P   | 172 lbs.    |  |  |
| GR2SDH-60                           | 6, 12                         | 66¼" x 27" x 181⁄8"                                   | 120         | 59 <sup>7</sup> ⁄⁄8" x 22"                 | 2210  | NEMA 5-30P   | 200 lbs.    |  |  |
| Dual Shelf                          |                               |   |             |  |       |              |             |  |  |
| GR2SDH-24D*                         | 4, 10                         | 30¼" x 27" x 29"                                      | 120         | 23 <sup>7</sup> /8" x 22"                  | 1640  | NEMA 5-15P   | 126 lbs.    |  |  |
| GR2SDH-30D                          | 4, 12                         | 36¼" x 27" x 29"                                      | 120/208-240 | 297/8" x 22"                               | 2040  | NEMA L14-20P | 158 lbs.    |  |  |
| GR2SDH-36D                          | 4, 14                         | 42¼" x 27" x 29"                                      | 120/208-240 | 351/8" x 22"                               | 2440  | NEMA L14-20P | 205 lbs.    |  |  |
| GR2SDH-42D                          | 8, 16                         | 48¼" x 27" x 29"                                      | 120/208-240 | 41 <sup>7</sup> ⁄8" x 22"                  | 2980  | NEMA L14-20P | 225 lbs.    |  |  |
| GR2SDH-48D                          | 8, 18                         | 54¼" x 27" x 29"                                      | 120/208-240 | 47 <sup>7</sup> /8" x 22"                  | 3380  | NEMA L14-20P | 254 lbs.    |  |  |
| GR2SDH-54D                          | 8, 20                         | 60¼" x 27" x 29"                                      | 120/208-240 | 53 <sup>7</sup> ⁄8" x 22"                  | 3780  | NEMA L14-20P | 274 lbs.    |  |  |
| GR2SDH-60D                          | 12, 24                        | 66¼" x 27" x 29"                                      | 120/208-240 | 59 <sup>7</sup> ⁄8" x 22"                  | 4420  | NEMA L14-30P | 328 lbs.    |  |  |

#### DESIGNER SLANT DISPLAY WARMERS

| Model*                  | No. of Bulbs,<br>Divider Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs           | Voltage     | Usable Heated Shelf Space<br>W x D     | Watts | Plug         | Ship Weight |
|-------------------------|-------------------------------|---|-------------|--|-------|--------------|-------------|
| Single Shelf            |                               |   |             |  |       |              |             |
| GR2SDS-24               | 2, 5                          | 30 <sup>1</sup> ⁄4" x 26 <sup>3</sup> ⁄4" x 22 <sup>7</sup> ⁄8" | 120         | 23 <sup>7</sup> ⁄8" x 22"              | 820   | NEMA 5-15P   | 102 lbs.    |
| GR2SDS-30               | 2, 6                          | 36¼" x 26¾" x 221/8"  | 120         | 291⁄8" x 22"                           | 1020  | NEMA 5-15P   | 110 lbs.    |
| GR2SDS-36               | 2, 7                          | 42¼" x 26¾" x 221/8"  | 120         | 351/8" x 22"                           | 1220  | NEMA 5-15P   | 136 lbs.    |
| GR2SDS-42 <sup>+</sup>  | 4, 8                          | 48¼" x 26¾" x 22%"  | 120         | 41 <sup>7</sup> / <sub>8</sub> " x 22" | 1490  | NEMA 5-15P   | 155 lbs.    |
| GR2SDS-48*              | 4, 9                          | 54¼" x 26¾" x 221/8"  | 120         | 471/8" x 22"                           | 1690  | NEMA 5-15P   | 164 lbs.    |
| GR2SDS-54               | 4, 10                         | 60 <sup>1</sup> /4" x 26 <sup>3</sup> /4" x 22 <sup>7</sup> /8" | 120         | 53%" x 22"                             | 1890  | NEMA 5-20P   | 182 lbs.    |
| GR2SDS-60               | 6, 12                         | 66¼" x 26¾" x 22 <sup>7</sup> /8"                               | 120         | 59%" x 22"                             | 2210  | NEMA 5-30P   | 202 lbs.    |
| Dual Shelf              |                               |   |             |  |       |              |             |
| GR2SDS-24D <sup>+</sup> | 4, 10                         | 30 <sup>1</sup> /4" x 26 <sup>3</sup> /4" x 33 <sup>7</sup> /8" | 120         | 23 <sup>7</sup> / <sub>8</sub> " x 22" | 1640  | NEMA 5-15P   | 160 lbs.    |
| GR2SDS-30D              | 4, 12                         | 36¼" x 26¾" x 33 <sup>7</sup> / <sub>8</sub> "                  | 120/208-240 | 29%" x 22"                             | 2040  | NEMA L14-20P | 184 lbs.    |
| GR2SDS-36D              | 4, 14                         | 42 <sup>1</sup> /4" x 26 <sup>3</sup> /4" x 33 <sup>7</sup> /8" | 120/208-240 | 35%" x 22"                             | 2440  | NEMA L14-20P | 200 lbs.    |
| GR2SDS-42D              | 8, 16                         | 48¼" x 26¾" x 33%"  | 120/208-240 | 41%" x 22"                             | 2980  | NEMA L14-20P | 218 lbs.    |
| GR2SDS-48D              | 8, 18                         | 54¼" x 26¾" x 33 <sup>7</sup> /8"                               | 120/208-240 | 47%" x 22"                             | 3380  | NEMA L14-20P | 255 lbs.    |
| GR2SDS-54D              | 8, 20                         | 60 <sup>1</sup> ⁄4" x 26 <sup>3</sup> ⁄4" x 33 <sup>7</sup> ⁄8" | 120/208-240 | 53%" x 22"                             | 3780  | NEMA L14-20P | 265 lbs.    |
| GR2SDS-60D              | 12, 24                        | 66¼" x 26¾" x 33⅛"  | 120/208-240 | 59%" x 22"                             | 4420  | NEMA L14-30P | 296 lbs.    |

\* When no color is specified, color inset panels and corner caps will be Black.

▲ Canadian models use NEMA 5-20P.

#### All Designer Display Warmer Models Feature:

Cord Location: Back center of base on control side.

**OPTIONS AND ACCESSORIES – PAGE 7** 

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

ALL GLO-RAY® BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.







# **OPTIONS** (available at time of purchase only)

| Designer Corne   | r Caps –   |
|------------------|--|
| BLÄCK            | Black Corner Caps  |
| DKGRAY           | Dark Gray Corner Caps  |
| 5" Sneeze Guar   | d – Customer side only on Slant models –   |
| GR2SD24BP        | 30 <sup>1</sup> / <sub>4</sub> " wide models                                     |
| GR2SD30BP        | 36¼" wide models   |
| GR2SD36BP        | 42 <sup>1</sup> /4" wide models  |
| GR2SD42BP        | 48 <sup>1</sup> / <sub>4</sub> " wide models                                     |
| GR2SD48BP        | 54¼" wide models   |
| GR2SD54BP        | 60 <sup>1</sup> /4" wide models  |
| GR2SD60BP        | 661/4" wide models   |
| Plexi-Glass Flip | -Up Doors – On control or customer side –  |
| 2SDS24FLIP       | 301/8" wide models   |
| 2SDS30FLIP       | 361/s" wide models   |
| 2SDS36FLIP       | 421/8" wide models   |
| 2SDS42FLIP       | 481/8" wide models   |
| 2SDS48FLIP       | 541/8" wide models – split doors   |
| 2SDS54FLIP       | 601/8" wide models – split doors   |
| 2SDS60FLIP       | 661/8" wide models – split doors   |
| 2SDHFRTGLS       | Front Glass in lieu of Channel Dividers and Divider Rods. Cannot                 |
|                  | have Sneeze Guards or Flip-Up Doors (GR2SDH series only)                         |
| HAL              | Halogen Bulb in lieu of standard Display Light (60 Watt)                         |
| SS-ITC           | Indicating Temperature Control (LED) for single shelf (adds 17%" to              |
|                  | Horizontal model depth and 1 <sup>3</sup> / <sub>4</sub> " to Slant model depth) |
| DS-ITC           | Indicating Temperature Control (LED) for dual shelf (adds 11/2" to               |
|                  | Horizontal model depth and 13/4" to Slant model depth)                           |

# **ACCESSORIES** (available for purchase at any time)

| 2SD-DIV | Additional Stainless Steel Divider Rods |
|---------|---|
|         |   |

**COLORS AND FINISHES – PAGE 20** 

#### **OPTIONS** (available at time of purchase only)

#### Designer Colors – Non-standard colors are non-returnable – Clear

Anodized Aluminum Standard –

|   | RED    | Warm Red       |
|---|--------|----------------|
|   | BLACK  | Black          |
|   | GRAY   | Gray Granite   |
|   | WHITE  | White Granite  |
|   | NAVY   | Navy Blue      |
|   | GREEN  | Hunter Green   |
| _ | COPPER | Antique Copper |
|   |        |                |

Designer Inset Panel Colors – Non-standard colors are non-returnable – Black Standard –

| BLACK     Black       GRAY     Gray Granite       WHITE     White Granite       NAVY     Navy Blue       GREEN     Hunter Green       COPPER     Antique Copper | RED    | Warm Red       |
|---|--------|----------------|
| WHITE         White Granite           NAVY         Navy Blue           GREEN         Hunter Green   | BLACK  | Black          |
| NAVY Navy Blue<br>GREEN Hunter Green  | GRAY   | Gray Granite   |
| GREEN Hunter Green  | WHITE  | White Granite  |
|   | NAVY   | Navy Blue      |
| COPPER Antique Copper   | GREEN  | Hunter Green   |
|   | COPPER | Antique Copper |





SS-ITC Optional



# **Heated LED** Merchandisers

The new Heated Merchandiser with LED lighting is sleekly designed to safely hold hot packaged food to attract your grab-and-go customers. Available in slant or horizontal shelves, the Heated LED Merchandising Warmers are offered in both single and dual

shelf models.

- Choose from slant or horizontal, single or dual shelf models
- Infrared heat safely holds hot packaged product for hours
- High efficiency LED lighting creates better illumination of food product in the holding area
- Feature a thermostatically-controlled hardcoated heated base shelf
- Hinged glass side panels are held in place magnetically and swing out for easy cleaning

HXMS-36D in standard Designer Black

 An optional Indicating Temperature Control (ITC) enhances accurate control of temperature



#### HORIZONTAL HEATED LED MERCHANDISING WARMERS

| Model                   | Divider<br>Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs | Usable Heated Shelf Space $W \times D$ | Voltage     | Watts | Amps | Plug         | Ship Weight* |
|-------------------------|-----------------|---|--|-------------|-------|------|--------------|--------------|
| <b>Horizontal Singl</b> | e Shelf         |   |  |             |       |      |              |              |
| HXMH-24                 | 5               | 28" x 285/8" x 217/8"                                 | 223/8" x 213/4"                        | 120         | 700   | 5.8  | NEMA 5-15P   | 120 lbs.     |
| HXMH-30                 | 6               | 34" x 285/s" x 217/s"                                 | 28¾" x 21¾"                            | 120         | 900   | 7.5  | NEMA 5-15P   | 133 lbs.     |
| HXMH-36                 | 7               | 40" x 285/s" x 217/s"                                 | 34¾" x 21¾"                            | 120         | 1100  | 9.2  | NEMA 5-15P   | 145 lbs.     |
| HXMH-42                 | 8               | 46" x 285/s" x 217/s"                                 | 40¾" x 21¾"                            | 120         | 1200  | 10.0 | NEMA 5-15P   | 161 lbs.     |
| HXMH-48                 | 9               | 52" x 285⁄8" x 217⁄8"                                 | 46¾" x 21¾"                            | 120         | 1450  | 12.1 | NEMA 5-20P   | 190 lbs.     |
| HXMH-54                 | 10              | 58" x 285/s" x 217/s"                                 | 52¾" x 21¾"                            | 120         | 1650  | 13.8 | NEMA 5-20P   | 205 lbs.     |
| HXMH-60                 | 12              | 64" x 285⁄8" x 217⁄8"                                 | 58¾" x 21¾"                            | 120         | 1850  | 15.4 | NEMA 5-20P   | 230 lbs.     |
| Horizontal Dual         | Shelf           |   |  |             |       |      |              |              |
| HXMH-24D                | 10              | 28" x 285/8" x 327/8"                                 | 223/8" x 213/4"                        | 120         | 1400  | 11.7 | NEMA 5-15P   | 160 lbs.     |
| HXMH-30D                | 12              | 34" x 285%" x 327%"                                   | 28¾" x 21¾"                            | 120/208-240 | 1800  | 7.5  | NEMA L14-20P | 185 lbs.     |
| HXMH-36D                | 14              | 40" x 285/8" x 327/8"                                 | 34¾" x 21¾"                            | 120/208-240 | 2200  | 9.2  | NEMA L14-20P | 205 lbs.     |
| HXMH-42D                | 16              | 46" x 285/8" x 327/8"                                 | 40¾" x 21¾"                            | 120/208-240 | 2400  | 10.0 | NEMA L14-20P | 220 lbs.     |
| HXMH-48D                | 18              | 52" x 285/8" x 327/8"                                 | 46¾" x 21¾"                            | 120/208-240 | 2900  | 12.1 | NEMA L14-20P | 244 lbs.     |
| HXMH-54D                | 20              | 58" x 285/8" x 327/8"                                 | 52¾" x 21¾"                            | 120/208-240 | 3300  | 13.8 | NEMA L14-20P | 271 lbs.     |
| HXMH-60D                | 24              | 64" x 285/8" x 327/8"                                 | 58¾" x 21¾"                            | 120/208-240 | 3700  | 15.4 | NEMA L14-20P | 300 lbs.     |

#### SLANT HEATED LED MERCHANDISING WARMERS

| Model              | Divider<br>Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs | <b>Usable Heated Shelf Space</b><br>W x D | Voltage     | Watts | Amps | Plug         | Ship Weight* |
|--------------------|-----------------|---|---|-------------|-------|------|--------------|--------------|
| Slant Single Shelf |                 |   |   |             |       |      |              |              |
| HXMS-24            | 5               | 28" x 281⁄8" x 213⁄4"                                 | 223/8" x 213/4"                           | 120         | 700   | 5.8  | NEMA 5-15P   | 112 lbs.     |
| HXMS-30            | 6               | 34" x 281/8" x 213/4"                                 | 28¾" x 21¾"                               | 120         | 900   | 7.5  | NEMA 5-15P   | 133 lbs.     |
| HXMS-36            | 7               | 40" x 281/8" x 213/4"                                 | 34¾" x 21¾"                               | 120         | 1100  | 9.2  | NEMA 5-15P   | 150 lbs.     |
| HXMS-42            | 8               | 46" x 281/8" x 213/4"                                 | 40¾" x 21¾"                               | 120         | 1200  | 10.0 | NEMA 5-15P   | 161 lbs.     |
| HXMS-48            | 9               | 52" x 281⁄8" x 213⁄4"                                 | 46¾" x 21¾"                               | 120         | 1450  | 12.1 | NEMA 5-20P   | 188 lbs.     |
| HXMS-54            | 10              | 58" x 28 <sup>1</sup> ⁄8" x 21 <sup>3</sup> ⁄4"       | 52¾" x 21¾"                               | 120         | 1650  | 13.8 | NEMA 5-20P   | 205 lbs.     |
| HXMS-60            | 12              | 64" x 281⁄8" x 213⁄4"                                 | 58¾" x 21¾"                               | 120         | 1850  | 15.4 | NEMA 5-20P   | 205 lbs.     |
| Slant Dual Shelf   |                 |   |   |             |       |      |              |              |
| HXMS-24D           | 10              | 28" x 281/8" x 323/4"                                 | 223/8" x 213/4"                           | 120         | 1400  | 11.7 | NEMA 5-15P   | 160 lbs.     |
| HXMS-30D           | 12              | 34" x 281/8" x 323/4"                                 | 28¾" x 21¾"                               | 120/208-240 | 1800  | 7.5  | NEMA L14-20P | 187 lbs.     |
| HXMS-36D           | 14              | 40" x 281/8" x 323/4"                                 | 343/8" x 213/4"                           | 120/208-240 | 2200  | 9.2  | NEMA L14-20P | 208 lbs.     |
| HXMS-42D           | 16              | 46" x 281/8" x 323/4"                                 | 40¾" x 21¾"                               | 120/208-240 | 2400  | 10.0 | NEMA L14-20P | 232 lbs.     |
| HXMS-48D           | 18              | 52" x 281/8" x 323/4"                                 | 463/8" x 213/4"                           | 120/208-240 | 2900  | 12.1 | NEMA L14-20P | 245 lbs.     |
| HXMS-54D           | 20              | 58" x 281/8" x 323/4"                                 | 52¾" x 21¾"                               | 120/208-240 | 3300  | 13.8 | NEMA L14-20P | 270 lbs.     |
| HXMS-60D           | 24              | 64" x 281/8" x 323/4"                                 | 58¾" x 21¾"                               | 120/208-240 | 3700  | 15.4 | NEMA L14-20P | 391 lbs.     |
|                    |                 |   |   |             |       |      |              |              |


\* Shipping weights are approximate.

#### All Heated LED Merchandising Warmer Models Feature:

Cord Location: Back center of base, on left side of control box.

**OPTIONS AND ACCESSORIES – PAGE 10** 

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY. PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS. ALL GLO-RAY® BLANKET HEATING ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.





# Heated Zone Merchandisers

The energy-efficient Hatco Heated Zone Merchandiser safely holds hot packaged food in eye catching design to draw in your customers, while LED lighting showcases your food product. Hatco's Spot-On<sup>®</sup> Technology will reduce your energy consumption while keeping your foods at the desired temperature.



- Spot-On Technology turns overhead heat on only when product is present in that zone, while base heat goes from energy saving mode to the temperature you set
- Our fast action ribbon elements will be up to temperature in less than 10 seconds
- Choose from slant or horizontal shelves, single or dual shelf models, with 2 to 12 zones depending on the model size
- LCD display scans and displays the various zone settings



lechnology

- Hinged glass side panels swing out for easy cleaning
- Channel dividers are held in place by magnets, giving the unit more heated surface



#### HORIZONTAL HEATED ZONE MERCHANDISING WARMERS

| Model                  | Zones per<br>Shelf | Divider<br>Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs | Usable Heated Surface<br>per Zone (W × D)   | Voltage<br>Single Phase | Watts | Plug         | Ship Weight |
|------------------------|--------------------|-----------------|---|---|-------------------------|-------|--------------|-------------|
| <b>Horizontal Sing</b> | le Shelf           |                 |   |   |                         |       |              |             |
| HZMH-24                | 2                  | 3               | 28" x 285⁄8" x 217⁄8"                                 | 20" x 21¾"                                  | 120                     | 750   | NEMA 5-15P   | 125 lbs     |
| HZMH-30                | 4                  | 4               | 34" x 285⁄8" x 217⁄8"                                 | 12¾" x 21¾"                                 | 120                     | 1350  | NEMA 5-15P   | 141 lbs     |
| HZMH-36                | 4                  | 4               | 40" x 285%" x 217%"                                   | 15¾" x 21¾"                                 | 120                     | 1400  | NEMA 5-15P   | 159 lbs     |
| HZMH-42                | 4                  | 6               | 46" x 285%" x 217%"                                   | 18¾" x 21¾"                                 | 120                     | 1450  | NEMA 5-20P   | 172 lbs     |
| HZMH-48                | 4                  | 6               | 52" x 285⁄8" x 217⁄8"                                 | 21¾" x 21¾"                                 | 120                     | 1500  | NEMA 5-20P   | 182 lbs     |
| HZMH-54                | 6                  | 6               | 58" x 285⁄8" x 217⁄8"                                 | 15 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4" | 120                     | 2100  | NEMA 5-30P   | 202 lbs     |
| HZMH-60                | 6                  | 9               | 64" x 285/8" x 217/8"                                 | 17 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4" | 120                     | 2150  | NEMA 5-30P   | 216 lbs     |
| Horizontal Dual        | Shelf              |                 |   |   |                         |       |              |             |
| HZMH-24D               | 2                  | 6               | 28" x 285/8" x 327/8"                                 | 20" x 21¾"                                  | 120                     | 1500  | NEMA 5-20P   | 176 lbs     |
| HZMH-30D               | 4                  | 8               | 34" x 28 <sup>5</sup> ⁄%" x 32 <sup>7</sup> ⁄%"       | 12¾" x 21¾"                                 | 120/208-240             | 2700  | NEMA L14-20P | 204 lbs     |
| HZMH-36D               | 4                  | 8               | 40" x 285/8" x 327/8"                                 | 15¾" x 21¾"                                 | 120/208-240             | 2800  | NEMA L14-20P | 228 lbs     |
| HZMH-42D               | 4                  | 12              | 46" x 285/8" x 327/8"                                 | 18¾" x 21¾"                                 | 120/208-240             | 2900  | NEMA L14-20P | 246 lbs     |
| HZMH-48D               | 4                  | 12              | 52" x 285/8" x 327/8"                                 | 21¾" x 21¾"                                 | 120/208-240             | 3000  | NEMA L14-20P | 265 lbs     |
| HZMH-54D               | 6                  | 12              | 58" x 285/8" x 327/8"                                 | 15 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4" | 120/208-240             | 4200  | NEMA L14-30P | 308 lbs     |
| HZMH-60D               | 6                  | 18              | 64" x 285%" x 327%"                                   | 17 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4" | 120/208-240             | 4300  | NEMA L14-30P | 331 lbs     |

#### SLANT HEATED ZONE MERCHANDISING WARMERS

| Model             | Zones per<br>Shelf | Divider<br>Rods | <b>Dimensions</b> (W x D x H)<br>Height includes legs                     | Usable Heated Surface<br>per Zone (W x D)                             | Voltage<br>Single Phase | Watts | Plug         | Ship Weight |
|-------------------|--------------------|-----------------|---|---|-------------------------|-------|--------------|-------------|
| Slant Single Shel | f                  |                 |   |   |                         |       |              |             |
| HZMS-24           | 2                  | 3               | 28" x 281/8" x 213/4"   | 20" x 21¾"  | 120                     | 750   | NEMA 5-15P   | 120 lbs     |
| HZMS-30           | 4                  | 4               | 34" x 281/8" x 213/4"   | 12¾" x 21¾"   | 120                     | 1350  | NEMA 5-15P   | 145 lbs     |
| HZMS-36           | 4                  | 4               | 40" x 281/8" x 213/4"   | 15¾" x 21¾"   | 120                     | 1400  | NEMA 5-15P   | 159 lbs     |
| HZMS-42           | 4                  | 6               | 46" x 281/8" x 213/4"   | 18¾" x 21¾"   | 120                     | 1450  | NEMA 5-20P   | 172 lbs     |
| HZMS-48           | 4                  | 6               | 52" x 281/8" x 213/4"   | 213/8" x 213/4"   | 120                     | 1500  | NEMA 5-20P   | 187 lbs     |
| HZMS-54           | 6                  | 6               | 58" x 281/8" x 213/4"   | 15 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4"                           | 120                     | 2100  | NEMA 5-30P   | 202 lbs     |
| HZMS-60           | 6                  | 9               | 64" x 281⁄8" x 213⁄4"   | 17 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4"                           | 120                     | 2150  | NEMA 5-30P   | 216 lbs     |
| Slant Dual Shelf  |                    |                 |   |   |                         |       |              |             |
| HZMS-24D          | 2                  | 6               | 28" x 281/8" x 323/4"   | 20" x 21¾"  | 120                     | 1500  | NEMA 5-20P   | 176 lbs     |
| HZMS-30D          | 4                  | 8               | 34" x 281/8" x 323/4"   | 12¾" x 21¾"   | 120/208-240             | 2700  | NEMA L14-20P | 209 lbs     |
| HZMS-36D          | 4                  | 8               | 40" x 281/8" x 323/4"   | 15¾" x 21¾"   | 120/208-240             | 2800  | NEMA L14-20P | 223 lbs     |
| HZMS-42D          | 4                  | 12              | 46" x 281/8" x 323/4"   | 18¾" x 21¾"   | 120/208-240             | 2900  | NEMA L14-20P | 248 lbs     |
| HZMS-48D          | 4                  | 12              | 52" x 281/8" x 323/4"   | 21¾" x 21¾"   | 120/208-240             | 3000  | NEMA L14-20P | 263 lbs     |
| HZMS-54D          | 6                  | 12              | 58" x 281/8" x 323/4"   | 15 <sup>13</sup> ⁄16" x 21 <sup>3</sup> ⁄4"                           | 120/208-240             | 4200  | NEMA L14-30P | 298 lbs     |
| HZMS-60D          | 6                  | 18              | 64" x 28 <sup>1</sup> / <sub>8</sub> " x 32 <sup>3</sup> / <sub>4</sub> " | 17 <sup>13</sup> / <sub>16</sub> " x 21 <sup>3</sup> / <sub>4</sub> " | 120/208-240             | 4300  | NEMA L14-30P | 332 lbs     |

#### All Heated Zone Merchandising Warmer Models Feature:

Cord Location: Back center of base, on left side of control box.

#### **OPTIONS AND ACCESSORIES – PAGE 10**

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS. ALL GLO-RAY® HALIENT RIBBON ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

Heated Zone Merchandiser

HZMX-XXD No Character = Single Shelf D = Dual Shelf Heated Width of Unit (Inches)

S = Slanted Shelf





HZMS-48D in standard Designer Black with optional red LED accent lighting in support posts

## **OPTIONS** (available at time of purchase only)

| RED                              | Warm Red  |
|----------------------------------|---|
| BLACK                            | Black   |
| GRAY                             | Gray Granite  |
| WHITE                            | White Granite   |
| NAVY                             | Navy Blue   |
| GREEN                            | Hunter Green  |
| COPPER                           | Antique Copper  |
| HZM-LP                           | Red LED Accent Lighting in support post (HXM and HZM models)                |
| Wire Guards – Single shelf, Slan | t and Horizontal models – HZM models only –                                 |
| HZMWG-24                         | Wire Guard on -24 models  |
| HZMWG-30 -36 -42 -48             | Wire Guard on -30, -36, -42 & -48 models                                    |
| HZMWG-54 -60                     | Wire Guard on -54 & -60 models  |
|                                  | and Horizontal models – HZM models only –                                   |
| HZMWG-24D                        | Wire Guard on -24 models  |
| HZMWG-30D -36D -42D -48D         | Wire Guard on -30, -36, -42 & -48 Models                                    |
| HZMWG-54D -60D                   | Wire Guard on -54 & -60 Models  |
| SS-ITC                           | Indicating Temperature Control (LED) for single shelf (HXM models only      |
| DS-ITC                           | Indicating Temperature Control (LED) for dual shelf (HXM models only)       |
|                                  | models – Not compatible with Flip-Up Doors in same opening –                |
| HZM24BP                          | 5" Sneeze Guard on customer side on -24 models                              |
| HZM30BP                          | 5" Sneeze Guard on customer side on -30 models                              |
| HZM36BP                          | 5" Sneeze Guard on customer side on -36 models                              |
| HZM42BP                          | 5" Sneeze Guard on customer side on -42 models                              |
| HZM48BP                          | 5" Sneeze Guard on customer side on -48 models                              |
| HZM54BP                          | 5" Sneeze Guard on customer side on -54 models                              |
| HZM60BP                          | 5" Sneeze Guard on customer side on -60 models                              |
|                                  |   |
|                                  | nodels – Not compatible with Sneeze Guards in same opening,                 |
| one side only –                  | Disui Olasa Filia IIa Davar en control en contentar en cida en Od escala la |
| HZM24FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -24 models         |
| HZM30FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -30 models         |
| HZM36FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -36 models         |
| HZM42FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -42 models         |
| HZM48FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -48 models         |
| HZM54FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -54 models         |
| HZM60FLIP                        | Plexi-Glass Flip-Up Doors on control or customer side on -60 models         |

#### HZM-DIV Additional Stainless Steel Divider Rods (HXM and HZM models)

**COLORS AND FINISHES – PAGE 20** 



# Glo-Ray<sup>®</sup> Heated Glass Merchandisers

Hatco's patented heated glass shelves provide maximum product visibility while increasing product capacity. All models are available in *Designer* colors or Stainless Steel, with tempered glass end panels, a thermostatically-controlled heated base, product divider rods and  $2\frac{1}{2}$ " legs.

- The heated glass shelves make these self-serve merchandisers uniquely visual
- Patented heated glass shelf provides an even heat source for top and bottom heat to safely hold product
- Thermostatically-controlled, hardcoated heated base
- Standard 2½" adjustable legs (adds 2%" to height of unit)
- Available in horizontal or slanted versions to meet your needs or style
- *Designer* color models, posts, base panels and sign holder for top and middle shelves optional – non-standard colors are non-returnable
- Flip-up doors and 4" legs available
- Fluorescent lights with clear plastic cover help showcase food product
- Modular design accommodates side-by-side expansion





Designer Navy Blue

#### HORIZONTAL DISPLAY WARMERS WITH HEATED GLASS

|              |                |  |                                       |             |       |              | 1           |
|--------------|----------------|--|---------------------------------------|-------------|-------|--------------|-------------|
| Model        | No. of<br>Rods | Dimensions<br>W x D x H <sup>●</sup>   | Usable Heated Shelf Space $W \ x \ D$ | Voltage     | Watts | Plug         | Ship Weight |
| Single Shelf |                |  |                                       |             |       |              |             |
| GR3SDH-27    | 10             | 27¼" x 27¼" x 13¾"   | 23¼" x 21¼"                           | 120         | 997   | NEMA 5-15P   | 108 lbs.    |
| GR3SDH-33    | 12             | 33¼" x 27¼" x 13¾"   | 29¼" x 21¼"                           | 120         | 1251  | NEMA 5-15P   | 120 lbs.    |
| GR3SDH-39*   | 14             | 39¼" x 27¼" x 13¾"   | 35¼" x 21¼"                           | 120         | 1505  | NEMA 5-15P   | 133 lbs.    |
| Dual Shelf   |                |  |                                       |             |       |              |             |
| GR3SDH-27D▲  | 15             | 27 <sup>1</sup> / <sub>4</sub> " x 27 <sup>1</sup> / <sub>4</sub> " x 23 <sup>1</sup> / <sub>2</sub> " | 23¼" x 21¼"                           | 120         | 1769  | NEMA 5-15P   | 147 lbs.    |
| GR3SDH-33D   | 18             | 33¼" x 27¼" x 23½"   | 29¼" x 21¼"                           | 120/208-240 | 2227  | NEMA L14-20P | 166 lbs.    |
| GR3SDH-39D   | 21             | 39¼" x 27¼" x 23½"   | 35¼" x 21¼"                           | 120/208-240 | 2685  | NEMA L14-20P | 194 lbs.    |
|              |                |  |                                       |             |       |              |             |

#### SLANT DISPLAY WARMERS WITH HEATED GLASS

| No. of<br>Rods | Dimensions<br>W x D x H●   | Usable Heated Shelf Space<br>W x D  | Voltage   | Watts   | Plug  | Ship Weight   |
|----------------|--|---|---|---|---|---|
|                |  |   |   |   |   |   |
| 10             | 27¼" x 26%" x 18%"   | 23¼" x 21¼"   | 120   | 997   | NEMA 5-15P  | 115 lbs.  |
| 12             | 33¼" x 26 <sup>7</sup> ⁄%" x 181⁄%"  | 29¼" x 21¼"   | 120   | 1251  | NEMA 5-15P  | 127 lbs.  |
| 14             | 39¼" x 26 <sup>7</sup> /8" x 181/8"  | 35¼" x 21¼"   | 120   | 1505  | NEMA 5-15P  | 156 lbs.  |
|                |  |   |   |   |   |   |
| 15             | 27 <sup>1</sup> / <sub>4</sub> " x 26 <sup>7</sup> / <sub>8</sub> " x 28 <sup>1</sup> / <sub>8</sub> " | 23¼" x 21¼"   | 120   | 1769  | NEMA 5-15P  | 164 lbs.  |
| 18             | 33¼" x 26 <sup>7</sup> /8" x 28 <sup>1</sup> /8"   | 29¼" x 21¼"   | 120/208-240   | 2227  | NEMA L14-20P  | 190 lbs.  |
| 21             | 39¼" x 26 <sup>7</sup> /8" x 28 <sup>1</sup> /8"   | 35¼" x 21¼"   | 120/208-240   | 2685  | NEMA L14-20P  | 206 lbs.  |
|                | <b>Rods</b> 10 12 14 15 18   | Rods         W x D x H*           10         27¼" x 26%" x 18½"           12         33¼" x 26%" x 18½"           14         39¼" x 26%" x 18½"           15         27¼" x 26%" x 28½"           18         33¼" x 26%" x 28½" | Rods         W x D x H*         W x D           10         27¼" x 26%" x 18½"         23¼" x 21¼"           12         33¼" x 26½" x 18½"         29¼" x 21¼"           14         39¼" x 26½" x 18½"         35¼" x 21¼"           15         27¼" x 26½" x 28½"         23¼" x 21¼"           18         33¼" x 26½" x 28½"         29¼" x 21¼" | Rods         W x D x H*         W x D         Voltage           10         27¼" x 26%" x 18½"         23¼" x 21¼"         120           12         33¼" x 26%" x 18½"         29¼" x 21¼"         120           14         39¼" x 26%" x 18½"         35¼" x 21¼"         120           15         27¼" x 26%" x 28½"         23¼" x 21¼"         120           18         33¼" x 26½" x 28½"         29¼" x 21¼"         120/208-240 | Rods         W x D x H*         W x D         Voltage         Watts           10         27¼" x 26%" x 18½"         23¼" x 21¼"         120         997           12         33¼" x 26%" x 18½"         29¼" x 21¼"         120         1251           14         39¼" x 26%" x 18½"         35¼" x 21¼"         120         1505 | Rods         W x D x H*         W x D         Voltage         Watts         Plug           10         27¼" x 26½" x 18½"         23¼" x 21¼"         120         997         NEMA 5-15P           12         33¼" x 26½" x 18½"         29½" x 21¼"         120         1251         NEMA 5-15P           14         39¼" x 26½" x 18½"         35¼" x 21¼"         120         1505         NEMA 5-15P           15         27¼" x 26½" x 28½"         23¼" x 21¼"         120         1769         NEMA 5-15P           18         33¼" x 26½" x 28½"         29¼" x 21¼"         120/208-240         2227         NEMA L14-20P |

Height does not include 2<sup>3</sup>/<sub>8</sub>" legs.

Canadian models use NEMA 5-20P.

#### All Heated Glass Display Warmer Models Feature:

Cord Location: Right rear on server's side.

#### **OPTIONS AND ACCESSORIES – PAGE 12**

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS. ALL GLO-RAY® HALIENT RIBBON ELEMENTS WARRANTED AGAINST BURNOUT FOR ONE YEAR.

ALL HEATED GLASS SHELVES GUARANTEED AGAINST BREAKAGE OR BURNOUT FOR ONE YEAR.







# **OPTIONS** (available at time of purchase only)

| RED             | Warm Red  |
|-----------------|---|
| BLACK           | Black   |
| GRAY            | Gray Granite  |
| WHITE           | White Granite   |
| NAVY            | Navy Blue   |
| GREEN           | Hunter Green  |
| COPPER          | Antique Copper  |
| GR3-SS          | Stainless Steel Body and Base (unpainted posts)   |
| GR3SD27BP       | 5" Sneeze Guard on customer side on 27 <sup>1</sup> /4" wide models   |
| GR3SD33BP       | 5" Sneeze Guard on customer side on 33 <sup>1</sup> /4" wide models   |
| GR3SD39BP       | 5" Sneeze Guard on customer side on 391/4" wide models  |
| 3SD27FLIP       | Plexi-Glass Flip-Up Doors on front or back on 27¼" wide models  |
| 3SD33FLIP       | Plexi-Glass Flip-Up Doors on front or back on $334^{\prime\prime}$ wide models  |
| 3SD39FLIP       | Plexi-Glass Flip-Up Doors on front or back on 391/4" wide models  |
| 3SDEND          | Plexi-Glass End Panels in lieu of Glass End Panels  |
| Painted Shelf S | ;<br>Nign Holder (Signs not included) – Color matches unit color – Top or intermediate shelf (Slant or Horizontal models) |
| 3SD27SIGN       | 27" width model. Requires 27"W x 21/16"H x 1/16"D Sign  |
| 3SD33SIGN       | 33" width model. Requires 33"W x 2¼6"H x ¼6"D Sign  |
| 3SD39SIGN       | 39" width model. Requires 39"W x 21/16"H x 1/16"D Sign  |

# **4"LEGS** 4" Adjustable Legs

| 3SD-DIV | Additional Stainless Steel Divider Rods |
|---------|---|
|         |   |

**COLORS AND FINISHES – PAGE 20** 



# Glo-Ray<sup>®</sup> Curved Merchandising Warmers

Looking to add a touch of class to a new point-of-sale area or to change or upgrade an existing area? Hatco's Glo-Ray<sup>®</sup> Curved Merchandising Warmer offers a unique and attractive solution for impulse sales areas.

- Single shelf and dual shelf units come standard with mirrored glass back panel
- Individual thermostatically-controlled heated base with master rocker switch maintains safe serving temperatures
- Halogen lighting allows for optimal food product display



**GRCMW-1** in standard *Designer* Black with food pans (not available)

- Humidified dual shelf unit contains a five cup capacity water reservoir
- Models with simulated stone are Swanstone®



**GRCMW-1DH** in standard *Designer* Black with food pans (not available)

#### CURVED MERCHANDISING WARMERS

| Model                     | Dimensions<br>W x D x H  | Voltage<br>Single Phase |            | <b>I Surface Space</b><br>x D | Watts | Plug       | Ship Weight |
|---------------------------|--------------------------|-------------------------|------------|-------------------------------|-------|------------|-------------|
| Single Shelf              |                          |                         | Top Shelf  | Bottom Shelf                  |       |            |             |
| GRCMW-1                   | 221/8" x 211/2" x 197/8" | 120                     | _          | 20%" x 14"                    | 670   | NEMA 5-15P | 56 lbs.     |
| Dual Shelf                |                          |                         |            |                               |       |            |             |
| GRCMW-1D*                 | 26" x 201/8" x 267/8"    | 120                     | 24½" x 14" | 21½" x 14"                    | 1540  | NEMA 5-15P | 92 lbs.     |
| Dual Shelf with Humidity* |                          |                         |            |                               |       |            |             |
| GRCMW-1DH*                | 26" x 201/8" x 267/8"    | 120                     | 24½" x 14" | 21½" x 14"                    | 1660  | NEMA 5-15P | 100 lbs.    |
| ▲ Canadian models ι       | use NEMA 5-20P.          |                         |            |                               |       |            |             |

☆ Humidity on bottom shelf only.

#### All Curved Merchandising Warmer Models Feature: Water Reservoir Capacity (GRCMW-1DH Model Only): 5 cups. Cord Location: Control side at right base corner.

WATER QUALITY REQUIREMENTS - PAGE 19

#### **OPTIONS** (available at time of purchase only)

| RED           | Warm Red   |  |  |  |  |
|---------------|--|--|--|--|--|
| BLACK         | Black  |  |  |  |  |
| GRAY          | Gray Granite   |  |  |  |  |
| WHITE         | White Granite  |  |  |  |  |
| NAVY          | Navy Blue  |  |  |  |  |
| GREEN         | Hunter Green   |  |  |  |  |
| COPPER        | Antique Copper   |  |  |  |  |
| Simulated Sto | Simulated Stone Colors (unit's painted surface and decorative trim inserts) – Non-standard colors are non-returnable – |  |  |  |  |

 GGRAN
 Gravite

 BSAND
 Bermuda Sand

| NSKY         | Night Sky   |
|--------------|---|
| CMWDBACKFLIP | Top and bottom shelf Flip-Up Doors on server's side in lieu of Mirrored Back Panel (GRCMW-1D, -1DH models only) |
| CMWDTOPFLIP  | Top shelf Flip-Up Door on customer side in lieu of Sneeze Guard (GRCMW-1D, -1DH models only)                    |

#### FOOD PANS AND TRIVETS – PAGE 19 COLORS AND FINISHES – PAGE 20

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY® METAL SHEATHED HEATING ELEMENTS.

| Glo-Ray Glo-Ray 1<br>Curved<br>Merchandising Warmer | ■ H<br>No Character = No Humidity<br>H = Humidity<br>No Character = Single Shelf<br>D = Dual Shelf<br>Total Full-Size Pan<br>Capacity of Each Shelf |
|---|---|



# Glo-Ray<sup>®</sup> *Designer* Heated Display Cases

Our *Designer* series Glo-Ray<sup>®</sup> Heated Display Case with curved glass and incandescent lighting will display your offering with flare and elegance. We combine our thermostatically-controlled heated base and infrared overhead heating to blanket your offering at the perfect temperature.

- The tempered curved glass design offers a great line of sight to draw in your customers
- Exclusive cool base construction
- Rollerless sliding doors
- Available with or without controlled humidity (bottom shelf only)
- Constructed of aluminum and stainless steel with tempered glass
- Curved glass front tilts forward for easy cleaning

- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Shatter-resistant incandescent lights illuminate the food product





**GRCD-2P** with pan rail and optional *Designer* color, backlit sign holder (sign not included) and accessory food pans

#### DESIGNER DISPLAY CASES



**GRCDH-1PD** with pan skirt, optional flip-up doors and accessory food pans (top baking dish not available)



**GRCDH-3PD** shown in standard Stainless Steel with accessory food pans

|                              | No. of    | Dimensions (W x D x H) | Usable Heated Shelf Space | Voltage      |       |            |             |
|------------------------------|-----------|------------------------|---------------------------|--------------|-------|------------|-------------|
| Model                        | Bulbs     | Height includes legs   | W x D                     | Single Phase | Watts | Plug       | Ship Weight |
| Single Shelf                 |           |                        |                           |              |       |            |             |
| GRCD-1P                      | 2         | 205⁄%" x 26" x 24"     | 181⁄8" x 21"              | 120          | 410   | NEMA 5-15P | 95 lbs.     |
| GRCD-2P                      | 3         | 32½" x 26" x 24"       | 30" x 21"                 | 120          | 780   | NEMA 5-15P | 120 lbs.    |
| GRCD-3P                      | 3         | 45½" x 26" x 24"       | 43" x 21"                 | 120          | 1005  | NEMA 5-15P | 152 lbs.    |
| Dual Shelf                   |           |                        |                           |              |       |            |             |
| GRCD-1PD                     | 4         | 205/8" x 26" x 313/4"  | 181⁄8" x 21"              | 120          | 860   | NEMA 5-15P | 98 lbs.     |
| GRCD-2PD                     | 6         | 321/2" x 26" x 313/4"  | 30" x 21"                 | 120          | 1210  | NEMA 5-15P | 170 lbs.    |
| GRCD-3PD▲                    | 6         | 45½" x 26" x 31¾"      | 43" x 21"                 | 120          | 1710  | NEMA 5-15P | 210 lbs.    |
| Single Shelf with            | Humidity* |                        |                           |              |       |            |             |
| GRCDH-1P                     | 2         | 205⁄8" x 26" x 24"     | 181⁄8" x 21"              | 120          | 660   | NEMA 5-15P | 90 lbs.     |
| GRCDH-2P                     | 3         | 32½" x 26" x 24"       | 30" x 21"                 | 120          | 1030  | NEMA 5-15P | 124 lbs.    |
| GRCDH-3P▲                    | 3         | 45½" x 26" x 24"       | 43" x 21"                 | 120          | 1255  | NEMA 5-15P | 156 lbs.    |
| Dual Shelf with H            | umidity*  |                        |                           |              |       |            |             |
| GRCDH-1PD                    | 4         | 205/8" x 26" x 313/4"  | 181⁄8" x 21"              | 120          | 1110  | NEMA 5-15P | 120 lbs.    |
| GRCDH-2PD▲                   | 6         | 321/2" x 26" x 313/4"  | 30" x 21"                 | 120          | 1460  | NEMA 5-15P | 174 lbs.    |
| <b>GRCDH-3PD<sup>‡</sup></b> | 6         | 45½" x 26" x 31¾"      | 43" x 21"                 | 120          | 1960  | NEMA 5-20P | 220 lbs.    |
|                              |           | 200                    |                           |              |       |            |             |

▲ Canadian models use NEMA 5-20P.

\* Humidity on bottom shelf only. Includes pan skirt on bottom shelf.

\* Not available for Canada with backlit base sign holder, and Canadian models use NEMA 5-30P.

#### All Designer Display Case Models Feature:

Water Reservoir Capacity (Humidified Models only): 3 quarts. Cord Location: Control side at right base corner.

OPTIONS – PAGE 15 Water Quality Requirements – Page 19







**GRCD-2PD** with optional self-closing flip-up doors and *Designer* color

#### **OPTIONS** (available at time of purchase only)

| Backlit Base Sign Hole  | der (Sign not included) –  |
|-------------------------|--|
|                         | 2-Pan models (25 lbs.). Requires 321/8"W x 5"H x 1/16"D Translucent Sign     |
|                         | 3-Pan models (28 lbs.). Requires $45\%$ W x 5"H x $1/16$ "D Translucent Sign |
|                         |  |
|                         | oors on both shelves on customer side in lieu of Glass Front                 |
| (adds 1/2" depth to uni |  |
|                         | 1-Pan models   |
| CD2PDFLIP               | 2-Pan models   |
| CD3PDFLIP               | 3-Pan models   |
| HAL                     | Halogen Bulb in lieu of standard Display Light (60 Watt)                     |
| Pan Skirt on bottom s   | helf (accommodates 2½"D Pans – standard on Humidified models) –              |
| SKIRT-1P                | 1-Pan model in lieu of Pan Rail  |
| SKIRT-2P                | 2-Pan model in lieu of Pan Rail  |
| SKIRT-3P                | 3-Pan model in lieu of Pan Rail  |
| UPPERSKIRT-2P           | Pan Skirt for upper shelf of 2-Pan models                                    |
| UPPERSKIRT-3P           | Pan Skirt for upper shelf of 3-Pan models                                    |
| Mirrored Glass Doors    | in lieu of Glass Doors (server side only) –                                  |
| Single Shelf Models     | _  |
| MIRROR                  | -1P  |
| MIRROR                  | -2P  |
| MIRROR                  | -3P  |

# **OPTIONS** (available at time of purchase only)

#### Designer Colors – Non-standard colors are non-returnable – Stainless Steel Standard – RED Warm Red

| KED    | Warm Red       |  |
|--------|----------------|--|
| BLACK  | Black          |  |
| GRAY   | Gray Granite   |  |
| WHITE  | White Granite  |  |
| NAVY   | Navy Blue      |  |
| GREEN  | Hunter Green   |  |
| COPPER | Antique Copper |  |
|        |                |  |

#### **COLORS AND FINISHES – PAGE 20**

FOOD PANS AND TRIVETS - PAGE 19

-1PD

-2PD

-3PD

Dual Shelf Models – MIRROR

MIRROR

MIRROR

## HEATED DISPLAY CASE MAXIMUM PAN CAPACITIES

| Model    |              | Pan Capacity   | Optional Pan Skirt Frames |
|----------|--------------|--|---------------------------|
| GRCD-1P  |              | One (1) Full-Size Pan  | One (1) SKIRT-1P          |
| GRCD-2P  |              | Two (2) Full-Size Pans   | One (1) SKIRT-2P          |
| GRCD-3P  |              | Three (3) Full-Size Pans   | One (1) SKIRT-3P          |
| GRCD-1PD | Top Shelf    | One (1) Half-Size Pan or One (1) 14" Pizza Pan                             | None                      |
|          | Bottom Shelf | One (1) Full-Size Pan  | One (1) SKIRT-1P          |
| GRCD-2PD | Top Shelf    | One (1) Full-Size Pan and One (1) Third-Size Pan or Two (2) 14" Pizza Pans | One (1) UPPERSKIRT-2P     |
|          | Bottom Shelf | Two (2) Full-Size Pans   | One (1) SKIRT-2P          |
| GRCD-3PD | Top Shelf    | Two (2) Full-Size Pans or Three (3) 14" Pizza Pans                         | One (1) UPPERSKIRT-3P     |
|          | Bottom Shelf | Three (3) Full-Size Pans   | One (1) SKIRT-3P          |

All pan capacities shown are for non-humidified models. 21/2" deep pans recommended for bottom shelf of humidified models.



# Flav-R-Savor<sup>®</sup> Convected Air, Curved Front Display Cases

This front-of-the-house curved glass merchandiser utilizes convected air technology for superior holding times. Maintaining peak serving temperatures for unwrapped foods makes this Hatco display case perfect for cafeteria and deli-style service.

- Perforated stainless steel shelf not only enhances air movement over food products, but looks great as well
- Focused lighting to enhance and merchandise your food products
- Easy to read, digitally-controlled temperature and humidity (FSCDH-2PD model only) display for precise control
- Standard sign holder promotes your product offering (33<sup>1</sup>/<sub>4</sub>"W x 6<sup>1</sup>/<sub>8</sub>"H) on bottom front of unit (sign not included). Recommended sign dimension: 33<sup>1</sup>/<sub>8</sub>"W x 6"H
- Rear French doors for easy access

- Hinged, tempered front glass panel tilts forward for easy cleaning.
- Optional glass shelf available
- Night Sky simulated stone panel on bottom shelf is standard, optional in Gray Granite or Bermuda Sand – non-standard colors are non-returnable
- Models with simulated stone are Swanstone<sup>®</sup>



**FSCDH-2PD** in standard *Designer* Black with sign holder (sign not included), 3-sided skirt, perforated shelf and Night Sky simulated stone base

#### CONVECTED AIR, CURVED FRONT DISPLAY CASES

| Model                  | <b>Dimensions</b><br>W x D x H      | Voltage<br>Single Phase | Watts | Plug         | Ship Weight |
|------------------------|-------------------------------------|-------------------------|-------|--------------|-------------|
| Non-Humidified         |                                     |                         |       |              |             |
| FSCD-2PD               | 34¾" x 30 <sup>7</sup> ⁄%" x 31⁵⁄%" | 120                     | 1800  | NEMA 5-20P   | 205 lbs.    |
| Humidified             |                                     |                         |       |              |             |
| FSCDH-2PD              | 34¾" x 31 <sup>7</sup> ⁄%" x 315⁄%" | 120/208-240             | 2805  | NEMA L14-20P | 190 lbs.    |
| FSCD-2PD<br>Humidified |                                     |                         |       |              |             |

#### All Convected Air Display Case Models Feature:

Models Shipped With: A perforated upper shelf, a heated stone base shelf, a three-sided skirt and a sign holder on the bottom front (recommended sign dimension: 33½"W x 6"H). Shelf Dimensions: Upper: 31¾"W x 16"D.

Lower: 321/4"W x 193/4"D.

Water Reservoir Capacity (Humidified Model Only): 7 quarts.

Cord Location: Server's side, back center of base, on right of control box.

#### WATER QUALITY REQUIREMENTS – PAGE 19

#### **OPTIONS** (available at time of purchase only)

#### Designer Colors – Non-standard colors are non-returnable –

| REĎ             | Warm Red  |   |       |  |
|-----------------|---|---|-------|--|
| BLACK           | Black   |   |       |  |
| GRAY            | Gray Granite  |   |       |  |
| WHITE           | White Granite   |   |       |  |
| NAVY            | Navy Blue   |   |       |  |
| GREEN           | Hunter Green  |   |       |  |
| COPPER          | Antique Copper  |   |       |  |
| Simulated Stone | e Colors – Non-standard colors are non-returnable –                               |   |       |  |
| SS-GGRAN        | Gray Granite  |   |       |  |
| SS-BSAND        | Bermuda Sand  |   |       |  |
| SS-NSKY         | Night Sky   |   |       |  |
| FSCDH-PLUMB     | Valve Relocation allows draining from back of unit instead of directly under unit | (Humidified model only)                 |       |  |
| FSCD-GLASS      | Glass Center Shelf in lieu of Perforated Metal Shelf                              |   |       |  |
| COLORS AND F    | <mark>INISHES – PAGE 20</mark>  |   |       |  |
|                 |   | Flav-R-Savor —<br>Convected Display Cab | FSCDH | - <u>2 P D</u><br>Dual Shelf<br>2-Pan Capacity |
| ONE YEAR ON-SIT | E PARTS AND LAROR WARRANTY PLUS ONE   | Convected Display Cab                   |       |  |

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL METAL SHEATHED AIR HEATING ELEMENTS.



No Character = Non-Humidified -

H = Humidified



# **Glo-Ray® Heated Display Cases**

Designed for "show and sell" areas in any foodservice operation, the Hatco Glo-Ray<sup>®</sup> Heated Display is perfect for hot food merchandising. Top and bottom heat combine to keep all food at that "just-made" taste and temperature longer.

- Thermostatically-controlled heated base (100°-200°F) to extend holding times
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Constructed of aluminum and stainless steel with tempered glass
- Shatter-resistant incandescent lights illuminate the food product
- Exclusive cool base construction minimizes heat transfer, keeping exterior base cool
- Single or dual models, with or without humidity (bottom shelf only)
- Rollerless sliding doors



and accessory food pans



GRHDH-2P with standard pan skirt, optional double side opening and accessory food pans

#### DISPLAY CASES

| DISPLAT DAS            | DEO          |   |         |       |            |             |
|------------------------|--------------|---|---------|-------|------------|-------------|
| Model                  | No. of Bulbs | <b>Dimensions</b> (W x D x H)<br>Height includes legs | Voltage | Watts | Plug       | Ship Weight |
| Single Shelf           |              |   |         |       |            |             |
| GRHD-2P                | 4            | 32½" x 26" x 25"                                      | 120     | 940   | NEMA 5-15P | 120 lbs.    |
| GRHD-3P                | 5            | 45½" x 26" x 25"                                      | 120     | 1350  | NEMA 5-15P | 143 lbs.    |
| GRHD-4P <sup>▶▲</sup>  | 6            | 58½" x 26" x 25"                                      | 120     | 1785  | NEMA 5-15P | 215 lbs.    |
| Dual Shelf             |              |   |         |       |            |             |
| GRHD-2PD               | 6            | 321⁄2" x 26" x 30"                                    | 120     | 1310  | NEMA 5-15P | 150 lbs.    |
| GRHD-3PD*              | 8            | 45½" x 26" x 30"                                      | 120     | 1755  | NEMA 5-15P | 188 lbs.    |
| GRHD-4PD               | 8            | 58½" x 26" x 30"                                      | 120     | 2480  | NEMA 5-30P | 230 lbs.    |
| Single Shelf wit       | h Humidity*  |   |         |       |            |             |
| GRHDH-2P               | 4            | 32½" x 26" x 25"                                      | 120     | 1190  | NEMA 5-15P | 125 lbs.    |
| GRHDH-3P*              | 5            | 45½" x 26" x 25"                                      | 120     | 1600  | NEMA 5-15P | 162 lbs.    |
| GRHDH-4P               | 6            | 58½" x 26" x 25"                                      | 120     | 2285  | NEMA 5-30P | 215 lbs.    |
| <b>Dual Shelf with</b> | Humidity*    |   |         |       |            |             |
| GRHDH-2PD▲             | 6            | 321/2" x 26" x 30"                                    | 120     | 1560  | NEMA 5-15P | 175 lbs.    |
| GRHDH-3PD*             | 8            | 45½" x 26" x 30"                                      | 120     | 2005  | NEMA 5-20P | 188 lbs.    |
| GRHDH-4PD**            | 8            | 58½" x 26" x 30"                                      | 120     | 2980  | NEMA 5-30P | 240 lbs.    |
|                        |              |   |         |       |            |             |

Also available in 120/208V or 120/240V.

▲ Canadian models use NEMA 5-20P.

\* Humidity on bottom shelf only. Includes pan skirt on bottom shelf.

\* Canadian models use NEMA 5-30P.

Not available in 120V for Canada.


#### All Display Case Models Feature:


Usable Heated Shelf Space: Width of unit minus 41/2" x 211/2"D. Water Reservoir Capacity (Humidified Models Only): 2-Pan and 3-Pan: 3 quarts.

4-Pan: 6 quarts.

Doors: Separate rollerless sliding door per shelf. Cord Location: Control side at right base corner.

**OPTIONS – PAGE 18** WATER QUALITY REQUIREMENTS – PAGE 19









#### **OPTIONS** (available at time of purchase only)

| SKIRT-2P           | Pan Skirt on bottom shelf of 2-Pan model in lieu of Pan Rail (standard on          |
|--------------------|--|
|                    | Humidified models)   |
| SKIRT-3P           | Pan Skirt on bottom shelf of 3-Pan model in lieu of Pan Rail – consists of one (1) |
|                    | SKIRT-1P and one (1) SKIRT-2P (standard on Humidified models)                      |
| SKIRT-4P           | Pan Skirt on bottom shelf of 4-Pan model in lieu of Pan Rail - consists of two (2) |
|                    | SKIRT-2P (standard on Humidified models)   |
| UPPERSKIRT-2P      | Pan Skirt for upper shelf of 2-Pan models in lieu of Pan Stop                      |
| UPPERSKIRT-3P      | Pan Skirt for upper shelf of 3-Pan models in lieu of Pan Stop                      |
| UPPERSKIRT-4P      | Pan Skirt for upper shelf of 4-Pan models in lieu of Pan Stop                      |
| HAL                | Halogen Bulb in lieu of standard Display Light (60 Watt)                           |
| FLIP               | Flip-Up Doors on control side in lieu of Glass Sliding Doors                       |
| Sliding Door in li | eu of Fixed Glass Customer Panel –   |
| SLIDE-2P           | Per opening  |
| SLIDE-3P           | Per opening  |
| SLIDE-4P           | Per opening  |
| Flip-Up Door in l  | ieu of Fixed Glass Customer Panel –  |
| FLIP-2P            | Per opening  |
| FLIP-3P            | Per opening  |
| FLIP-4P            | Per opening  |
| Mirror Glass Slid  | ling Door in lieu of Rear Sliding Door –   |
| MIRROR-2P          | Per opening  |
| MIRROR-3P          | Per opening  |
| MIRROR-4P          | Per opening  |
|                    | • •  |

#### **OPTIONS** (available at time of purchase only)

|        | ors – Non-standard colors are<br>ble – Stainless Steel Standard – |
|--------|---|
| RED    | Warm Red  |
| BLACK  | Black   |
| GRAY   | Gray Granite  |
| WHITE  | White Granite   |
| NAVY   | Navy Blue   |
| GREEN  | Hunter Green  |
| COPPER | Antique Copper  |

FOOD PANS AND TRIVETS – PAGE 19 COLORS AND FINISHES – PAGE 20

#### HEATED DISPLAY CASE MAXIMUM PAN CAPACITIES"

| Model    |              | Pan Capacity  | Optional Pan Skirt Frames |
|----------|--------------|---|---------------------------|
| GRHD-2P  |              | Two (2) Full-Size Pans  | One (1) SKIRT-2P          |
| GRHD-3P  |              | Three (3) Full-Size Pans  | One (1) SKIRT-3P          |
| GRHD-4P  |              | Four (4) Full-Size Pans   | One (1) SKIRT-4P          |
| GRHD-2PD | Top Shelf    | Two (2) Half-Size Pans or Two (2) 14" Pizza Pans                            | One (1) UPPERSKIRT-2P     |
|          | Bottom Shelf | Two (2) Full-Size Pans  | One (1) SKIRT-2P          |
| GRHD-3PD | Top Shelf    | Three (3) Half-Size Pans or Three (3) 14" Pizza Pans                        | One (1) UPPERSKIRT-3P     |
|          | Bottom Shelf | Three (3) Full-Size Pans  | One (1) SKIRT-3P          |
| GRHD-4PD | Top Shelf    | Two (2) Full-Size Pans or Four (4) Half-Size Pans or Four (4) 14"Pizza Pans | One (1) UPPERSKIRT-4P     |
|          | Bottom Shelf | Four (4) Full-Size Pans   | One (1) SKIRT-4P          |

All pan capacities shown are for non-humidified models. 21/2" deep pans recommended for bottom shelf of humidified models.






# **Food Pans And Trivets**







| FOOD PANS  |  |
|------------|--|
| Model      | Description  |
| ALUM PAN   | Half-Size Sheet Pan – 18"W x 13"D  |
| ST PAN 1/3 | Third-Size Stainless Steel Pan – 123/4"W x 67/8"D x 21/2"H   |
| ST PAN 1/2 | Half-Size Stainless Steel Pan – 12 <sup>3</sup> / <sub>4</sub> "W x 10 <sup>3</sup> / <sub>8</sub> "D x 2 <sup>1</sup> / <sub>2</sub> "H |
| ST PAN 2   | Full-Size Stainless Steel Pan – 12 <sup>3</sup> /4"W x 20 <sup>3</sup> /4"D x 2 <sup>1</sup> /2"H  |
| ST PAN 4   | Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 4"H  |

|      |          | <br>                  |
|------|----------|-----------------------|
|      |          | // <b></b> / <b>-</b> |
|      | ) PANS A |                       |
| 1002 |          |                       |

| Model                    |     |
|--------------------------|-----|
| Wire Trivets Stainless – |     |
| TRIVET (1/2)SS           | Hal |
| TRIVET SS                | Fu  |
|                          |     |

Description


Half-Size – 10<sup>3</sup>/16"W x 7<sup>5</sup>/8"D Full-Size – 10<sup>1</sup>/8"W x 18"D

# Water Quality Requirements

Water supply in excess of 3.0 grains of hardness per gallon (GPG) must be treated and softened before being used. Water containing over 3.0 GPG will decrease the efficiency and reduce the operating life of the unit.

**NOTE:** Product failure caused by liming or sediment buildup is not covered under warranty.





# **Paint Chip and Stone Sample Colors**



Non-standard colors are non-returnable.

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit www.hatcocorp.com / Order Literature / Sales Literature / Sell Sheets.



Hatco Corporation P.O. BOX 340500 | Milwaukee, WI 53234-0500 USA 800-558-0607 | 414-671-6350 www.hatcocorp.com | support@hatcocorp.com

June 2017