



Portable Solutions

*Cafeterias • Buffets • Convenience Stores
Supermarkets & Delis • Restaurants & Cafés
Clubs & Bars • Catering • Concessions*



GRSSR in standard Night Sky simulated stone with optional 3" or 5" risers *pg. 4*



GRSSR20-DL77516 with standard Night Sky simulated stone heated base *pg. 4*



GRS-72-1 with accessory food pans *pg. 6*



GR2S-30 with optional *Designer* Hunter Green inset panels and accessory pizza pans *pg. 8*



GRSS-3618 in optional Bermuda Sand simulated stone *pg. 9*



HBG-2418 *pg. 10*



GRHW-1SGDS Signage not included *pg. 12*



GRHW-1SG *pg. 12*



GRBW-72 Two units side by side *pg. 13*



Portable Lamp Warmer

The portable powdercoated Hatco Lamp Warmer has a specially designed stand that keeps food holding pans above the countertop and provides insulation to extend holding times.

- Features two (2) vented lamps with heavy-duty sockets
- Adjustable stand from 24 $\frac{3}{8}$ " to 30 $\frac{3}{8}$ " in height
- Cord & plug set with in-line power switch

- Optional *Designer* colors: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper – non-standard colors are non-returnable
- Holds food pans, wire trivets and fry ribbons



LW-2 with optional *Designer* color and accessory food pans

PORTABLE LAMP WARMER

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
LW-2	12 $\frac{3}{8}$ " x 21 $\frac{5}{8}$ " x 24 $\frac{3}{8}$ "-30 $\frac{3}{8}$ "	120	500	NEMA 5-15P	18 lbs.

All Portable Lamp Warmer Models Feature:

Bulbs: Two (2) 250 watt clear bulbs, uncoated.

Cord Location: Back of adjustable stand near top.

Lamp Distance: 10 $\frac{1}{2}$ "-16 $\frac{1}{2}$ " space from bottom of lamp to base.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Gray Granite Standard –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

ACCESSORIES (available for purchase at any time)


5PLTBOX	Five-Pleat Hardcoated French Fry Box Ribbon – 19 $\frac{1}{4}$ "W x 9 $\frac{1}{4}$ "D x 2"H
8PLTBAG	Eight-Pleat Hardcoated French Fry Bag Ribbon – 19 $\frac{1}{4}$ "W x 9 $\frac{1}{4}$ "D x 2"H
FHS4BOX	Four-Pleat Hardcoated Fry Box Ribbon – 10 $\frac{3}{4}$ "W x 5"D x 1 $\frac{3}{4}$ "H
FHS5BAG	Five-Pleat Hardcoated Fry Bag Ribbon – 11 $\frac{1}{4}$ "W x 5"D x 1 $\frac{5}{8}$ "H
FHS5BOX	Five-Pleat Hardcoated Fry Box Ribbon – 17 $\frac{1}{2}$ "W x 5"D x 1 $\frac{5}{8}$ "H
FHS7BAG	Seven-Pleat Hardcoated Fry Bag Ribbon – 17 $\frac{1}{8}$ "W x 5"D x 1 $\frac{5}{8}$ "H
WHITE-CTD-120	250 Watt Clear Bulb, Coated (unit accommodates two [2] Bulbs)
RED-UCTD-120	250 Watt Red Bulb, Uncoated (unit accommodates two [2] Bulbs)
RED-CTD-120	250 Watt Red Bulb, Coated (unit accommodates two [2] Bulbs)

FOOD PANS AND TRIVETS – PAGE 15

COLORS AND FINISHES – PAGE 15



5PLTBOX



8PLTBAG



FHS4BOX



FHS5BAG



FHS5BOX



FHS7BAG

ONE YEAR PARTS AND LABOR WARRANTY

Lamp Warmer **LW - X** Quantity of Heat Lamps

Portable Round Heated Shelves

The contemporary-styled Round Heated Shelf keeps hot food at serving temperatures. Ideal when used for wrapped product or for use behind a sneeze guard with unwrapped food like pizza, biscuits, muffins and cookies.

- Unit is designed for countertop or built-in use – see cutout dimensions shown below
- Uniform heat distribution with blanket-type element
- Thermostatically-controlled heated base
- Available in three (3) sizes to hold standard 15", 17" or 19" diameter pans
- Optional stainless steel trim



GRSR-17 in optional *Designer* Navy Blue with accessory food pan



GRSR-19 in optional *Designer* Hunter Green with accessory pizza pan

PORTABLE ROUND HEATED SHELVES

Model	Dimensions	Max. Pan Size	Voltage		Plug	Ship Weight
	Dia. x H		Single Phase	Watts		
GRSR-15	16 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	15" Dia.	120	250	NEMA 5-15P	12 lbs.
GRSR-17	18 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	17" Dia.	120	325	NEMA 5-15P	14 lbs.
GRSR-19	20 $\frac{3}{4}$ " x 3 $\frac{3}{8}$ "	19" Dia.	120	400	NEMA 5-15P	17 lbs.

All Portable Round Heated Shelf Models Feature:
Cord Location: Underneath.

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable – Black Standard –


RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper
SS SIDE	Stainless Steel Side

FOOD PANS AND TRIVETS – PAGE 15
COLORS AND FINISHES – PAGE 15

PORTABLE ROUND HEATED SHELVES COUNTERTOP CUTOUT DIMENSIONS (For Built-in Applications)

Model	Minimum Diameter	Maximum Diameter	Below Counter
GRSR-15	16 $\frac{1}{8}$ "	16 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-17	18 $\frac{1}{8}$ "	18 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "
GRSR-19	20 $\frac{1}{8}$ "	20 $\frac{1}{4}$ "	5 $\frac{3}{8}$ "

ALL HATCO BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.





Glo-Ray® Portable Round Heated Simulated Stone Shelves

Hatco's Glo-Ray® Portable Heated Simulated Stone Shelves are made of foodsafe materials and are offered in three (3) colors. These unique warmers will safely hold food hot while blending in with your décor and are ideal for buffet lines or as hors d'oeuvre displays.

- Blanket-type element creates uniform heat across the entire simulated stone surface
- Features a lighted rocker switch and a thermostatically-controlled heated base to help hold your food hot and delicious
- Optional 3" or 5" risers available in stainless steel (standard) or *Designer* colors
- Models with simulated stone are Swanstone®

GRSSR-16 in standard Night Sky simulated stone with optional 3" riser in *Designer* color



GRSSR-18 in standard Night Sky simulated stone with optional 5" riser in *Designer* color



GRSSR-20 in standard Night Sky simulated stone



GRSSR20-DL77516 in standard Night Sky simulated stone with standard *Designer* Black base and lamp



PORTABLE ROUND HEATED SIMULATED STONE SHELVES

Model	Dimensions Dia. x H	Voltage Single Phase	Watts	Amps	Plug	Ship Weight
GRSSR-16	16" x 2 5/8"	120	250	2.1	NEMA 5-15P	14 lbs.
GRSSR-18	18" x 2 5/8"	120	325	2.7	NEMA 5-15P	16 lbs.
GRSSR-20	20" x 2 5/8"	120	400	3.3	NEMA 5-15P	18 lbs.

All Round Heated Simulated Stone Shelf Models Feature:

Temperature Range: 100°-200°F.

Cord Location: A 72" cord, located on back side on base.

PORTABLE ROUND HEATED SIMULATED STONE SHELF WITH DECORATIVE LAMP

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Amps	Plug	Ship Weight
GRSSR16-DL77516	16" x 20 1/2" x 36"	120	500	4.2	NEMA 5-15P	27 lbs.
GRSSR18-DL77516	18" x 21 1/2" x 36"	120	575	4.8	NEMA 5-15P	30 lbs.
GRSSR20-DL77516	20" x 22 1/2" x 36"	120	650	5.4	NEMA 5-15P	32 lbs.

All Round Heated Simulated Stone Shelf Models with Decorative Lamp Feature:

Bulb: One (1) 250 Watt clear bulb, uncoated.

Temperature Range: 100°-200°F.

Cord Location: A 72" cord, located on back side on base.

Lamp Distance: 16 1/4" space from bottom of shade to base.

OPTIONS AND ACCESSORIES – PAGE 5

ALL HATCO BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.

GR SS R - XX
Glo-Ray _____
Simulated Stone Shelf _____
Diameter of Shelf (Inches) _____
Round _____

GR SS R XX - DL 775 16
Glo-Ray _____
Simulated Stone Shelf _____
Round _____
Diameter (Inches) _____
Distance between Upper Lamp and Heated Base (Inches) _____
Shade Style _____
Decorative Lamp _____



GRSSR20-DL77516 in optional Granite Gray simulated stone

OPTIONS (available at time of purchase only)

120H-CTD-W 120V, 375W Clear Bulb, Coated, in lieu of 120V White Bulb, Uncoated (High Watt models only)

120H-UCTD-W 120V, 375W Clear Bulb, Uncoated, in lieu of 120V White Bulb, Uncoated (High Watt models only)

Designer Color for Base – GRSSRxx-DL77516 models and GRSSR only – Non-standard colors are non-returnable – Black Standard –

RED Warm Red	GRAY Gray Granite	NAVY Navy Blue	COPPER Antique Copper
BLACK Black	WHITE White Granite	GREEN Hunter Green	

Simulated Stone Colors – Non-standard colors are non-returnable – Night Sky Standard –

SS-GGRAN Gray Granite	SS-BSAND Bermuda Sand	SS-NSKY Night Sky
------------------------------	------------------------------	--------------------------

3" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors – Non-standard colors are non-returnable – Stainless Steel Standard –

3RISER16 GRSSR-16

3RISER18 GRSSR-18

3RISER20 GRSSR-20

5" Risers (not available on the GRSSRxx-DL77516 models) – Available in Designer Colors – Non-standard colors are non-returnable – Stainless Steel Standard –

5RISER16 GRSSR-16

5RISER18 GRSSR-18

5RISER20 GRSSR-20

ACCESSORIES (available for purchase at any time)

WHITE-CTD-120 250 Watt Clear Bulb, Coated (GRSSRxx-DL77516 models accommodate one [1] Bulb)

RED-UCTD-120 250 Watt Red Bulb, Uncoated (GRSSRxx-DL77516 models accommodate one [1] Bulb)

RED-CTD-120 250 Watt Red Bulb, Coated (GRSSRxx-DL77516 models accommodate one [1] Bulb)

COLORS AND FINISHES – PAGE 15



Glo-Ray® Portable Heated Shelves

Whether you need a heated workspace or extra base heat in a pass-through or buffet area, Hatco's full line of Glo-Ray® Heated Shelf options can help you. Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food.

Flexibility, style and quality mark these workhorses of the buffet. Available in a variety of widths and depths to meet your specific needs.

- Uniform heat distribution with a blanket-type element
- Built-in adjustable thermostat controls surface temperature
- Extruded aluminum base with stainless steel top – optional hardcoated aluminum surface
- Accessory 4" legs (standard on 36" and wider models)

- Accessory slant leg kit and pan rail
- Model widths from 18" to 72"
- Model depths: 6", 7 $\frac{3}{4}$ ", 9 $\frac{3}{4}$ ", 12", 13 $\frac{3}{4}$ ", 15 $\frac{1}{2}$ ", 15 $\frac{3}{4}$ ", 17 $\frac{1}{2}$ ", 19 $\frac{1}{2}$ ", 21 $\frac{1}{2}$ ", 23 $\frac{1}{2}$ ", 25 $\frac{1}{2}$ "
- Optional *Designer* colors: Warm Red, Black, Gray Granite, White Granite, Navy Blue, Hunter Green, Antique Copper – non-standard colors are non-returnable



GRS-30-I in optional *Designer* color with accessory pan rail and food pans

PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Ship Weight
19$\frac{1}{2}$" Depth I – Standard 19$\frac{1}{2}$" Depth Accommodates 12" x 20" Steam Table Pans					
GRS-18-I	18" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	16 lbs.
GRS-24-I	24" x 2 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-30-I	30" x 2 $\frac{3}{8}$ "	120	450	NEMA 5-15P	25 lbs.
GRS-36-I	36" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	28 lbs.
GRS-42-I	42" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	32 lbs.
GRS-48-I	48" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	36 lbs.
GRS-54-I	54" x 5 $\frac{3}{8}$ "	120	800	NEMA 5-15P	42 lbs.
GRS-60-I	60" x 5 $\frac{3}{8}$ "	120	900	NEMA 5-15P	44 lbs.
GRS-66-I	66" x 5 $\frac{3}{8}$ "	120	1000	NEMA 5-15P	50 lbs.
GRS-72-I	72" x 5 $\frac{3}{8}$ "	120	1100	NEMA 5-15P	56 lbs.
6" Depth A					
GRS-18-A	18" x 2 $\frac{3}{8}$ "	120	100	NEMA 5-15P	10 lbs.
GRS-24-A	24" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	12 lbs.
GRS-30-A	30" x 2 $\frac{3}{8}$ "	120	150	NEMA 5-15P	14 lbs.
GRS-36-A	36" x 5 $\frac{3}{8}$ "	120	175	NEMA 5-15P	16 lbs.
GRS-42-A	42" x 5 $\frac{3}{8}$ "	120	225	NEMA 5-15P	19 lbs.
GRS-48-A	48" x 5 $\frac{3}{8}$ "	120	250	NEMA 5-15P	20 lbs.
GRS-54-A	54" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	22 lbs.
GRS-60-A	60" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	24 lbs.
GRS-66-A	66" x 5 $\frac{3}{8}$ "	120	325	NEMA 5-15P	26 lbs.
GRS-72-A	72" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	28 lbs.
7$\frac{3}{4}$" Depth B					
GRS-18-B	18" x 2 $\frac{3}{8}$ "	120	100	NEMA 5-15P	10 lbs.
GRS-24-B	24" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	12 lbs.
GRS-30-B	30" x 2 $\frac{3}{8}$ "	120	150	NEMA 5-15P	14 lbs.
GRS-36-B	36" x 5 $\frac{3}{8}$ "	120	175	NEMA 5-15P	16 lbs.
GRS-42-B	42" x 5 $\frac{3}{8}$ "	120	225	NEMA 5-15P	19 lbs.
GRS-48-B	48" x 5 $\frac{3}{8}$ "	120	250	NEMA 5-15P	20 lbs.
GRS-54-B	54" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	22 lbs.
GRS-60-B	60" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	24 lbs.
GRS-66-B	66" x 5 $\frac{3}{8}$ "	120	325	NEMA 5-15P	26 lbs.
GRS-72-B	72" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	28 lbs.

All Portable Heated Shelf Models Feature:

Pan Capacity (12" x 20"): GRS-18-I, -24-I = 1-pan.
 GRS-30-I, -36-I = 2-pan.
 GRS-42-I, -48-I = 3-pan.
 GRS-54-I, -60-I = 4-pan.
 GRS-66-I, -72-I = 5-pan.


Cord Location: Center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 8

PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plugs	Ship Weight
9$\frac{3}{4}$" Depth C					
GRS-18-C	18" x 2 $\frac{3}{8}$ "	120	125	NEMA 5-15P	10 lbs.
GRS-24-C	24" x 2 $\frac{3}{8}$ "	120	175	NEMA 5-15P	12 lbs.
GRS-30-C	30" x 2 $\frac{3}{8}$ "	120	225	NEMA 5-15P	14 lbs.
GRS-36-C	36" x 5 $\frac{3}{8}$ "	120	275	NEMA 5-15P	16 lbs.
GRS-42-C	42" x 5 $\frac{3}{8}$ "	120	300	NEMA 5-15P	19 lbs.
GRS-48-C	48" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-54-C	54" x 5 $\frac{3}{8}$ "	120	400	NEMA 5-15P	22 lbs.
GRS-60-C	60" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	24 lbs.
GRS-66-C	66" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	26 lbs.
GRS-72-C	72" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	28 lbs.
12" Depth D					
GRS-18-D	18" x 2 $\frac{3}{8}$ "	120	200	NEMA 5-15P	12 lbs.
GRS-24-D	24" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	14 lbs.
GRS-30-D	30" x 2 $\frac{3}{8}$ "	120	300	NEMA 5-15P	17 lbs.
GRS-36-D	36" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	20 lbs.
GRS-42-D	42" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	23 lbs.
GRS-48-D	48" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	26 lbs.
GRS-54-D	54" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	29 lbs.
GRS-60-D	60" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	32 lbs.
GRS-66-D	66" x 5 $\frac{3}{8}$ "	120	650	NEMA 5-15P	35 lbs.
GRS-72-D	72" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	37 lbs.
13$\frac{3}{4}$" Depth E					
GRS-18-E	18" x 2 $\frac{3}{8}$ "	120	200	NEMA 5-15P	13 lbs.
GRS-24-E	24" x 2 $\frac{3}{8}$ "	120	250	NEMA 5-15P	16 lbs.
GRS-30-E	30" x 2 $\frac{3}{8}$ "	120	300	NEMA 5-15P	19 lbs.
GRS-36-E	36" x 5 $\frac{3}{8}$ "	120	350	NEMA 5-15P	22 lbs.
GRS-42-E	42" x 5 $\frac{3}{8}$ "	120	450	NEMA 5-15P	25 lbs.
GRS-48-E	48" x 5 $\frac{3}{8}$ "	120	500	NEMA 5-15P	28 lbs.
GRS-54-E	54" x 5 $\frac{3}{8}$ "	120	550	NEMA 5-15P	31 lbs.
GRS-60-E	60" x 5 $\frac{3}{8}$ "	120	600	NEMA 5-15P	34 lbs.
GRS-66-E	66" x 5 $\frac{3}{8}$ "	120	650	NEMA 5-15P	37 lbs.
GRS-72-E	72" x 5 $\frac{3}{8}$ "	120	700	NEMA 5-15P	40 lbs.

ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.



Glo-Ray® Portable Heated Shelves continued



GRS-60-I



GRS-30-I in optional *Designer* color with accessory food pans, shown below a GRAH-36 Strip Heater

PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Ship Weight
15½" depth F					
GRS-18-F	18" x 2¾"	120	200	NEMA 5-15P	14 lbs.
GRS-24-F	24" x 2¾"	120	250	NEMA 5-15P	17 lbs.
GRS-30-F	30" x 2¾"	120	300	NEMA 5-15P	21 lbs.
GRS-36-F	36" x 5⅜"	120	350	NEMA 5-15P	25 lbs.
GRS-42-F	42" x 5⅜"	120	450	NEMA 5-15P	29 lbs.
GRS-48-F	48" x 5⅜"	120	500	NEMA 5-15P	33 lbs.
GRS-54-F	54" x 5⅜"	120	550	NEMA 5-15P	37 lbs.
GRS-60-F	60" x 5⅜"	120	600	NEMA 5-15P	40 lbs.
GRS-66-F	66" x 5⅜"	120	650	NEMA 5-15P	42 lbs.
GRS-72-F	72" x 5⅜"	120	700	NEMA 5-15P	43 lbs.
15¾" depth G					
GRS-18-G	18" x 2¾"	120	225	NEMA 5-15P	14 lbs.
GRS-24-G	24" x 2¾"	120	300	NEMA 5-15P	17 lbs.
GRS-30-G	30" x 2¾"	120	375	NEMA 5-15P	21 lbs.
GRS-36-G	36" x 5⅜"	120	450	NEMA 5-15P	25 lbs.
GRS-42-G	42" x 5⅜"	120	525	NEMA 5-15P	29 lbs.
GRS-48-G	48" x 5⅜"	120	600	NEMA 5-15P	33 lbs.
GRS-54-G	54" x 5⅜"	120	675	NEMA 5-15P	37 lbs.
GRS-60-G	60" x 5⅜"	120	750	NEMA 5-15P	40 lbs.
GRS-66-G	66" x 5⅜"	120	825	NEMA 5-15P	42 lbs.
GRS-72-G	72" x 5⅜"	120	900	NEMA 5-15P	43 lbs.
17½" depth H					
GRS-18-H	18" x 2¾"	120	225	NEMA 5-15P	16 lbs.
GRS-24-H	24" x 2¾"	120	300	NEMA 5-15P	20 lbs.
GRS-30-H	30" x 2¾"	120	375	NEMA 5-15P	24 lbs.
GRS-36-H	36" x 5⅜"	120	450	NEMA 5-15P	27 lbs.
GRS-42-H	42" x 5⅜"	120	525	NEMA 5-15P	31 lbs.
GRS-48-H	48" x 5⅜"	120	600	NEMA 5-15P	35 lbs.
GRS-54-H	54" x 5⅜"	120	675	NEMA 5-15P	39 lbs.
GRS-60-H	60" x 5⅜"	120	750	NEMA 5-15P	43 lbs.
GRS-66-H	66" x 5⅜"	120	825	NEMA 5-15P	47 lbs.
GRS-72-H	72" x 5⅜"	120	900	NEMA 5-15P	51 lbs.

All Portable Heated Shelf Models Feature:


Cord Location: Center of side with switch.

OPTIONS AND ACCESSORIES – PAGE 8

PORTABLE HEATED SHELVES

Model	Dimensions W x H	Voltage Single Phase	Watts	Plug	Ship Weight
21½" depth J					
GRS-18-J	18" x 2¾"	120	300	NEMA 5-15P	20 lbs.
GRS-24-J	24" x 2¾"	120	375	NEMA 5-15P	26 lbs.
GRS-30-J	30" x 2¾"	120	450	NEMA 5-15P	30 lbs.
GRS-36-J	36" x 5⅜"	120	525	NEMA 5-15P	33 lbs.
GRS-42-J	42" x 5⅜"	120	675	NEMA 5-15P	35 lbs.
GRS-48-J	48" x 5⅜"	120	750	NEMA 5-15P	38 lbs.
GRS-54-J	54" x 5⅜"	120	825	NEMA 5-15P	43 lbs.
GRS-60-J	60" x 5⅜"	120	900	NEMA 5-15P	48 lbs.
GRS-66-J	66" x 5⅜"	120	975	NEMA 5-15P	53 lbs.
GRS-72-J	72" x 5⅜"	120	1050	NEMA 5-15P	58 lbs.
23¼" depth K					
GRS-18-K	18" x 2¾"	120	325	NEMA 5-15P	20 lbs.
GRS-24-K	24" x 2¾"	120	425	NEMA 5-15P	26 lbs.
GRS-30-K	30" x 2¾"	120	525	NEMA 5-15P	30 lbs.
GRS-36-K	36" x 5⅜"	120	625	NEMA 5-15P	33 lbs.
GRS-42-K	42" x 5⅜"	120	750	NEMA 5-15P	35 lbs.
GRS-48-K	48" x 5⅜"	120	850	NEMA 5-15P	38 lbs.
GRS-54-K	54" x 5⅜"	120	950	NEMA 5-15P	43 lbs.
GRS-60-K	60" x 5⅜"	120	1050	NEMA 5-15P	48 lbs.
GRS-66-K	66" x 5⅜"	120	1150	NEMA 5-15P	53 lbs.
GRS-72-K	72" x 5⅜"	120	1250	NEMA 5-15P	58 lbs.
25½" depth L					
GRS-18-L	18" x 2¾"	120	350	NEMA 5-15P	20 lbs.
GRS-24-L	24" x 2¾"	120	475	NEMA 5-15P	26 lbs.
GRS-30-L	30" x 2¾"	120	600	NEMA 5-15P	33 lbs.
GRS-36-L	36" x 5⅜"	120	725	NEMA 5-15P	37 lbs.
GRS-42-L	42" x 5⅜"	120	825	NEMA 5-15P	43 lbs.
GRS-48-L	48" x 5⅜"	120	950	NEMA 5-15P	50 lbs.
GRS-54-L	54" x 5⅜"	120	1075	NEMA 5-15P	54 lbs.
GRS-60-L	60" x 5⅜"	120	1200	NEMA 5-15P	59 lbs.
GRS-66-L	66" x 5⅜"	120	1325	NEMA 5-15P	64 lbs.
GRS-72-L	72" x 5⅜"	120	1450	NEMA 5-15P	69 lbs.

ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.





Glo-Ray® Portable Designer Heated Shelves

Using a blanket heating element for an even temperature, the thermostatically-controlled base safely extends the holding time of your food. Hatco's *Designer* Portable Heated Shelves can blend into any décor.

- Built-in adjustable thermostatic controls
- Rounded edges and hardcoated aluminum surfaces offer a modern style for front-of-the-house applications
- Model widths from 30¼" to 78¼"
- Optional Dark Gray corner caps (Black standard) and *Designer* color inset panels available
- 4" legs standard on 30" and wider models

GR2S-30 with optional *Designer* Hunter Green inset panels and accessory pizza pans



DESIGNER PORTABLE HEATED SHELVES

Model*	Dimensions (W x D x H) Height includes legs	Voltage Single Phase	Watts	Plug	Ship Weight
GR2S-24	30¼" x 27" x 4"	120	350	NEMA 5-15P	37 lbs.
GR2S-30	36¼" x 27" x 7"	120	450	NEMA 5-15P	40 lbs.
GR2S-36	42¼" x 27" x 7"	120	550	NEMA 5-15P	45 lbs.
GR2S-42	48¼" x 27" x 7"	120	600	NEMA 5-15P	51 lbs.
GR2S-48	54¼" x 27" x 7"	120	700	NEMA 5-15P	56 lbs.
GR2S-54	60¼" x 27" x 7"	120	800	NEMA 5-15P	61 lbs.
GR2S-60	66¼" x 27" x 7"	120	900	NEMA 5-15P	70 lbs.
GR2S-66	72¼" x 27" x 7"	120	1000	NEMA 5-15P	75 lbs.
GR2S-72	78¼" x 27" x 7"	120	1100	NEMA 5-15P	82 lbs.

* When no color is specified, color inset panels and corner caps will be Black.

All *Designer* Portable Heated Shelf Models Feature:

Pan Capacity (12" x 20"): GR2S-24 = 1-pan.

GR2S-30, -36 = 2-pan.


GR2S-42, -48 = 3-pan.

GR2S-54, -60 = 4-pan.

GR2S-66, -72 = 5-pan.

Usable Heated Shelf Space: Width of unit minus 6½" x 21¼"D.

Cord Location: Center of side on control side.



OPTIONS (available at time of purchase only)

Designer Colors (top surface not painted) – Non-standard colors are non-returnable –

RED Warm Red

BLACK Black

GRAY Gray Granite

WHITE White Granite

NAVY Navy Blue

GREEN Hunter Green

COPPER Antique Copper

Designer Inset Panel Colors (GR2S models only) –

Non-standard colors are non-returnable – Black Standard –

RED Warm Red

BLACK Black

GRAY Gray Granite

WHITE White Granite

NAVY Navy Blue

GREEN Hunter Green

COPPER Antique Copper

Designer Corner Caps (GR2S models only) – Non-standard colors are non-returnable – Black Standard –

BLACK Black Corner Caps

DKGRAY Dark Gray Corner Caps

Hardcoated surface in lieu of Stainless Steel on standard 19 ½" deep GRS models only (please consult factory for other depths) –

HC 18-42 GRS-18 through GRS-42

HC 48-72 GRS-48 through GRS-72

ACCESSORIES (available for purchase at any time)

GRS-LEGS 4" Adjustable Legs (GRS models only – standard on GRS-36 and larger)

2SD-LEGS 4" Adjustable Legs for GR2S-24 (standard on GR2S-30 and larger)

GRS-SLANT Slant Leg Kit for models 12" deep or deeper (GRS models only)

Pan Rail for 19 ½" deep GRS models only –


2 RAIL 2-Pan

3 RAIL 3-Pan

4 RAIL 4-Pan

5 RAIL 5-Pan

FOOD PANS AND TRIVETS – PAGE 15 COLORS AND FINISHES – PAGE 15



ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.

GR 2 S - XX
Glo-Ray ——— Width of Heated Surface (Inches)
Designer ——— Heated Shelf

Glo-Ray® Portable Rectangular Heated Simulated Stone Shelves

Match the heat zone to your countertops with Hatco's Glo-Ray® Heated Simulated Stone Shelves. These portable foodsafe shelves come in three (3) simulated stone colors and are ideal for buffet lines or as hors d'oeuvre displays. These unique warmers will safely hold food hot while blending in with your décor.

- Hatco Heated Simulated Stone Shelves are made of approved foodsafe materials
- Features a lighted rocker switch and a thermostatically-controlled heated base to help hold your food hot and delicious
- Models with simulated stone are Swanstone®



GRSS-3618 in optional Bermuda Sand simulated stone (view of base)



GRSS-3618 in standard Night Sky simulated stone

PORTABLE RECTANGULAR HEATED SIMULATED STONE SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
GRSS-2418	24" x 18" x 2½"	120	635	NEMA 5-15P	27 lbs.
GRSS-3018	30" x 18" x 2½"	120	780	NEMA 5-15P	30 lbs.
GRSS-3618	36" x 18" x 2½"	120	930	NEMA 5-15P	35 lbs.
GRSS-4818*	48" x 18" x 6¼"	120	1270	NEMA 5-15P	45 lbs.
GRSS-6018*	60" x 18" x 6¼"	120	1560	NEMA 5-20P	56 lbs.
GRSS-7218*	72" x 18" x 6¼"	120	1860	NEMA 5-20P	68 lbs.

* Height includes standard 4" legs.

All Portable Heated Simulated Stone Shelf Models Feature:

Cord Location: Center of side with switch.


OPTIONS (available at time of purchase only)

Simulated Stone Colors – Non-standard colors are non-returnable – Night Sky Standard –

SS-GGRAN	Gray Granite
SS-BSAND	Bermuda Sand
SS-NSKY	Night Sky

COLORS AND FINISHES – PAGE 15

ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.





Portable Rectangular Heated Black Glass Shelves

The Hatco Heated Black Glass Shelves have a heated ceramic glass surface to create uniform heat across the entire surface and are made of approved foodsafe materials. Adjustable thermostatic controls allow surface temperature ranging from 100° to 195°F to be controlled easily.

- Shelves are made of approved foodsafe materials
- Equipped with a trim ring that is available in stainless steel (standard) or *Designer Black*
- Lighted On/Off rocker switch
- All units come with a 6' cord & plug set



HBG-2418 with standard stainless steel trim ring

PORTABLE RECTANGULAR HEATED BLACK GLASS SHELVES

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
HBG-2418	24 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	425	NEMA 5-15P	29 lbs.
HBG-3018	30 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ "	120	525	NEMA 5-15P	33 lbs.
HBG-3618 •	36 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	630	NEMA 5-15P	36 lbs.
HBG-4818 •†	48 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	850	NEMA 5-15P	42 lbs.
HBG-6018 •†	60 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1050	NEMA 5-15P	60 lbs.
HBG-7218 •†	72 $\frac{3}{8}$ " x 18 $\frac{3}{8}$ " x 6 $\frac{1}{8}$ "	120	1260	NEMA 5-15P	68 lbs.

• Height includes standard 4" legs.

† Units 48" and larger are constructed of two equal sized pieces of glass which create a seam.

All Portable Heated Black Glass Shelf Models Feature:

Cord Location: Center of side with switch.

OPTIONS (available at time of purchase only)

Black Angled Food Stop keeps product on the heat zone –


HBG-FS-24	24"
HBG-FS-30	30"
HBG-FS-36	36"
HBG-FS-48	48"
HBG-FS-60	60"
HBG-FS-72	72"
HBG-TRIM-BLK	<i>Designer Black Powdercoated Trim Ring (Stainless Steel standard)</i>

COLORS AND FINISHES – PAGE 15



HBG-FS-24 Angled food stop (close-up view) with **HBG-TRIM-BLK** optional *Designer Black* trim ring

ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.



Portable Heated Black Glass Shelf Modular

Hatco's ceramic glass creates uniform heat across the entire top surface. The new design uses a modular system, so units can be placed side-by-side. This allows for marvelous flexibility in buffet areas.

- Unit's glass surface accommodates one (1) 12" x 20" food pan (no direct food contact)
- Thermostatically-controlled with five (5) settings: 130°F, 150°F, 165°F, 185°F and 200°F
- Durable stainless steel housing
- Simple design for easy cleaning and maintenance
- All units come with a 6' cord & plug set, located under control side of unit




PORTABLE HEATED GLASS SHELF MODULAR

Model	Dimensions W x D x H	Voltage Single Phase	Watts	Plug	Ship Weight
HGSM-1P	15 3/4" x 23 5/8" x 2 5/16"	120	300	NEMA 5-15P	16 lbs.

All Portable Heated Black Glass Modular Shelf Models Feature:
Cord Location: A 72" cord located under control side of unit.

ALL GLO-RAY® BLANKET HEATING ELEMENTS
WARRANTED AGAINST BURNOUT FOR ONE YEAR.





Glo-Ray® Mini-Merchandisers

Hatco's convenient Mini-Merchandisers create impulse sales by placing fresh product in front of customers. Using limited amount of valuable counterspace, these flexible warmers come in a variety of shapes, sizes and colors to hold food samples, hors d'oeuvres and packaged product at just the right temperature.

GRHW-1SGS
with standard
bins



- Ideal for areas with limited counterspace
- Thermostatically-controlled heated base to extend holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is the greatest



GRHW-2P with
standard 4" legs
and accessory
food pans



GRHW-1SGDS
in standard
Designer Black

MINI-MERCHANDISERS

Model	Description	Dimensions (W x D x H) <i>Includes sneeze guard</i>	Voltage Single Phase	Watts	Usable Heated Shelf Space W x D	Ship Weight
Single Shelf						
GRHW-1P	Hors d'oeuvres warmer, 2 bulbs	22¼" x 16¼" x 17¾"	120	820	22¼" x 13¾"	35 lbs.
GRHW-2P[▲]	Hors d'oeuvres warmer, 4 bulbs	43¼" x 16¼" x 20¾"	120	1640	43¼" x 13¾"	67 lbs.
GRHW-1SG	Single horizontal shelf, 2 bulbs	22¼" x 16¼" x 17¾"	120	820	22¼" x 13¾"	37 lbs.
GRHW-1SGS	Single slanted shelf, 2 bulbs	22¼" x 16¼" x 18¼"	120	820	22¼" x 14⅞"	40 lbs.
Dual Shelf						
GRHW-1SGD	Dual shelf, 4 bulbs	22⅞" x 20½" x 23½"	120	1330	Bottom: 21" x 14¼" Top: 21" x 14"	71 lbs.
GRHW-1SGDS	Hardcoated & slanted base, 4 bulbs	22⅞" x 20½" x 23⅝"	120	1330	Bottom: 21" x 14¼" Top: 21" x 14"	71 lbs.

▲ Canadian model uses 5-20P.

All Mini-Merchandiser Models Feature:

Plug: NEMA 5-15P.

Included with Merchandiser: A thermostatically-controlled base, a 7½" sneeze guard, display lights, 1" rubber legs (except GRHW-2P has 4" legs), five (5) 4" bins (GRHW-1SG, -1SGS only) and a 6' cord & plug set.

Cord Location: GRHW-1SGD, -1SGDS: Control side, bottom right.

All Other Models: Base end plate, same side as switch.

OPTIONS (available at time of purchase only)

Designer Colors (included on GRHW-1SGD and -1SGDS) – Non-standard colors are non-returnable – Black Standard –

RED Warm Red **BLACK** Black **GRAY** Gray Granite **WHITE** White Granite

NAVY Navy Blue **GREEN** Hunter Green **COPPER** Antique Copper

HAL Halogen Bulb in lieu of standard Display Light (60 Watt)

PANEL Plexi-Glass Side Panels (GRHW-1P, -2P, -1SG only)


1SGD-SLOPE Sloped Front Sign Holder (GRHW-1SGD, -1SGDS only)

ACCESSORIES (available for purchase at any time)

4"LEGS 4" Adjustable Legs (GRHW-1P, -1SG only) – standard on GRHW-2P

FOOD PANS AND TRIVETS – PAGE 15
COLORS AND FINISHES – PAGE 15

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE
ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY METAL
SHEATHED HEATING ELEMENTS.



Glo-Ray® Buffet Warmers

Hold hot food at optimum serving temperatures on buffet lines or at temporary serving areas with Hatco Glo-Ray® Buffet Warmers. Choose from either standard or *Designer* style models in many widths to fit your operation.

- Available with *Designer* color inset panels and the choice of an entire unit in color, as well
- Thermostatically-controlled heated base of 80°-200°F extends holding times of most foods
- Pre-focused infrared top heat directs heat to the outer edges where heat loss is greatest
- Sturdy plexi-glass sneeze guard
- Shatter-resistant incandescent lights enhance product displays while safeguarding food from bulb breakage
- Available in a variety of widths from 25"-78¼"
- Optional infinite control for top heat only



GRBW-30 with optional *Designer* color and accessory food pans



GR2BW-30 with optional *Designer* color Warm Red inset panels and accessory food pans

BUFFET WARMERS

Model	No. of Light Bulbs	Dimensions (W x D x H) <i>Includes sneeze guard</i>	Maximum Pan Capacity 12" x 20" Pan	Voltage	Watts	Plug	Ship Weight
GRBW-24 [†]	2	25" x 22½" x 17¾"	1	120	970	NEMA 5-15P	46 lbs.
GRBW-30 [†]	2	31" x 22½" x 17¾"	2	120	1230	NEMA 5-15P	52 lbs.
GRBW-36 ^{†▲}	3	37" x 22½" x 20¾"	2	120	1530	NEMA 5-15P	58 lbs.
GRBW-42 ^{†▲}	3	43" x 22½" x 20¾"	3	120	1730	NEMA 5-15P	68 lbs.
GRBW-48 ^{†*}	4	49" x 22½" x 20¾"	3	120	2040	NEMA 5-20P	75 lbs.
GRBW-54	4	55" x 22½" x 20¾"	4	120/208-240	2290	NEMA L14-20P	81 lbs.
GRBW-60	5	61" x 22½" x 20¾"	4	120/208-240	2600	NEMA L14-20P	90 lbs.
GRBW-66	5	67" x 22½" x 20¾"	5	120/208-240	2860	NEMA L14-20P	96 lbs.
GRBW-72	5	73" x 22½" x 20¾"	5	120/208-240	3125	NEMA L14-20P	107 lbs.

[†] Available in 120/208-240V, NEMA L14-20P.

[▲] Canadian models use NEMA 5-20P.

^{*} Not available in 120V for Canada.

All Buffet Warmer Models Feature:

GRBW Base Dimensions: 25"-73"W x 19½"D.

Cord Location: Base end plate, same side as switch.

DESIGNER BUFFET WARMERS

Model*	No. of Light Bulbs	Dimensions (W x D x H) <i>Includes sneeze guard</i>	Maximum Pan Capacity 12" x 20" Pan	Voltage	Watts	Plug	Ship Weight
GR2BW-24 [†]	2	30¼" x 27" x 19"	1	120	970	NEMA 5-15P	76 lbs.
GR2BW-30 [†]	2	36¼" x 27" x 22"	2	120	1230	NEMA 5-15P	85 lbs.
GR2BW-36 ^{†▲}	2	42¼" x 27" x 22"	2	120	1470	NEMA 5-15P	97 lbs.
GR2BW-42 ^{†▲}	4	48¼" x 27" x 22"	3	120	1790	NEMA 5-15P	110 lbs.
GR2BW-48 ^{†*}	4	54¼" x 27" x 22"	3	120	2040	NEMA 5-20P	125 lbs.
GR2BW-54 ^{†*}	4	60¼" x 27" x 22"	4	120	2290	NEMA 5-20P	130 lbs.
GR2BW-60	6	66¼" x 27" x 22"	4	120/208-240	2660	NEMA L14-20P	154 lbs.
GR2BW-66	6	72¼" x 27" x 22"	5	120/208-240	2920	NEMA L14-20P	169 lbs.
GR2BW-72	6	78¼" x 27" x 22"	5	120/208-240	3185	NEMA L14-20P	186 lbs.

* When no color is specified, color inset panels and corner caps will be Black.

[†] Available in 120/208-240V, NEMA L14-20P.

[▲] Canadian models use NEMA 5-20P.

^{*} Not available in 120V for Canada.

All Designer Buffet Warmer Models Feature:

Usable Heated Shelf Space: Width of unit minus 6½" x 21¾"D.

Cord Location: Center of bottom on control side.

OPTIONS AND ACCESSORIES – PAGE 14

ONE YEAR ON-SITE PARTS AND LABOR WARRANTY, PLUS ONE ADDITIONAL YEAR PARTS-ONLY WARRANTY ON ALL GLO-RAY METAL SHEATHED HEATING ELEMENTS.

GR 2 BW - XX
 Glo-Ray ——— Width of Unit (Inches)
 2 = Designer ———
 No Character = Not Designer ——— Buffet Warmer



GRBW-30 with
accessory food pans

OPTIONS (available at time of purchase only)

Designer Colors – Non-standard colors are non-returnable –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Inset Panel Colors (GR2BW models only) – Non-standard colors are non-returnable –

RED	Warm Red
BLACK	Black
GRAY	Gray Granite
WHITE	White Granite
NAVY	Navy Blue
GREEN	Hunter Green
COPPER	Antique Copper

Designer Corner Caps (GR2BW models only) – Non-standard colors are non-returnable –

BLACK	Black Corner Caps
DKGRAY	Dark Gray Corner Caps

Plexi-Glass Front and two (2) Side Enclosures in lieu of Sneeze Guards –

Available for GRBW-24, -30, -36, -42 and -48 models only –

FRTENCL-24, -30 -24 and -30 models

FRTENCL-36, -42, -48 -36, -42 and -48 models

SIDE-ENCL Two Plexi-Glass Side Enclosures (GRBW models only)

SIDE-ENCL2 Two Plexi-Glass Side Enclosures (GR2BW models only)

Hardcoated Surface (GRBW models only) –

HC 24-42 GRBW-24 through GRBW-42

HC 48-72 GRBW-48 through GRBW-72

INF Infinite Control for top heat only (GRBW-24 through GRBW-60, and GR2BW-24 through GR2BW-60 models only)

9.375BP 9¾" Sneeze Guard in lieu of standard 7½" (GRBW models only)

14BP 14" Sneeze Guard in lieu of standard 7½"

HAL Halogen Bulb in lieu of standard Display Light (60 Watt)

FOOD PANS AND TRIVETS – PAGE 15

COLORS AND FINISHES – PAGE 15

ACCESSORIES (available for purchase at any time)

GRBW-LEGS 4" Adjustable Legs for GRBW-24 models (standard on GRBW-36 or larger)

2SD-LEGS 4" Designer Legs for GR2BW-24 models (standard on GR2BW-30 or larger)

Pan Rail for GRBW models (not for use with Plexi-Glass Front Enclosure) –

2 RAIL 2-Pan


3 RAIL 3-Pan

4 RAIL 4-Pan


5 RAIL 5-Pan



2SD-LEGS



2 RAIL



3 RAIL

Food Pans And Trivets




FOOD PANS

Model	Description
ALUM PAN	Half-Size Sheet Pan – 18"W x 13"D
18"SHEET PAN	Full-Size Sheet Pan – 18"W x 26"D
14"PIZZA PAN	Perforated Pizza Pan – 14" Diameter
16"PIZZA PAN	Perforated Pizza Pan – 16" Diameter
18"PIZZA PAN	Perforated Pizza Pan – 18" Diameter
ST PAN 1/3	Third-Size Stainless Steel Pan – 12¾"W x 6⅞"D x 2½"H
ST PAN 1/2	Half-Size Stainless Steel Pan – 12¾"W x 10⅞"D x 2½"H
ST PAN 2	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 2½"H
ST PAN 4	Full-Size Stainless Steel Pan – 12¾"W x 20¾"D x 4"H

TRIVETS

Model	Description
Wire Trivets Stainless –	
TRIVET (1/2)SS	Half-Size – 10⅞"W x 7⅞"D
TRIVET SS	Full-Size – 10⅞"W x 18"D



Paint Chip and Stone Sample Colors

DESIGNER COLORS



SIMULATED STONE COLORS*



*Colors are a representation and may not exactly match our colors.
Consult factory for possible color matching options on these colors.
Non-standard colors are non-returnable.*

To order a Hatco Paint Chip & Stone Sample Colors Sheet, visit www.hatcocorp.com / Order Literature / Sales Literature / Sell Sheets.

* Simulated Stone is Swanstone®

Sturgeon Bay, WI 54235 U.S.A. Telephone: (800) 558-0607 or (414) 671-6350 hatcocorp.com



Scan with web-enabled
mobile device to visit
www.hatcocorp.com

Hatco Corporation

P.O. BOX 340500 | Milwaukee, WI 53234-0500 USA
800-558-0607 | 414-671-6350
www.hatcocorp.com | support@hatcocorp.com