

Why cho

Carry-out, curbside, delivery, pickup, drive-thru -

there's hardly a foodservice establishment that isn't offering to-go options

in one format or another.

Hatco Corporation offers a variety of order pickup stations and food lockers, so you can find the perfect solution for increasing throughput and meeting demand in your busy operation as the popularity of takeout meals continues to grow.

ose Hatco

How we stack up

Floor mount,
countertop,
built-in, heated,
ambient, open
shelving or locked
door units,
Hatco has a
TO-GO
SOLUTION
for every need.

STEP 1: Setup	FLOOR MOUNT					
STEP 2: Model	MPP-8I	MPP-8PT	MPP-8HPT	F2G	F2GP	GRS2G
Specifications						
Voltage	120V	120V	120V	120V	120V	120V
Wattage	90	90	1424	831-1623	1057	704-1757
Amps	.75	0.4	11.87	7.3-14.0	9.2	5.6-14.6
Plug	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P	NEMA 5-15P
No. of Cubbies/Shelves	8	8	8	8 or 12	8	2-5
Features						
Heated*	×	×	✓	✓	✓	✓

STEP 1: Setup	COUNTERTOP			
STEP 2: Model	F2G	F2GP		
Specifications				
Voltage	120V	120V		
Wattage	321-819	536-1057		
Amps	2.9-7.1	4.7-9.2		
Plug	NEMA 5-15P	NEMA 5-15P		
No. of Cubbies/Shelves	3-6	4 or 8		
Features				
Heated*	✓	✓		

STEP 1: Setup	BUILT-IN			
STEP 2: Model	F2GB	F2GBP		
Specifications				
Voltage	120V	120V		
Wattage	417-1623	536-1057		
Amps	2.9-14	4.7-9.2		
Plug	NEMA 5-15P	NEMA 5-15P		
No. of Cubbies/Shelves	3-12	4 or 8		
Features				
Heated*	√	√		

^{*} Heated models may be turned off for ambient holding as well.



PICKUP POD™

Raise customers' satisfaction with an experience that can be completely contactless — from order through pickup. Hatco's Pickup Pod[™], propelled by Minnow[™], is a self-service, touchless pickup solution that is available in models that reduces congestion, eliminates pickup mistakes, reduces labor costs, and improves the overall takeout experience. Customers (or delivery personnel) simply access their reserved cubbies by scanning the QR code or using an embedded link sent via text (SMS) message. This is a technology that prepares your operation for long-term growth.

- Touchless interface prevents the spreading of germs
- Energy-saving 5000K LED cubby lighting showcases food
- Ambient, individually insulated cubbies keep hot or cold foods fresh
- Food is kept secure in individually locked cubbies, while configurable pickup times ensure food safety
- Connects via cellular, WiFi or CAT-5



MPP-8I shown with Lilv Pad accessory MPP-PAD2-57 in Charcoal



Optional touchscreen shown (Only available on MPP-8I units)

& To-Go Experience

PASS-THROUGH PICKUP POD™

The rising demand for delivery and to-go orders has made a significant change in the daily flow of operations. The Pass-Through Pickup Pod™ from Hatco helps automate in-venue takeout, remote delivery and pickups provides an elevated customer experience. These models have the same features as the original Pickup Pod, but with the added convenience of doors on the operator side so the Pod can be accessed from the back for loading orders, which will greatly reduce lobby/ dining area congestion. Powered by cloud-based software, the Pod is a smart and safe win for operators and customers.

- Available in either ambient or heated models with eight cubbies
- Heated models are thermostatically controlled with an operational range of 140°F to 185°F (60°C to 85°C).
 The heat can also be turned off for ambient holding
- Features rear-loading doors to enhance operator efficiency
- Antimicrobial surfaces and touchless interface work in tandem to prohibit the spread of bacteria, mildew and germs
- Connects via Cellular, WiFi or CAT-5/6





F2GB-22-A in optional *Designer* Black (Customer side shown)



FLAV-R 2-GO® LOCKER SYSTEM

Grant your guests a pickup experience that doesn't trade convenience for food quality nor safety. Hatco's Flav-R 2-Go® Locker Systems are capable of holding multiple orders in either hot or ambient lockers with quick and secure access. Guests enjoy a clear path to picking up their meals. Meanwhile, your team can focus on other functions without disruptions.

- Large 10" (254 mm) touchscreen for easy viewing on both the customer and operator sides
- Lockers come preset to 150°F (66°) with a high temperature range up to 180°F (82°C)
- Individual lockers can have the heat turned off for ambient holding
- Each locker has a timer that will hold prepared and packaged food for up to 45 minutes, and the operator is notified when the hold time expires

Designer Colors





F2G-34-A in optional *Designer* Navy Blue (Customer side shown)



F2G-24-A in standard Designer Warm Red (Operator side shown)



F2G-3-A in optional *Designer* Black (Customer side shown)

TOP REASONS WHY PEOPLE PREFER TO ORDER FOOD ONLINE


- 1. Variety of food choices
- 2. Convenience
- 3. Real-time updates
- 4. Better customer satisfaction
- 5. Star ratings and reviews
- 6. Discounts and offers
- 7. Accurate order delivery service
- 8. Hassle-free payment options
- 9. Personalized dining experience



F2GP-14-C in standard Designer Warm Red (Customer side shown)

F2GP-12-C in standard *Designer* Antique Copper (Customer side shown)





FLAV-R 2-GO® PIZZA LOCKER SYSTEM

No more wrong orders, no more wasted time, no more cold pizza. Flav-R 2-Go® Pizza Locker Systems from Hatco reduce mistakes, lower labor costs and improve the customer experience. Customers or delivery personnel can pick up pizzas without disrupting the staff workflow. The Flav-R 2-Go Pizza Locker System allows operators to select shelf size, color and model type — just like the customization that comes with ordering a pizza.

- Lockers come preset to 149°F (65°C) with a high temperature range up to 180°F (82°C)
- Individual lockers can have the heat turned off for ambient holding
- As a pass-through unit, the customer side stays locked. When the access code is used, the door unlocks and opens for 30 seconds
- Features a large 10" (254 mm) touchscreen on both the customer and operator sides. The operator inputs the customer's name and code for the pizza order; the customer receives the code and enters it. LED lights will flash in the appropriate locker and the door will unlock



F2GBP-12-C in standard Designer Black (Customer side shown)





- Shelves are 20" (508 mm) deep and 39" (991 mm) wide, with a clearance of 13" (330 mm) per shelf, to accommodate large boxes and bags
- Hold food orders for up to 30 minutes, with a high temperature range up to 200°F (93°C)
- Touchscreen control with digital readout indicates separate heat and timer for each shelf
- Individual shelves can have the heat turned off for ambient holding
- Available with optional side and/or back panels per shelf, giving operators the flexibility to customize their unit with pass-through capabilities or single-sided access







GRS2G-3920-5 in *Designer* Navy Blue

