



WHEN YOU NEED IT FAST,
WE'VE GOT YOU COVERED.

Quick-Ship

PROGRAM

In-demand. In-stock. Ready to ship.

DOMESTIC – January 1, 2025

Orders shipped same day if placed before 12 PM (Noon) CT.





Quick-Ship PROGRAM

In-demand. In-stock. Ready to ship.

When you need equipment shipped sooner than our normal lead times, Hatco's Quick-Ship Program offers over 300 models of our most popular equipment, in various voltages, and accessories ready for immediate shipment (based on availability).

Program Details:

- Orders received before 12 PM (Noon) CT will be shipped the same day.
- Orders received after 12 PM (Noon) CT will be shipped the next business day.
- Standard pricing and discounts apply.
- Orders are shipped with Hatco's preferred LTL carriers (unless specified by the customer), Next Day Air or Expedited Freight (available on most items).
- All orders are subject to credit approval.
- Quantities ordered may impact availability.

How to Order:

1. Confirm models are currently available via the Quick-Ship Program.
2. Provide the model number(s), voltage(s), Hertz and phase. (All watt ratings are nominal; actual wattage may vary. Consult factory for more information.)
3. Specify accessories as required.
4. Reference "Quick-Ship" on your equipment order.
5. Send all equipment orders to equipsales@hatcocorp.com. (E-mail orders are acceptable and do not require confirmation.)

In AutoQuotes:

1. Select **Hatco** in the left-hand tool bar.
2. Select **Category** or **Search** for product keywords.
3. Select **Quick-Ship** under Brands in the left-hand tool bar.
4. Add to your existing project or create a new project.

For additional information, email us at support@hatcocorp.com or call us at (414)-671-6350.

ORDER PICKUP STATIONS & LOCKERS

Model	Item Number	Voltage/Phase	Description
Glo-Ray 2-Go® Heated Shelves			
GRS2G-3920-5	GRS2G39205515	120/1 \$6581	With (5) Shelves (39" W x 20" D) and (4) 6" Adjustable Flanged Feet, 1757 Watts, NEMA 5-15P

DRY SOUP WELLS

Model	Item Number	Voltage/Phase	Description
Countertop			
SWC-7QT	SWC7QTC515	120/1 \$1299	With (1) 7-QT Pan, Clear Coat finish, 425 Watts, NEMA 5-15P
SWC-7QT	SWC7QTBB515	120/1 1299	With (1) 7-QT Pan, Bold Black finish, 425 Watts, NEMA 5-15P
SWC-11QT	SWC11QTC515	120/1 1396	With (1) 11-QT Pan, Clear Coat finish, 675 Watts, NEMA 5-15P
SWC-11QT	SWC11QTBB515	120/1 1396	With (1) 11-QT Pan, Bold Black finish, 675 Watts, NEMA 5-15P
Built-In			
SWB-7QT	SWB7QT515	120/1 1219	With (1) 7-QT Pan, 425 Watts, NEMA 5-15P
SWB-11QT	SWB11QT515	120/1 1417	With (1) 11-QT Pan, 675 Watts, NEMA 5-15P

ROUND HEATED WELLS

Model	Item Number	Voltage/Phase	Voltage/Phase	Voltage/Phase	Description
Freestanding					
RHW-1	RHW.00010	120/1 \$1034			With (1) 11-QT Pan, 1300 Watts, NEMA 5-15P
RHW-2	RHW.00012		\$1600	\$1600	With (2) 11-QT Pans, 2000 (208V) or 2700 (240V) Watts, NEMA 6-15P
Built-In					
RHW-1B	RHW.00011	120/1 \$ 966			With (1) 11-QT Pan, Bold Black finish, 675 Watts, NEMA 5-15P

COUNTERTOP HEATED WELLS

Model	Item Number	Voltage/Phase	Description
Standard Watt (Hold Only)			
HW-FUL	HW.00001	120/1 \$637	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
HW-43	HW.00002	120/1 799	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
High Watt (Cook & Hold)			
CHW-FUL	CHW.00001	120/1 725	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
CHW-43	CHW.00002	120/1 839	With (4) Third-Size Pans and (4) 1" Legs, 1800 Watts, NEMA 5-15P

R-290 REFRIGERATED DROP-IN WELLS

Model	Item Number	Voltage/Phase	Description
CWBP-2	CWBP2290	120/1 \$8027	2-Pan Capacity, with R-290 Refrigerant and Drain, 345 Watts, NEMA 5-15P
CWBP-3	CWBP3290	120/1 8548	3-Pan Capacity, with R-290 Refrigerant and Drain, 345 Watts, NEMA 5-15P
CWBP-4	CWBP4290	120/1 9301	4-Pan Capacity, with R-290 Refrigerant and Drain, 440 Watts, NEMA 5-15P

DROP-IN ROUND UNINSULATED HEATED WELLS

Model	Item Number	Voltage/Phase	Description
HWB-7QT	HWB7QT120V	120/1 \$899	7-Quart Pan Capacity, 500 Watts
HWB-7QTD	HWB7QTD120V	120/1 952	7-Quart Pan Capacity, with Drain, 500 Watts
HWB-11QT	HWB11QT120V	120/1 899	11-Quart Pan Capacity, 500 Watts
HWB-11QTD	HWB11QTD120V	120/1 952	11-Quart Pan Capacity, with Drain, 500 Watts
HWBH-11QTD	HWBH11QTD120V	120/1 952	High Watt, 11-Quart Pan Capacity, with Drain, 800 Watts



DECORATIVE LAMPS

Model	Item Number	Voltage/Phase 120/1	Description
DL-500-RCTL	DL500RCTLBB-BK	\$1090	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-500-RCTL	DL500RCTLBRNBK	1292	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBB-BK	1132	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBRNBK	1334	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
Accessories			
DL-TRACK-4B		\$302	(1) 4' Track Mount Bar – Black
DL-TRACK-4W		302	(1) 4' Track Mount Bar – White
DL-TRACK-8B		454	(2) 4' Track Mount Bars with Couplers – Black
DL-TRACK-8W		454	(2) 4' Track Mount Bars with Couplers – White
DL-TRACK-12B		644	(3) 4' Track Mount Bars with Couplers – Black
DL-TRACK-12W		644	(3) 4' Track Mount Bars with Couplers – White
DL-TRACK-16B		796	(4) 4' Track Mount Bars with Couplers – Black
DL-TRACK-16W		796	(4) 4' Track Mount Bars with Couplers – White
DL-TRACKBLK		121	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – Black
DL-TRACKWHT		121	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – White
DL-SWITCH-16AMP		23	16 Amp Lamp Toggle Switch
WHITE-CTD-120L		17	120V, 40 Watt Clear Coated Bulb (Luminaire models only)
WHITE-UCTD-120		28	120V, 250 Watt Clear Uncoated Bulb
WHITE-UCTD-120H		50	120V, 375 Watt Clear Uncoated Bulb (High watt models only)
WHITE-CTD-120		40	120V, 250 Watt Clear Coated Bulb
WHITE-CTD-120H		65	120V, 375 Watt Clear Coated Bulb (High watt models only)
RED-UCTD-120		39	120V, 250 Watt Red Uncoated Bulb
RED-CTD-120		50	120V, 250 Watt Red Coated Bulb

DISPLAY LIGHTS

Model	Item Number	Voltage/Phase 120/1	Description
HL-48	HL48120T	\$640	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 60" W, 300 Watts
HL-60	HL60120T	733	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 60" W, 300 Watts

ALUMINUM INFRARED STRIP HEATERS WITH CONDUIT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Description
Standard Watt				
GRA-24	GRA24115T	\$369		With Built-In Toggle Switch, 24" W, 350 Watts
GRA-36	GRA36115T	420		With Built-In Toggle Switch, 36" W, 575 Watts
GRA-48	GRA48115T	474		With Built-In Toggle Switch, 48" W, 800 Watts
GRA-60	GRA60115T	538		With Built-In Toggle Switch, 60" W, 1050 Watts
High Watt				
GRAH-18	AH18115T	\$359		With Built-In Toggle Switch, 18" W, 350 Watts
GRAH-24	AH24115T	377		With Built-In Toggle Switch, 24" W, 500 Watts
GRAH-24	AH24208T		\$377	With Built-In Toggle Switch, 24" W, 500 Watts
GRAH-24	AH24115INF	428		With Built-In Infinite Switch, 24" W, 500 Watts
GRAH-30	AH30120T	403		With Built-In Toggle Switch, 30" W, 660 Watts
GRAH-36	AH36115T	428		With Built-In Toggle Switch, 36" W, 800 Watts
GRAH-36	AH36208T		428	With Built-In Toggle Switch, 36" W, 800 Watts
GRAH-36	AH36115INF	479		With Built-In Infinite Switch, 36" W, 800 Watts
GRAH-42	AH42120T	454		With Built-In Toggle Switch, 42" W, 950 Watts
GRAH-48	AH48115	482		With Built-In Toggle Switch, 48" W, 1100 Watts
GRAH-48	AH48208T		482	With Built-In Toggle Switch, 48" W, 1100 Watts
GRAH-48	AH48115INF	533		With Built-In Infinite Switch, 48" W, 1100 Watts
GRAH-60	AH60115T	546		With Built-In Toggle Switch, 60" W, 1440 Watts
GRAH-60	AH60208T		546	With Built-In Toggle Switch, 60" W, 1440 Watts
GRAH-72	AH72115T	677		With Built-In Toggle Switch, 72" W, 1725 Watts
GRAH-72	AH72208T		677	With Built-In Toggle Switch, 72" W, 1725 Watts

ALUMINUM INFRARED STRIP HEATERS WITH CONDUIT

Model	Item Number	Voltage/Phase 120/1	Description
High Watt with Lights			
GRAHL-24	GRAHL24115T	\$589	With Built-In Toggle Switch and (2) Incandescent Light Bulbs, 24" W, 620 Watts
GRAHL-36	GRAHL36115T	720	With Built-In Toggle Switch and (3) Incandescent Light Bulbs, 36" W, 980 Watts
GRAHL-48	GRAHL48115T	857	With Built-In Toggle Switch and (4) Incandescent Light Bulbs, 48" W, 1340 Watts

ALUMINUM INFRARED STRIP HEATERS WITH TWO (2) S-HOOKS, TWO (2) 6" CHAINS, AND ATTACHED CORD & PLUG

Model	Item Number	Voltage/Phase 120/1	Description
Standard Watt			
GRA-24	GRA24120TCCS	\$424	With Built-In Toggle Switch, 24" W, 350 Watts, NEMA 5-15P
GRA-36	GRA36120TCCS	475	With Built-In Toggle Switch, 36" W, 575 Watts, NEMA 5-15P
GRA-48	GRA48120TCCS	529	With Built-In Toggle Switch, 48" W, 800 Watts, NEMA 5-15P
GRA-60	GRA60120TCCS	593	With Built-In Toggle Switch, 60" W, 1050 Watts, NEMA 5-15P
High Watt			
GRAH-18	AH18120TCCS	\$414	With Built-In Toggle Switch, 18" W, 350 Watts, NEMA 5-15P
GRAH-24	AH24120TCCS	432	With Built-In Toggle Switch, 24" W, 500 Watts, NEMA 5-15P
GRAH-24	AH24120ICCS	483	With Built-In Infinite Switch, 24" W, 500 Watts, NEMA 5-15P
GRAH-30	AH30120TCCS	458	With Built-In Toggle Switch, 30" W, 660 Watts, NEMA 5-15P
GRAH-36	AH36120TCCS	483	With Built-In Toggle Switch, 36" W, 800 Watts, NEMA 5-15P
GRAH-36	AH36120ICCS	534	With Built-In Infinite Switch, 36" W, 800 Watts, NEMA 5-15P
GRAH-42	AH42120TCCS	509	With Built-In Toggle Switch, 42" W, 950 Watts, NEMA 5-15P
GRAH-48	AH48120TCCS	537	With Built-In Toggle Switch, 48" W, 1100 Watts, NEMA 5-15P
GRAH-48	AH48120ICCS	588	With Built-In Infinite Switch, 48" W, 1100 Watts, NEMA 5-15P
GRAH-60	AH60120TCCS	601	With Built-In Toggle Switch, 60" W, 1400 Watts, NEMA 5-15P
GRAH-60	AH60120ICCS	652	With Built-In Infinite Switch, 60" W, 1400 Watts, NEMA 5-15P
GRAH-72*	AH72120TCCS.1	732	With Built-In Toggle Switch, 72" W, 1725 Watts, NEMA 5-15P

* Not available for Canada.

DUAL ALUMINUM INFRARED STRIP HEATERS WITH 3" SPACER AND CONDUIT

Model	Item Number	Voltage/Phase 120/1	Description
High Watt			
GRAH-24D	GRAH24D120V	\$ 924	With Built-In Toggle Switch, 24" W, 1000 Watts
GRAH-36D	GRAH36D120V	1118	With Built-In Toggle Switch, 36" W, 1600 Watts
GRAH-48D	GRAH48D120V	1311	With Built-In Toggle Switch, 48" W, 2200 Watts
GRAH-60D	GRAH60D120V	1515	With Built-In Toggle Switch, 60" W, 2800 Watts
GRAH-72D	GRAH72D120V	1862	With Built-In Toggle Switch, 72" W, 3450 Watts
High Watt with Lights			
GRAHL-24D	AHL24D120V	\$1015	With Built-In Toggle Switch, 24" W, 1120 Watts
GRAHL-36D	AHL36D120V	1250	With Built-In Toggle Switch, 36" W, 1780 Watts
GRAHL-48D	AHL48D120V	1496	With Built-In Toggle Switch, 48" W, 2440 Watts
Accessories			
QSANGLE		\$31	(1) Pair of Adjustable Angle Brackets (Single models only)
QSANGLE-D		62	(2) Pairs of Adjustable Angle Brackets (Dual models only)

FRY STATIONS

Model	Item Number	Voltage/Phase 120/1	Description
Ultra-Glo® (Ceramic Heating Element)			
UGFF	GRFFC18115T	\$ 903	With Built-In Toggle Switch, 750 Watts, NEMA 5-15P
UGFFL	GRFFCL18120T	1114	With Built-In Toggle Switch and (2) Incandescent Lights, 870 Watts, NEMA 5-15P
UGFFB	FFBC18120T	1360	With Built-In Toggle Switch and Heated Base, 1000 Watts, NEMA 5-15P
UGFFBL	FFBCL18120T	1576	With Built-In Toggle Switch, Heated Base and (2) Incandescent Lights, 1120 Watts, NEMA 5-15P



FRY STATIONS

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Ultra-Glo® (Ceramic Heating Element)			
GRFF	GRFF115T	\$ 721	With Built-In Toggle Switch, 500 Watts, NEMA 5-15P
GRFFL	GRFFL120T	927	With Built-In Toggle Switch and (2) Incandescent Lights, 620 Watts, NEMA 5-15P
GRFFB	GRFFB115T	1186	With Built-In Toggle Switch and Heated Base, 750 Watts, NEMA 5-15P
GRFHS-16	GRFHS16	3663	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1090 Watts, NEMA 5-15P
GRFHS-21	GRFHS21	4040	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P
GRFHS-26	GRFHS26	3663	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P

PORTABLES

Model	Item Number	Voltage/Phase 120/1	Description
Lamp Warmer			
LW-2	LW2-2	\$873	In Designer Gray Granite, with (2) Incandescent Light Bulbs, 500 Watts, NEMA 5-15P
Glo-Ray® Heated Shelves			
GRS-24-I	GRS24120-1	\$1146	1-Pan Capability, 24" W x 19½" D, 350 Watts, NEMA 5-15P
GRS-30-I	GRS30120-1	1235	2-Pan Capability, 30" W x 19½" D, 450 Watts, NEMA 5-15P
GRS-36-I	GRS36120-1	1321	3-Pan Capability, 36" W x 19½" D, 550 Watts, NEMA 5-15P
GRS-48-I	GRS48120-1	1556	4-Pan Capability, 48" W x 19½" D, 700 Watts, NEMA 5-15P
Heated Glass Modular Shelf			
HGSM-1P	HGSM.00004	\$1028	1-Pan Capability, 15¾" W x 23¾" D, 300 Watts, NEMA 5-15P
Glo-Ray® Buffet Warmers			
GRBW-24	GRBW24120V	\$2306	With (2) Incandescent Light Bulbs, 1-Pan Capacity, 24" W, 970 Watts, NEMA 5-15P
GRBW-36	GRBW36120V	2798	With (3) Incandescent Light Bulbs, 2-Pan Capacity, 36" W, 1530 Watts, NEMA 5-15P
GRBW-48	GRBW48120V	3290	With (4) Incandescent Light Bulbs, 3-Pan Capacity, 2040 Watts, NEMA 5-20P

BUILT-INS

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Recessed Top Aluminum Heated Shelves			
GRSB-24-I	GRSB24120V-1	\$1848	25½" W x 21" D, 550 Watts, NEMA 5-15P
GRSB-30-I	GRSB30120V-1	1969	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSB-36-I	GRSB36120V-1	2094	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSB-48-I	GRSB48120V-1	2316	49½" W x 21" D, 1000 Watts, NEMA 5-15P
Glo-Ray® Flush Top Aluminum Heated Shelves			
GRSBF-24-I	GRSBF24120V-1	\$1848	25½" W x 21" D, 550 Watts, NEMA 5-15P
GRSBF-30-I	GRSBF30120V-1	1969	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSBF-36-I	GRSBF36120V-1	2094	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSBF-48-I	GRSBF48120V-1	2316	49½" W x 21" D, 1000 Watts, NEMA 5-15P

DRAWER WARMERS

Model	Item Number	Voltage/Phase 120/1	Description
Freestanding			
HDW-1	HDW1-120V-TN	\$3042	With 4" Plastic Legs, (1) Drawer and (1) 6" Deep Pan, 450 Watts, NEMA 5-15P
HDW-2	HDW2-120V-TN	5164	With 4" Plastic Legs, (2) Drawers and (2) 6" Deep Pans, 900 Watts, NEMA 5-15P
HDW-3	HDW3-120V-TN	7292	With 4" Plastic Legs, (3) Drawers and (3) 6" Deep Pans, 1350 Watts, NEMA 5-15P
Built-In			
HDW-2B	HDW2B-120V-TN	\$4947	With (2) Drawers and (2) 6" Deep Pans, 900 Watts

MERCHANDISERS

Model	Item Number	Voltage/Phase 120/1	Description
Glo-Ray® Slant Merchandising Warmers			
GRSDS-24	GRSDS24120-1	\$4045	With (1) Shelf, (2) Incandescent Light Bulbs and (5) Divider Rods, 24" W x 24¼" D, 695 Watts, NEMA 5-15P
GRSDS-30D	GRSDS30D120	6709	With (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 30" W x 24¼" D, 1530 Watts, NEMA 5-15P
GRSDS-36D	GRSDSD36120-1	7147	With (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 36" W x 24¼" D, 1810 Watts, NEMA 5-20P
GR2SDS-24D	GR2SDS24D515P	7525	<i>Designer Series</i> , with (2) Shelves, (4) Incandescent Light Bulbs and (10) Divider Rods, 30¼" W x 26¾" D, 1355 Watts, NEMA 5-15P
GR2SDS-30D	GR2SDS30DL1420P	8056	<i>Designer Series</i> , with (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 36¼" W x 26¾" D, 1530 Watts, NEMA L14-20P
GR2SDS-36D	GR2SDS36DL1420P	8564	<i>Designer Series</i> , with (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 42¼" W x 26¾" D, 1810 Watts, NEMA L14-20P
Glo-Ray® Heated Display Cases			
GRCD-3PD	GRCD3PD120V	\$8590	<i>Designer Series</i> , with (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1710 Watts, NEMA 5-15P
GRCDH-3PD	GRCDH3PD120V	9392	<i>Designer Series</i> , Humidified, with (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1960 Watts, NEMA 5-20P
GRHD-3PD	GRHD3PD120V	7568	With (2) Shelves and (8) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1755 Watts, NEMA 5-15P

HOLDING & DISPLAY CABINETS*

Model	Item Number	Voltage/Phase 120/1	Description
Plate Warmers			
PWC-12	PWC.12BLK515	\$2630	Countertop, in <i>Designer Black</i> , 460 Watts, NEMA 5-15P
PWC-12	PWC.12SS515	2232	Countertop, in Stainless Steel, 460 Watts, NEMA 5-15P
PWB-12	PWB.12BLK515	2416	Built-In, in <i>Designer Black</i> , 460 Watts, NEMA 5-15P
PWB-12	PWB.12SS515	2018	Built-In, in Stainless Steel, 460 Watts, NEMA 5-15P
Flav-R-Fresh® Humidified Impulse Display Cabinets			
FDWD-1	FDWD1	\$4449	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
FDWD-1X	FDWD1X	4312	With (1) Door and (1) 4-Shelf Multi-Purpose Rack, 1360 Watts, NEMA 5-15P
FDWD-2	FDWD2	4589	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
Flav-R-Savor® Humidified Holding & Display Cabinets			
FSD-1	FSD1-1	\$5383	With (1) Door and (1) Motorized 3-Tier Revolving Circle Rack, 27¾"H, 1414 Watts, NEMA 5-15P
FSD-1X	FSD1X-1	5221	With (1) Door and (1) 3-Tier Pan Rack, 27¾"H, 1414 Watts, NEMA 5-15P
FSDT-1	FSDT1-1	5473	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-1X	FSDT1X-1	5259	With (1) Door and (1) 4-Tier Pan Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-2	FSDT2-1	5907	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-2X	FSDT2X-1	5697	With (2) Doors and (1) 4-Tier Pan Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
Flav-R-Savor® Humidified Holding Cabinets			
FSHC-6W1	FSHC-6W1	\$ 7586	With (1) Door and 4" Diameter Casters, 6-Pan Capacity, 1697 Watts, NEMA 5-15P
FSHC-7-1	FSHC7-1	7655	With (1) Door and 4" Diameter Casters, 7-Pan Capacity, 1697 Watts, NEMA 5-15P
FSHC-12W1	FSHC-12W1	12187	With (1) Lexan® Door and 5" Diameter Casters, 12-Pan Capacity, 1650 Watts, NEMA 5-15P
FSHC-17W1	FSHC-17W1	12382	With (1) Lexan® Door and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P
FSHC-17W1D	FSHC-17W1D	13322	Single Opening, with (2) Dutch Doors and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P



TOASTERS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
Pop-Up Toasters					
TPT-120	TPT3.120	\$536			In Stainless Steel, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120	TPT120.BB515	673			In Bold Black Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120	TPT120.RR515	673			In Radiant Red Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-208	TPT3.208		\$967		In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
TPT-240	TPT3.240			\$967	In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
Toast-Qwik® Horizontal Conveyor Toasters (Third Generation)					
TQ3-10	TQ310120BK515	\$1560			In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-10	TQ310120BK520	1560			In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-20P
TQ3-10	TQ310208BK615		\$1560		In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-10	TQ310240BK615			\$1560	In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-20	TQ320208B615		4268		In Designer Black, Programmable, 11-Slice per Minute Capacity, 2470 Watts, NEMA 6-15P
TQ3-20H	TQ320H208B620		4268		In Designer Black, Programmable, 11-Slice per Minute Capacity, 2620 Watts, NEMA 6-20P
TQ3-400	TQ3400120B515	2998			In Designer Black, Programmable, 6-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-900	TQ3900208B620		3413		In Designer Black, Programmable, 15-Slice per Minute Capacity, 3020 Watts, NEMA 6-20P
TQ3-900H	TQ3900H208B620		3413		In Designer Black, Programmable, 6-Slice per Minute Capacity, 3" H Opening, 3020 Watts, NEMA 6-20P
Toast-Qwik® Horizontal Conveyor Toasters (Second Generation)					
TQ-10	TQ10120	\$1970			5-Slice per Minute Capacity, 1800 Watts, NEMA 5-15P
TQ-10	TQ10208		\$1970		5-Slice per Minute Capacity, 1800 Watts, NEMA 6-15P
TQ-400	TQ400120	3075			6-Slice per Minute Capacity, 1800 Watts, NEMA 5-15P
TQ-400	TQ400208		3075		6-Slice per Minute Capacity, 2200 Watts, NEMA 6-15P
TQ-400H	TQ400H208		3075		6-Slice per Minute Capacity, 3" H Opening, 2200 Watts, NEMA 6-15P
TQ-800	TQ800208		3506		14-Slice per Minute Capacity, 3300 Watts, NEMA 6-20P
TQ-800H	TQ800H208		3506		14-Slice per Minute Capacity, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-800HBA	TQ800HBA208		3506		14-Slice per Minute Capacity, Bagels or Buns, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-1800	TQ1800208		4365		30-Slice per Minute Capacity, 4400 Watts, NEMA 6-30P
TQ-1800H	TQ1800H208		4366		30-Slice per Minute Capacity, 3" H Opening, 4400 Watts, NEMA 6-30P
Toast King® Vertical Conveyor Toasters					
TK-72	TK72208		\$5465		12-Slice per Minute Capacity, 4038 Watts, NEMA 6-20P
TK-100	TK100208		5847		16-Slice per Minute Capacity, 5038 Watts, NEMA 6-30P
TK-100	TK100230			\$5847	16-Slice per Minute Capacity, 5038 Watts, NEMA 6-30P

INDUCTION EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208-240	Description
Drop-In Induction Dry Well				
IWELB-FUL-A	IWELBFULA515	\$2950		1-Pan Capacity, 720 Watts, NEMA 5-15P
IWELB-FUL-A	IWELBFULA615		\$2950	1-Pan Capacity, 720 Watts, NEMA 6-15P
Boxer® Countertop Induction Ranges				
IRNG-BXC1-14	IRNGBXC114515	\$1294		(1) Hob, 1440W, NEMA 5-15P
IRNG-BXC1-18	IRNGBXC118515	1294		(1) Hob, 1800W, NEMA 5-15P
Rapide Cuisine® Countertop Heavy-Duty Induction Ranges				
IRNG-HC1-14	IRNGHC114SB515	\$1630		(1) Hob, 1440W, NEMA 5-15P
IRNG-HC1-18	IRNGHC118SB515	1630		(1) Hob, 1800W, NEMA 5-15P
Rapide Cuisine® Countertop Programmable Induction Ranges				
IRNG-PC1-14	IRNGPC114SB515	\$1497		(1) Hob, in Stainless Steel and Bold Black, 1440W, NEMA 5-15P
IRNG-PC1-18	IRNGPC118SB515	1497		(1) Hob, in Stainless Steel and Bold Black, 1800W, NEMA 5-15P
IRNG-PC1-18	IRNGPC118BB515	1627		(1) Hob, in Bold Black, 1800W, NEMA 5-15P

INDUCTION EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Description
Rapide Cuisine® Drop-In Programmable Induction Ranges			
IRNG-PB1-14	IRNGPB114515	\$1630	(1) Hob, 1440W, NEMA 5-15P
IRNG-PB1-18	IRNGPB118515	1630	(1) Hob, 1800W, NEMA 5-15P
IRNG-PB1-18	IRNGPB118520	1630	(1) Hob, 1800W, NEMA 5-20P
Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Induction Range			
IRNG-PC1-36	IRNGPC136SB620	\$2379	(1) Hob, 3120-3600 Watts, NEMA 6-20P
Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Induction Range			
IRNG-PB1-36	IRNGPB136SB620	\$2510	(1) Hob, 3120-3600 Watts, NEMA 6-20P
Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Dual Induction Ranges			
IRNG-PC2F-29	IRNGPC2F29630	\$4656	(2) Hobs Front-to-Back, 2496-3600 Watts per Coil, NEMA 6-30P
IRNG-PC2F-36	IRNGPC2F36650	5171	(2) Hobs Front-to-Back, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2F-24-IA	IRNGPC2F24IA620	4890	(2) Hobs Front-to-Back with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2F-36-IA	IRNGPC2F36IA630	5430	(2) Hobs Front-to-Back with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
IRNG-PC2S-29	IRNGPC2S29630	4656	(2) Hobs Side-to-Side, 2496-2880 Watts per Coil, NEMA 6-30P
IRNG-PC2S-36	IRNGPC2S36650	5171	(2) Hobs Side-to-Side, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2S-24-IA	IRNGPC2S24IA620	4890	(2) Hobs Side-to-Side with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2S-36-IA	IRNGPC2S36IA630	5430	(2) Hobs Side-to-Side with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-20P
Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Dual Induction Ranges			
IRNG-PB2-29	IRNGPB229630	\$4367	(2) Hobs, 2496-2880 Watts per Coil, NEMA 6-30P
IRNG-PB2-36	IRNGPB236650	4580	(2) Hobs, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PB2-24-IA	IRNGPB224IA620	4586	(2) Hobs with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PB2-36-IA	IRNGPB236IA630	4811	(2) Hobs with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
Palletti® Countertop Induction Warmers			
IWRM-C1-1317-06	IWRMC113176B515	\$1164	600 Watts, NEMA 5-15P
IWRM-CD1-03	IWRMCD13B515	1293	360 Watts, NEMA 5-15P
Palletti® Drop-In Induction Warmers			
IWRM-B1-1313-06	IWRMB113136B515	\$1164	With Black Glass-Ceramic Top, 600 Watts, NEMA 5-15P
IWRM-B1-1313-06	IWRMB113136W515	1164	With White Glass-Ceramic Top, 600 Watts, NEMA 5-15P
Maskerade® Undercounter Induction Warmer			
IWRM-UT-06	IWRMBUT6515	\$1877	With Slip-Resistant Trivet, 600 Watts, NEMA 5-15P

LIGHT COOKING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208-240/1	Description
Panini Grills				
PG14G-1	PG14G1515	\$1846		With Grooved Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14F-1	PG14F1515	1846		With Flat Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14FG-1	PG14FG1515	1846		With Grooved Top and Flat Bottom Plates, 1800 Watts, NEMA 5-15P
Snack Systems				
SNACK-1	SNACK1.515	\$1881		With (1) Set of Round Belgian Waffle Plates, 900 Watts, NEMA 5-15P
SNACK-2	SNACK2.515	3047		With (2) Sets of Round Belgian Waffle Plates, 1800 Watts, NEMA 5-15P
SNACK-2	SNACK2.520	3047		With (2) Sets of Round Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
Accessories				
FREESTYLE		\$314		(1) Set of Freestyle Plates
BELGIAN		314		(1) Set of Belgian Waffle Plates
COFFEEBEAN		314		(1) Set of Coffee Bean Plates
SANDWICH		314		(1) Set of Sandwich Plates
PANINI		314		(1) Set of Panini Plates
DONUT		314		(1) Set of Donut Plates
CHELKY		314		(1) Set of Chelky Plates
HEART WAFFLE		314		(1) Set of Norwegian Waffle Plates
WM-BRUSH		22		Nylon Brush
WAF-FORK		8		Waffle Fork



LIGHT COOKING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Description
Round Waffle Makers			
RWM-1	RWM1.515	\$1109	(1) Set of Standard Waffle Plates, 900 Watts, NEMA 5-15P
RWM-1B	RWM1B.515	1109	(1) Set of Belgian Waffle Plates, 900 Watts, NEMA 5-15P
RWM-2	RWM2.515	1931	(2) Sets of Standard Waffle Plates, 1800 Watts, NEMA 5-15P
RWM-2	RWM2.520	1931	(2) Sets of Standard Waffle Plates, 1800 Watts, NEMA 5-20P
RWM-2B	RWM2B.515	1931	(2) Sets of Belgian Waffle Plates, 1800 Watts, NEMA 5-15P
RWM-2B	RWM2B.520	1931	(2) Sets of Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
Flip Waffle Maker			
FWM-18	FWM1B.515	\$2421	(1) Set of Belgian Waffle Plates, 1350 Watts, NEMA 5-15P
Accessories			
MINI-WAFFLE		\$97	(1) Set of Mini Belgian Waffle Plates
WM-BRUSH		22	Nylon Brush
WAF-FORK		8	Waffle Fork

WATER HEATING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
Atmospheric Water Dispenser							
AWD-12	AWD12208630P		\$6443				
Electric Sanitizing Sink Heaters							
3CS-6*	3CS620813		\$3111	\$3111			
3CS-9*	3CS920813		3221	3221			
3CS-9*	3CS924013				\$3221	\$3221	
3CS-9*	3CS948013						\$3333
Electric Food Rethermalizers / Bain-Maries							
FR-4*	FR42081W/O		\$2811				
FR-6*	FR620813W/O		3101	\$3101			
FR-9*	FR920813W/O		3176	3176			
FR-9*	FR924013W/O				\$3176	\$3176	
Powermite® Gas Booster Water Heaters (Quick-Ship models are manufactured with Orifice Kits up to 2000 foot elevation)							
PMG-100	PMG100120NAT	\$18236					
PMG-200	PMG200120NAT	21631					
Compact Electric Booster Water Heaters with Legs							
C-4	C42081LE		\$4176				
C-5	C52081LE		4231				
C-6*	C620813LE		4306	\$4306			
C-6*	C624013LE				\$4306	\$4306	
C-7*	C720813LE		4366	4366			
C-7*	C724013LE				4366	4366	
C-9*	C920813LE		4411	4411			
C-9*	C924013LE				4411	4411	
C-12	C122081LE		4666				
C-12	C122083LE			4666			
C-12	C122401LE				4666		
C-12	C124803LE					4666	\$4666
C-15	C152081LE		4761				
C-15	C152083LE			4761			
C-15	C152401LE				4761		
C-15	C152403LE					4761	
C-15	C154803LE						4761
C-17	C172083LE			4791			
C-24	C242083LE			6426			
C-27	C272083LE			6526			
C-27	C272403LE					6526	
C-27	C274803LE						6526
C-30	C302083LE			6586			
C-30	C302403LE					6586	
C-30	C304803LE						6586
C-36	C362083LE			6886			
C-36	C362403LE					6886	
C-36	C364803LE						6806
C-45	C452083LE			7801			
C-45	C452403LE					7801	
C-45	C454803LE						7711

* Open delta, single or three phase.


• Without low-water cut-off.



WATER HEATING EQUIPMENT

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
Compact Electric Booster Water Heaters with Legs							
C-54	C542083LE			\$8016			
C-54	C542403LE					\$8016	
C-54	C544803LE						\$7921
C-57	C572083LE			8176			
C-57	C572403LE					8176	
C-57	C574803LE						8076
Imperial Electric Booster Water Heaters with Legs							
S-12	S122083LE			\$6526			
S-15	S152083LE			6586			
S-36	S362083LE			8341			
S-36	S362403LE					\$8341	
S-36	S364803LE						\$8306
S-45	S452083LE			8856			
S-45	S454803LE						8806
S-54	S542083LE			8881			
S-54	S542403LE					8881	
S-54	S544803LE						8826
Accessories							
QSFLOORMOUNT		\$ 408			Additional Stainless Steel Floor Mounting Leg Assembly		
QSBPRV		235			Back Pressure Relief Valve		
QSPRVB		230			Additional Brass Pressure Reducing Valve with Bypass		
QSSSA-LEGS		262			Additional Stainless Steel Adjustable Legs (6" to 7")		
QSWATERTREAT		1053			Blended Phosphate Injection System (not for potable water use)		
QSSHOCK		150			Shock Absorber to reduce water hammer		
QSBBOOSTERBRKT		92			Additional Slide Brackets (for Compact models only)		

* Open delta, single or three phase.
 • Without low-water cut-off.



People who serve, products that solve.™



Hatco

P.O. Box 340500 | Milwaukee, WI 53234-0500 USA

414-671-6350

www.hatcocorp.com | support@hatcocorp.com

Follow us on:



Form No. Domestic Quick-Ship Program | January 2025