

## Stock Items For "Quick-Ship" Program



When you need equipment shipped sooner than our normal lead time, our "Quick-Ship" program offers our most popular equipment in various voltages ready for immediate shipment based on availability.

Your order will be shipped the same day if you place it before 12 noon Central Standard Time, or the next business day if ordered after 12 noon.

All orders are subject to credit approval.

Contact us at 1-800-4-HOT IDEAS (1-800-446-8433) between 7:00 A.M. and 5:00 P.M. Central Standard Time Monday through Friday. Consult Equipment Sales & Customer Service for available accessories.

### ROUND HEATED WELLS

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
<b>Freestanding</b>					
RHW-1	RHW.00010	\$1069			Freestanding Round Heated Well
RHW-2	RHW.00012		\$1656	\$1656	Freestanding Round Heated Well
<b>Built-In</b>					
RHW-1B	RHW.00011	\$999			Built-In Round Heated Well

### COUNTERTOP HEATED WELLS

Model	Item Number	Voltage/Phase 120/1	Description
<b>Standard Watt</b>			
HW-FUL	HW.00001	\$647	Full-size hold only
HW-43	HW.00002	810	4/3-size hold only
<b>High Watt</b>			
CHW-FUL	CHW.00001	\$735	Full-size cook & hold
CHW-43	CHW.00003	851	4/3-size cook & hold

### REFRIGERATED DROP-IN WELLS

Model	Item Number	Voltage/Phase 120/1	Description
CWB-2	CWB-2-QS	\$7410	Full-size insulated rectangular, 2-pan
CWB-3	CWB-3-QS	7949	Full-size insulated rectangular, 3-pan
CWB-4	CWB-4-QS	8512	Full-size insulated rectangular, 4-pan

### DECORATIVE LAMPS

Model	Item Number	Voltage/Phase 120/1	Description
DL-500-RTR	DL500RTRBB-BK.1	\$ 922	In Bold Black, with Black cord & track and coated bulb
DL-500-RTR	DL500RTRBRNBK.1	1123	In Bright Nickel, with Black cord & track and coated bulb
DL-500-RTL	DL500RTLBB-BK.1	922	In Bold Black, with Black cord & track and coated bulb
DL-500-RTL	DL500RTLBRNBK.1	1123	In Bright Nickel, with Black cord & track and coated bulb
DL-775-RTR	DL775RTRBB-BK.1	962	In Bold Black, with Black cord & track and coated bulb
DL-775-RTR	DL775RTRBRNBK.1	1163	In Bright Nickel, with Black cord & track and coated bulb
DL-775-RTL	DL775RTLBB-BK.1	962	In Bold Black, with Black cord & track and coated bulb
DL-775-RTL	DL775RTLBRNBK.1	1163	In Bright Nickel, with Black cord & track and coated bulb

### GLO-RITE® DISPLAY LIGHTS

Model	Item Number	Voltage/Phase 120/1	Description
HL-24	HL24120T	\$256	24" Display Light
HL-36	HL36120T	310	36" Display Light
HL-48	HL48120T	363	48" Display Light
HL-60	HL60120T	417	60" Display Light



**ALUMINUM STRIP HEATERS WITH CONDUIT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Description
<b>Standard Watt</b>				
				With built-in toggle switch and conduit
GRA-24	GRA24115T	\$352		
GRA-36	GRA36115T	399		
GRA-48	GRA48115T	448		
GRA-60	GRA60115T	511		
<b>High Watt</b>				
GRAH-18	AH18115T	\$344		With built-in toggle switch and conduit
GRAH-24	AH24115T / AH24208T	362	\$362	With built-in toggle switch and conduit
GRAH-24	AH24115INF	410		With built-in infinite switch
GRAH-30	AH30120T	387		With built-in toggle switch and conduit
GRAH-36	AH36115T / AH36208T	409	409	With built-in toggle switch and conduit
GRAH-36	AH36115INF	457		With built-in infinite switch
GRAH-42	AH42120T	435		With built-in toggle switch and conduit
GRAH-48	AH48115T / AH48208T	459	459	With built-in toggle switch and conduit
GRAH-48	AH48115INF	507		With built-in infinite switch
GRAH-60	AH60115T / AH60208T	522	522	With built-in toggle switch and conduit
GRAH-72	AH72115T / AH72208T	646	646	With built-in toggle switch and conduit

**ALUMINUM STRIP HEATERS WITH S HOOKS, CHAINS AND CORD & PLUG ATTACHED**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Standard Watt</b>			
			Toggle controlled with two S-hooks, two 6" chains and attached cord & plug
GRA-24	GRA24120TCCS	\$402	
GRA-36	GRA36120TCCS	449	
GRA-48	GRA48120TCCS	498	
GRA-60	GRA60120TCCS	561	
<b>High Watt</b>			
			Toggle controlled with two S-hooks, two 6" chains and attached cord & plug
GRAH-18	AH18120TCCS	\$394	
GRAH-24	AH24120TCCS	412	
GRAH-30	AH30120TCCS	437	
GRAH-36	AH36120TCCS	459	
GRAH-42	AH42120TCCS	485	
GRAH-48	AH48120TCCS	509	
GRAH-60	AH60120TCCS	572	
<b>High Watt</b>			
			Infinite controlled with two S-hooks, two 6" chains and attached cord & plug
GRAH-24	AH24120ICCS	\$460	
GRAH-36	AH36120ICCS	507	
GRAH-48	AH48120ICCS	557	
GRAH-60	AH60120ICCS	620	

**ALUMINUM DUAL INFRARED STRIP HEATERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>High Watt Dual</b>			
			With 3" spacer and conduit
GRAH-24D	GRAH24D120V	\$ 885	
GRAH-36D	GRAH36D120V	1068	
GRAH-48D	GRAH48D120V	1252	

**FRY STATIONS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Ultra-Glo®</b>			
			With built-in toggle switch
UGFF	GRFFC18115T	\$ 850	
UGFFL	GRFFCL18120T	1050	
UGFFB	FFBC18120T	1281	
UGFFBL	FFBCL18120T	1484	
<b>Glo-Ray®</b>			
GRFF	GRFF115T	\$ 680	With built-in toggle switch
GRFFL	GRFFL120T	873	With built-in toggle switch
GRFFB	GRFFB115T	1085	14" clearance
GRFHS-21	GRFHS21	3795	21" wide with thermostatic control, long trivet and divider


**PORTABLES**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Lamp Warmer</b>			
LW-2	LW-2	\$804	In Gray Granite with two heat lamps
<b>Glo-Ray® Heated Shelves</b>			
GRS-24-I	GRS24120-1	\$1105	Standard depth – 19½"
GRS-30-I	GRS30120-1	1196	Standard depth – 19½"
GRS-36-I	GRS36120-1	1275	Standard depth – 19½"
GRS-48-I	GRS48120-1	1501	Standard depth – 19½"
<b>Heated Glass Shelf Modular</b>			
HGSM-1P	HGSM.00004	\$1060	15¾"W x 23½"D x 3 ⅜"H

**BUILT-INS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray® Built-In Heated Shelves with Recessed Top</b>			
GRSB-24-I	GRSB24120V	\$1868	Standard depth – 21"
GRSB-30-I	GRSB30120V	1991	Standard depth – 21"
GRSB-36-I	GRSB36120V	2116	Standard depth – 21"
GRSB-48-I	GRSB48120V	2339	Standard depth – 21"
<b>Glo-Ray® Built-In Heated Shelves with Flush Top</b>			
GRSBF-24-I	GRSBF24120V	\$1868	Standard depth – 21"
GRSBF-30-I	GRSBF30120V	1991	Standard depth – 21"
GRSBF-36-I	GRSBF36120V	2116	Standard depth – 21"
GRSBF-48-I	GRSBF48120V	2339	Standard depth – 21"

**DRAWER WARMERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Freestanding</b>			
HDW-1	HDW1-120V	\$2988	Single drawer with 4" legs
HDW-2	HDW2-120V	5073	Two drawers with 4" legs
HDW-3	HDW3-120V	7163	Three drawers with 4" legs
<b>Built-In</b>			
HDW-2B	HDW2B-120V	\$4860	Two drawers, built-in

**MERCHANDISERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray® Merchandising Slant Warmers</b>			
GRSDS-24	GRSDS24120-1	\$3775	Single tier slant
GRSDS-36D	GRSDSD36120-1	6669	Dual tier slant

**HOLDING AND DISPLAY CABINETS\***

Model	Item Number	Voltage/Phase 120/1	Description
<b>Flav-R-Fresh® Humidified Display Cabinets</b>			
FDWD-1	FDWD1	\$4166	With 1 door and 4-tier circle revolving rack
FDWD-1X	FDWD1X	4128	With 1 door and 4-shelf multi-purpose rack
FDWD-2	FDWD2	4295	With 2 doors and 4-tier circle revolving rack
<b>Flav-R-Savor® Humidified Holding &amp; Display Cabinets</b>			
FSD-1	FSD1-1	\$5333	With 3-tier circle revolving rack
FSD-1X	FSD1X-1	5171	With 3-tier pan multi-purpose rack
FSDT-1	FSDT1-1	5430	Tall, 4-tier circle revolving rack
FSDT-1X	FSDT1X-1	5208	Tall, 4-tier pan multi-purpose rack



**TOASTERS**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
<b>Pop-Up Toasters</b>					
TPT-120	TPT3.120CSA	\$515			
	TPT3120CSABB515	648			In Bold Black
	TPT3120CSARR515	648			In Radiant Red
TPT-208	TPT3.208CSA		\$936		
TPT-240	TPT3.240			\$936	
<b>Toast-Qwik®</b>					
TQ3-10	TQ310120BK520	\$1533			Horizontal Conveyor Toaster
	TQ310208BK615		\$1533		
	TQ310240BK615			\$1533	
<b>Toast-Qwik®</b>					
TQ-10	TQ10120CSA	\$1855			Horizontal Conveyor Toaster
TQ-400	TQ400120CSA / TQ400208CSA	2895	\$2895		
TQ-800	TQ800208CSA / TQ800240CSA		3301	\$3301	
TQ-800H	TQ800H208CSA / TQ800H240CSA		3301	3301	
TQ-800HBA	TQ800HBA208CSA		3301		
<b>Toast King®</b>					
TK-100	TK100208CSA		\$5456		Vertical Conveyor Toaster

**INDUCTION**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208-240/1	Description
<b>Boxer™ Countertop</b>				
IRNG-BXC1-14	IRNGBXC114515	\$1307		Countertop Induction Range
<b>Rapide Cuisine® Countertop Heavy-Duty</b>				
IRNG-HC1-14	IRNGHC114SB515	\$1646		1440 watts, heavy-duty, 1 hob
<b>Rapide Cuisine® Countertop</b>				
IRNG-PC1-14	IRNGPC114SB515	\$1512		1400 watts, Stainless Steel/Bold Black, programmable, 1 hob
IRNG-PC1-18	IRNGPC118SB520	1512		1800 watts, Stainless Steel/Bold Black, programmable, 1 hob
<b>Rapide Cuisine® Drop-In</b>				
IRNG-PB1-14	IRNGPB114515	\$1646		1400 watts, programmable, 1 hob
IRNG-PB1-18	IRNGPB118520	1646		1800 watts, programmable, 1 hob
<b>Rapide Cuisine® Countertop High-Powered/Heavy-Duty</b>				
IRNG-PC1-36	IRNGPC136SB620		\$2404	3120-3600 watts, programmable, 1 hob
<b>Rapide Cuisine® Drop-In High-Powered/Heavy-Duty</b>				
IRNG-PB1-36	IRNGPB136SB620		\$2536	3120-3600 watts, programmable, 1 hob
<b>Rapide Cuisine® Countertop Dual High-Powered/Heavy-Duty</b>				
IRNG-PC2F-29	IRNGPC2F29630		\$4705	Front-to-back, Dual Range, 2496-3600W per coil
IRNG-PC2F-36	IRNGPC2F36650		5227	Front-to-back, Dual Range, 3120-3600W per coil
IRNG-PC2S-29	IRNGPC2S29630		4705	Side-to-side, Dual Range, 2496-3600W per coil
IRNG-PC2S-36	IRNGPC2S36650		5227	Side-to-side, Dual Range, 3120-3600W per coil
<b>Palletti™ Countertop Warmers</b>				
IWRM-C1-1317-06	IWRMC113176B515	\$1175		600W, 1 hob
IWRM-CD1-03	IWRMCD13B515	1306		Daisy chain
<b>Palletti™ Drop-In Warmers</b>				
IWRM-B1-1313-06	IWRMB113136B515	\$1175		600W, 1 hob, Black glass-ceramic top
IWRM-B1-1313-06	IWRMB113136W515	1175		600W, 1 hob, White glass-ceramic top


**LIGHT COOKING EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208-240/1	Description
<b>Electric Crepe Makers – Single Head, Heavy Duty</b>				
KCME-1RND	KCME.1RND620		\$3145	Single, round
KCME-1RCT	KCME.1RCT620		3647	Single, rectangular
<b>Electric Waffle Makers – 90° Hinge, Single Head</b>				
KWM09-1BR46	KWM09.1BR46515	\$3425		Brussels 3 x 5
KWM09-1LG47	KWM09.1LG47515	3425		Liège 4 x 7
<b>Electric Waffle Makers – 180° Hinge, Single Head</b>				
KWM18-1BR35	KWM18.1BR35515	\$3984		Brussels 3 x 5
KWM18-1BR46	KWM18.1BR46620		\$3984	Brussels 4 x 6
KWM18-1LG47	KWM18.1LG47515	3984		Liège 4 x 7
KWM18-1LG47	KWM18.1LG47620		3984	Liège 4 x 7
<b>Electric Waffle Makers – 180° Hinge, Dual Head</b>				
KWM18-2LG47	KWM18.2LG47620		\$7426	Liège 4 x 7
<b>Sauce Warmers</b>				
KSW-1	KSW.1515	\$1635		One bottle well
KSW-2	KSW.2515	2561		Two bottle well
KSW-3	KSW.3515	3710		Three bottle well
<b>Electric Griddle</b>				
KGRDE-2513	KGRDE.2513620		\$3444	Electric Griddle
<b>Multi Contact Grills – Top Grooved, Bottom Grooved (Plates)</b>				
MCG10G	MCG10G.520P.01	\$2115		10" cooking width, top grooved/bottom grooved
MCG14G	MCG14G.615P.01		\$2387	208V/240V, 14" cooking width, top grooved/bottom grooved
MCG20G	MCG20G.620P.01		3708	208V/240V, 20" cooking width, top grooved/bottom grooved
<b>Multi Contact Grills – Top Smooth, Bottom Smooth (Plates)</b>				
MCG10S	MCG10S.520P		\$2115	10" cooking width, top smooth/bottom smooth
MCG14S	MCG14S.520P	\$2387		14" cooking width, top smooth/bottom smooth
MCG14S	MCG14S.615P		2387	208V/240V, 14" cooking width, top smooth/bottom smooth
MCG20S	MCG20S.620P		3708	208V/240V, 20" cooking width, top smooth/bottom smooth
<b>Multi Contact Grills – Top Grooved, Bottom Smooth (Plates)</b>				
MCG10GS	MCG10GS.520P	\$2115		10" cooking width, top grooved/bottom smooth
MCG14GS	MCG14GS.520P		\$2387	14" cooking width, top grooved/bottom smooth
MCG14GS	MCG14GS.615P		2387	208V/240V, 14" cooking width, top smooth/bottom smooth
MCG20GS	MCG20GS.620P		3708	208V/240V, 20" cooking width, top grooved/bottom smooth
<b>Snack System</b>				
SNACK-1	SNACK1.515	\$2115		Single head
SNACK-2	SNACK2.520	3365		Dual head
<b>Round Waffle Makers</b>				
RWM-1	RWM1.515	\$1437		Single head, round plate, standard style
RWM-1B	RWM1B.515	1437		Single head, round plate, Belgian style
RWM-2	RWM2.520	2352		Double head, round plate, standard style
RWM-2B	RWM2B.520	2352		Double head, round plate, Belgian style



**WATER HEATING EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
<b>Powermite® (Natural Gas)</b>							
<b>(Quick-Ship Models are manufactured with orifice kits up to 2000 ft elevation)</b>							
<b>PMG-100</b>	PMG100120NAT	<b>\$17322</b>					
<b>PMG-200</b>	PMG200120NAT	<b>20563</b>					
<b>Compact (Electric) with Legs</b>							
<b>C-4</b>	C42081L		<b>\$3884</b>				
<b>C-5</b>	C52081L		<b>3942</b>				
<b>C-6*</b>	C620813L		<b>4014</b>	<b>\$4014</b>			
<b>C-6*</b>	C624013L				<b>\$4014</b>	<b>\$4014</b>	
<b>C-7*</b>	C720813L		<b>4067</b>	<b>4067</b>			
<b>C-7*</b>	C724013L				<b>4067</b>	<b>4067</b>	
<b>C-9*</b>	C920813L		<b>4112</b>	<b>4112</b>			
<b>C-9*</b>	C924013L				<b>4112</b>	<b>4112</b>	
<b>C-12</b>	C122081L		<b>4354</b>				
<b>C-12</b>	C122083L			<b>4354</b>			
<b>C-12</b>	C122401L				<b>4354</b>		
<b>C-12</b>	C122403L					<b>4354</b>	
<b>C-12</b>	C124803L						<b>\$4354</b>
<b>C-15</b>	C152081L		<b>4433</b>				
<b>C-15</b>	C152083L			<b>4433</b>			
<b>C-15</b>	C152401L				<b>4433</b>		
<b>C-15</b>	C152403L					<b>4433</b>	
<b>C-15</b>	C154803L						<b>4433</b>
<b>C-17</b>	C172083L			<b>4465</b>			
<b>C-24</b>	C242083L			<b>5995</b>			
<b>C-27</b>	C272083L			<b>6080</b>			
<b>C-27</b>	C272403L					<b>6080</b>	
<b>C-27</b>	C274803L						<b>6080</b>
<b>C-30</b>	C302083L			<b>6139</b>			
<b>C-30</b>	C302403L					<b>6139</b>	
<b>C-30</b>	C304803L						<b>6139</b>
<b>C-36</b>	C362083L			<b>6426</b>			
<b>C-36</b>	C362403L					<b>6426</b>	
<b>C-36</b>	C364803L						<b>6426</b>
<b>C-45</b>	C452083L			<b>7276</b>			
<b>C-45</b>	C452403L					<b>7276</b>	
<b>C-45</b>	C454803L						<b>7158</b>
<b>C-54</b>	C542083L			<b>7492</b>			
<b>C-54</b>	C542403L					<b>7492</b>	
<b>C-54</b>	C544803L						<b>7368</b>
<b>C-57</b>	C572083L			<b>7622</b>			
<b>C-57</b>	C572403L					<b>7622</b>	
<b>C-57</b>	C574803L						<b>7491</b>
<b>Imperial (Electric) with Legs</b>							
<b>S-12</b>	S122083L			<b>\$6080</b>			
<b>S-15</b>	S152083L			<b>6139</b>			
<b>S-36</b>	S362083L			<b>7779</b>			
<b>S-36</b>	S362403L					<b>\$7779</b>	
<b>S-36</b>	S364803L						<b>\$7733</b>
<b>S-45</b>	S452083L			<b>8263</b>			
<b>S-45</b>	S454803L						<b>8198</b>
<b>S-54</b>	S542083L			<b>8289</b>			
<b>S-54</b>	S542403L					<b>8289</b>	
<b>S-54</b>	S544083L						<b>8217</b>

\* Open delta, single or three phase.  
 • Without low-water cut-off.