



WHEN YOU NEED IT FAST,  
WE'VE GOT YOU COVERED.

# **Quick-Ship**

## **PROGRAM**

**In-demand. In-stock. Ready to ship.**

CANADIAN – January 1, 2025

Orders shipped same day if placed before 12 PM (Noon) CT.







## **Quick-Ship** PROGRAM

**In-demand. In-stock. Ready to ship.**

*When you need equipment shipped sooner than our normal lead times, Hatco's Quick-Ship Program offers over 300 models of our most popular equipment, in various voltages, and accessories ready for immediate shipment (based on availability).*

### **Program Details:**

- Orders received before 12 PM (Noon) CT will be shipped the same day.
- Orders received after 12 PM (Noon) CT will be shipped the next business day.
- Standard pricing and discounts apply.
- Orders are shipped with Hatco's preferred LTL carriers (unless specified by the customer), Next Day Air or Expedited Freight (available on most items).
- All orders are subject to credit approval.
- Quantities ordered may impact availability.

### **How to Order:**

1. Confirm models are currently available via the Quick-Ship Program.
2. Provide the model number(s), voltage(s), Hertz and phase. (All watt ratings are nominal; actual wattage may vary. Consult factory for more information.)
3. Specify accessories as required.
4. Reference "Quick-Ship" on your equipment order.
5. Send all equipment orders to [intlsales@hatcocorp.com](mailto:intlsales@hatcocorp.com). (E-mail orders are acceptable and do not require confirmation.)

### **In AutoQuotes:**

1. Select **Hatco Canada** in the left-hand tool bar.
2. Select **Category** or **Search** for product keywords.
3. Select **Quick-Ship** under Brands in the left-hand tool bar.
4. Add to your existing project or create a new project.

For additional information, email us at [support@hatcocorp.com](mailto:support@hatcocorp.com) or call us at (414)-671-6350.

**ORDER PICKUP STATIONS & LOCKERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray 2-Go® Heated Shelves</b>			
GRS2G-3920-5	GRS2G39205515	\$ 8547	With (5) Shelves (39" W x 20" D) and (4) 6" Adjustable Flanged Feet, 1757 Watts, NEMA 5-15P

**DRY SOUP WELLS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Countertop</b>			
SWC-7QT	SWC7QTC515	\$ 1882	With (1) 7-QT Pan, Clear Coat finish, 425 Watts, NEMA 5-15P
SWC-7QT	SWC7QTBB515	1882	With (1) 7-QT Pan, Bold Black finish, 425 Watts, NEMA 5-15P
SWC-11QT	SWC11QTC515	1935	With (1) 11-QT Pan, Clear Coat finish, 675 Watts, NEMA 5-15P
SWC-11QT	SWC11QTBB515	1935	With (1) 11-QT Pan, Bold Black finish, 675 Watts, NEMA 5-15P
<b>Built-In</b>			
SWB-7QT	SWB7QT515	\$ 1583	With (1) 7-QT Pan, 425 Watts, NEMA 5-15P
SWB-11QT	SWB11QT515	1840	With (1) 11-QT Pan, 675 Watts, NEMA 5-15P

**ROUND HEATED WELLS**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
<b>Freestanding</b>					
RHW-1	RHW.00010	\$ 1343			With (1) 11-QT Pan, 1300 Watts, NEMA 5-15P
RHW-2	RHW.00012		\$ 2078	\$ 2078	With (2) 11-QT Pans, 2000 (208V) or 2700 (240V) Watts, NEMA 6-15P
<b>Built-In</b>					
RHW-1B	RHW.00011	\$ 1255			With (1) 11-QT Pan, Bold Black finish, 675 Watts, NEMA 5-15P

**COUNTERTOP HEATED WELLS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Standard Watt (Hold Only)</b>			
HW-FUL	HW.00001	\$ 827	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
HW-43	HW.00002	1038	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
<b>High Watt (Cook &amp; Hold)</b>			
CHW-FUL	CHW.00001	\$ 942	With (1) Full-Size Pan and (4) 1" Legs, 1200 Watts, NEMA 5-15P
CHW-43	CHW.00002	1090	With (4) Third-Size Pans and (4) 1" Legs, 1800 Watts, NEMA 5-15P

**R-290 REFRIGERATED DROP-IN WELLS**

Model	Item Number	Voltage/Phase 120/1	Description
CWBP-2	CWBP2290	\$10425	2-Pan Capacity, with R-290 Refrigerant and Drain, 345 Watts, NEMA 5-15P
CWBP-3	CWBP3290	11102	3-Pan Capacity, with R-290 Refrigerant and Drain, 345 Watts, NEMA 5-15P
CWBP-4	CWBP4290	12079	4-Pan Capacity, with R-290 Refrigerant and Drain, 440 Watts, NEMA 5-15P

**DROP-IN ROUND UNINSULATED HEATED WELLS**

Model	Item Number	Voltage/Phase 120/1	Description
HWB-7QT	HWB7QT120V	\$ 1168	7-Quart Pan Capacity, 500 Watts
HWB-7QTD	HWB7QTD120V	1237	7-Quart Pan Capacity, with Drain, 500 Watts
HWB-11QT	HWB11QT120V	1168	11-Quart Pan Capacity, 500 Watts
HWB-11QTD	HWB11QTD120V	1237	11-Quart Pan Capacity, with Drain, 500 Watts
HWBH-11QTD	HWBH11QTD120V	1237	High Watt, 11-Quart Pan Capacity, with Drain, 800 Watts



**DECORATIVE LAMPS**

Model	Item Number	Voltage/Phase 120/1	Description
DL-500-RCTL	DL500RCTLBB-BK	\$1412	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-500-RCTL	DL500RCTLBRNBK	1674	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBB-BK	1468	Bold Black Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
DL-775-RCTL	DL775RCTLBRNBK	1730	Bright Nickel Shade with Black Retractable Cord Mount & Track and (1) Coated Bulb
<b>Accessories</b>			
DL-TRACK-4B		\$ 392	(1) 4' Track Mount Bar – Black
DL-TRACK-4W		392	(1) 4' Track Mount Bar – White
DL-TRACK-8B		590	(2) 4' Track Mount Bars with Couplers – Black
DL-TRACK-8W		590	(2) 4' Track Mount Bars with Couplers – White
DL-TRACK-12B		836	(3) 4' Track Mount Bars with Couplers – Black
DL-TRACK-12W		836	(3) 4' Track Mount Bars with Couplers – White
DL-TRACK-16B		1034	(4) 4' Track Mount Bars with Couplers – Black
DL-TRACK-16W		1034	(4) 4' Track Mount Bars with Couplers – White
DL-TRACKBLK		157	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – Black
DL-TRACKWHT		157	Track Installation and Modification Kit [includes Ceiling Plate, Live End Fitting and Cover (Starter) and Dead End Fitting] – White
DL-SWITCH-16AMP		30	16 Amp Lamp Toggle Switch
WHITE-CTD-120L		22	120V, 40 Watt Clear Coated Bulb (Luminaire models only)
WHITE-UCTD-120		36	120V, 250 Watt Clear Uncoated Bulb
WHITE-UCTD-120H		65	120V, 375 Watt Clear Uncoated Bulb (High watt models only)
WHITE-CTD-120		52	120V, 250 Watt Clear Coated Bulb
WHITE-CTD-120H		84	120V, 375 Watt Clear Coated Bulb (High watt models only)
RED-UCTD-120		51	120V, 250 Watt Red Uncoated Bulb
RED-CTD-120		65	120V, 250 Watt Red Coated Bulb

**DISPLAY LIGHTS**

Model	Item Number	Voltage/Phase 120/1	Description
HL-48	HL48120T	\$ 831	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 60" W, 300 Watts
HL-60	HL60120T	952	With Built-In Toggle Switch and (5) Incandescent Light Bulbs, 60" W, 300 Watts

**ALUMINUM INFRARED STRIP HEATERS WITH CONDUIT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Description
<b>Standard Watt</b>				
GRA-24	GRA24115T	\$ 479		With Built-In Toggle Switch, 24" W, 350 Watts
GRA-36	GRA36115T	545		With Built-In Toggle Switch, 36" W, 575 Watts
GRA-48	GRA48115T	616		With Built-In Toggle Switch, 48" W, 800 Watts
GRA-60	GRA60115T	699		With Built-In Toggle Switch, 60" W, 1050 Watts
<b>High Watt</b>				
GRAH-18	AH18115T	\$ 466		With Built-In Toggle Switch, 18" W, 350 Watts
GRAH-24	AH24115T	490		With Built-In Toggle Switch, 24" W, 500 Watts
GRAH-24	AH24208T		\$ 490	With Built-In Toggle Switch, 24" W, 500 Watts
GRAH-24	AH24115INF	556		With Built-In Infinite Switch, 24" W, 500 Watts
GRAH-30	AH30120T	523		With Built-In Toggle Switch, 30" W, 660 Watts
GRAH-36	AH36115T	556		With Built-In Toggle Switch, 36" W, 800 Watts
GRAH-36	AH36208T		556	With Built-In Toggle Switch, 36" W, 800 Watts
GRAH-36	AH36115INF	556		With Built-In Infinite Switch, 36" W, 800 Watts
GRAH-42	AH42120T	622		With Built-In Toggle Switch, 42" W, 950 Watts
GRAH-48	AH48115	590		With Built-In Toggle Switch, 48" W, 1100 Watts
GRAH-48	AH48208T		626	With Built-In Toggle Switch, 48" W, 1100 Watts
GRAH-48	AH48115INF	692		With Built-In Infinite Switch, 48" W, 1100 Watts
GRAH-60	AH60115T	709		With Built-In Toggle Switch, 60" W, 1440 Watts
GRAH-60	AH60208T		709	With Built-In Toggle Switch, 60" W, 1440 Watts
GRAH-72	AH72115T	879		With Built-In Toggle Switch, 72" W, 1725 Watts
GRAH-72	AH72208T	879		With Built-In Toggle Switch, 72" W, 1725 Watts



**ALUMINUM INFRARED STRIP HEATERS WITH CONDUIT**

Model	Item Number	Voltage/Phase 120/1	Description
<b>High Watt with Lights</b>			
GRAHL-24	GRAHL24115T	\$ 765	With Built-In Toggle Switch and (2) Incandescent Light Bulbs, 24" W, 620 Watts
GRAHL-36	GRAHL36115T	935	With Built-In Toggle Switch and (3) Incandescent Light Bulbs, 36" W, 980 Watts
GRAHL-48	GRAHL48115T	1113	With Built-In Toggle Switch and (4) Incandescent Light Bulbs, 48" W, 1340 Watts

**ALUMINUM INFRARED STRIP HEATERS WITH TWO (2) S-HOOKS, TWO (2) 6" CHAINS, AND ATTACHED CORD & PLUG**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Standard Watt</b>			
GRA-24	GRA24120TCCS	\$ 550	With Built-In Toggle Switch, 24" W, 350 Watts, NEMA 5-15P
GRA-36	GRA36120TCCS	616	With Built-In Toggle Switch, 36" W, 575 Watts, NEMA 5-15P
GRA-48	GRA48120TCCS	687	With Built-In Toggle Switch, 48" W, 800 Watts, NEMA 5-15P
GRA-60	GRA60120TCCS	770	With Built-In Toggle Switch, 60" W, 1050 Watts, NEMA 5-15P
<b>High Watt</b>			
GRAH-18	AH18120TCCS	\$ 537	With Built-In Toggle Switch, 18" W, 350 Watts, NEMA 5-15P
GRAH-24	AH24120TCCS	561	With Built-In Toggle Switch, 24" W, 500 Watts, NEMA 5-15P
GRAH-24	AH24120ICCS	627	With Built-In Infinite Switch, 24" W, 500 Watts, NEMA 5-15P
GRAH-30	AH30120TCCS	594	With Built-In Toggle Switch, 30" W, 660 Watts, NEMA 5-15P
GRAH-36	AH36120TCCS	627	With Built-In Toggle Switch, 36" W, 800 Watts, NEMA 5-15P
GRAH-36	AH36120ICCS	693	With Built-In Infinite Switch, 36" W, 800 Watts, NEMA 5-15P
GRAH-42	AH42120TCCS	661	With Built-In Toggle Switch, 42" W, 950 Watts, NEMA 5-15P
GRAH-48	AH48120TCCS	697	With Built-In Toggle Switch, 48" W, 1100 Watts, NEMA 5-15P
GRAH-48	AH48120ICCS	763	With Built-In Infinite Switch, 48" W, 1100 Watts, NEMA 5-15P
GRAH-60	AH60120TCCS	780	With Built-In Toggle Switch, 60" W, 1400 Watts, NEMA 5-15P
GRAH-60	AH60120ICCS	846	With Built-In Infinite Switch, 60" W, 1400 Watts, NEMA 5-15P
GRAH-72*	AH72120TCCS.1	950	With Built-In Toggle Switch, 72" W, 1725 Watts, NEMA 5-15P

\* Not available for Canada.

**DUAL ALUMINUM INFRARED STRIP HEATERS WITH 3" SPACER AND CONDUIT**

Model	Item Number	Voltage/Phase 120/1	Description
<b>High Watt</b>			
GRAH-24D	GRAH24D120V	\$1200	With Built-In Toggle Switch, 24" W, 1000 Watts
GRAH-36D	GRAH36D120V	1452	With Built-In Toggle Switch, 36" W, 1600 Watts
GRAH-48D	GRAH48D120V	1703	With Built-In Toggle Switch, 48" W, 2200 Watts
GRAH-60D	GRAH60D120V	1968	With Built-In Toggle Switch, 60" W, 2800 Watts
GRAH-72D	GRAH72D120V	2418	With Built-In Toggle Switch, 72" W, 3450 Watts
<b>High Watt with Lights</b>			
GRAHL-24D	AHL24D120V	\$1318	With Built-In Toggle Switch, 24" W, 1120 Watts
GRAHL-36D	AHL36D120V	1623	With Built-In Toggle Switch, 36" W, 1780 Watts
GRAHL-48D	AHL48D120V	1943	With Built-In Toggle Switch, 48" W, 2440 Watts
<b>Accessories</b>			
QSANGLE		\$ 40	(1) Pair of Adjustable Angle Brackets (Single models only)
QSANGLE-D		80	(2) Pairs of Adjustable Angle Brackets (Dual models only)

**FRY STATIONS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Ultra-Glo® (Ceramic Heating Element)</b>			
UGFF	GRFFC18115T	\$1173	With Built-In Toggle Switch, 750 Watts, NEMA 5-15P
UGFFL	GRFFCL18120T	1447	With Built-In Toggle Switch and (2) Incandescent Lights, 870 Watts, NEMA 5-15P
UGFFB	FFBC18120T	1766	With Built-In Toggle Switch and Heated Base, 1000 Watts, NEMA 5-15P
UGFFBL	FFBCL18120T	2047	With Built-In Toggle Switch, Heated Base and (2) Incandescent Lights, 1120 Watts, NEMA 5-15P

**FRY STATIONS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray® Ultra-Glo® (Ceramic Heating Element)</b>			
GRFF	GRFF115T	\$ 936	With Built-In Toggle Switch, 500 Watts, NEMA 5-15P
GRFFL	GRFFL120T	1204	With Built-In Toggle Switch and (2) Incandescent Lights, 620 Watts, NEMA 5-15P
GRFFB	GRFFB115T	1540	With Built-In Toggle Switch and Heated Base, 750 Watts, NEMA 5-15P
GRFHS-16	GRFHS16	4757	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1090 Watts, NEMA 5-15P
GRFHS-21	GRFHS21	5247	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P
GRFHS-26	GRFHS26	5373	With Built-In Toggle Switch, Bottom Trivet and Sectional Divider, 1200 Watts, NEMA 5-15P

**PORTABLES**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Lamp Warmer</b>			
LW-2	LW2-2	\$1134	In Designer Gray Granite, with (2) Incandescent Light Bulbs, 500 Watts, NEMA 5-15P
<b>Glo-Ray® Heated Shelves</b>			
GRS-24-I	GRS24120-1	\$1488	1-Pan Capability, 24" W x 19½" D, 350 Watts, NEMA 5-15P
GRS-30-I	GRS30120-1	1604	2-Pan Capability, 30" W x 19½"D, 450 Watts, NEMA 5-15P
GRS-36-I	GRS36120-1	1716	3-Pan Capability, 36" W x 19½" D, 550 Watts, NEMA 5-15P
GRS-48-I	GRS48120-1	2021	4-Pan Capability, 48" W x 19½" D, 700 Watts, NEMA 5-15P
<b>Heated Glass Modular Shelf</b>			
HGSM-1P	HGSM.00004	\$1335	1-Pan Capability, 15¾" W x 23¾" D, 300 Watts, NEMA 5-15P

**BUILT-INS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray® Recessed Top Aluminum Heated Shelves</b>			
GRSB-24-I	GRSB24120V-1	\$2400	25½" W x 21" D, 550 Watts, NEMA 5-15P
GRSB-30-I	GRSB30120V-1	2557	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSB-36-I	GRSB36120V-1	2719	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSB-48-I	GRSB48120V-1	3008	49½" W x 21" D, 1000 Watts, NEMA 5-15P
<b>Glo-Ray® Flush Top Aluminum Heated Shelves</b>			
GRSBF-24-I	GRSBF24120V-1	\$2400	25½" W x 21"D, 550 Watts, NEMA 5-15P
GRSBF-30-I	GRSBF30120V-1	2557	31½" W x 21" D, 665 Watts, NEMA 5-15P
GRSBF-36-I	GRSBF36120V-1	2719	37½" W x 21" D, 780 Watts, NEMA 5-15P
GRSBF-48-I	GRSBF48120V-1	3008	49½" W x 21" D, 1000 Watts, NEMA 5-15P

**DRAWER WARMERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Freestanding</b>			
HDW-1	HDW1-120V-TN	\$3951	With 4" Plastic Legs, (1) Drawer and (1) 6" Deep Pan, 450 Watts, NEMA 5-15P
HDW-2	HDW2-120V-TN	6706	With 4" Plastic Legs, (2) Drawers and (2) 6" Deep Pans, 900 Watts, NEMA 5-15P
HDW-3	HDW3-120V-TN	9470	With 4" Plastic Legs, (3) Drawers and (3) 6" Deep Pans, 1350 Watts, NEMA 5-15P
<b>Built-In</b>			
HDW-2B	HDW2B-120V-TN	\$6425	With (2) Drawers and (2) 6" Deep Pans, 900 Watts

**MERCHANDISERS**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Glo-Ray® Slant Merchandising Warmers</b>			
GRSDS-24	GRSDS24120-1	\$ 5253	With (1) Shelf, (2) Incandescent Light Bulbs and (5) Divider Rods, 24" W x 24¼" D, 695 Watts, NEMA 5-15P
GRSDS-30D	GRSDS30D120	8713	With (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 30" W x 24¼" D, 1530 Watts, NEMA 5-15P
GRSDS-36D	GRSDSD36120-1	9282	With (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 36" W x 24¼" D, 1810 Watts, NEMA 5-20P
GR2SDS-30D	GR2SDS30DL1420P	10462	<i>Designer Series</i> , with (2) Shelves, (4) Incandescent Light Bulbs and (12) Divider Rods, 36¼" W x 26¾" D, 1530 Watts, NEMA L14-20P
GR2SDS-36D	GR2SDS36DL1420P	11122	<i>Designer Series</i> , with (2) Shelves, (4) Incandescent Light Bulbs and (14) Divider Rods, 42¼" W x 26¾" D, 1810 Watts, NEMA L14-20P
<b>Glo-Ray® Heated Display Cases</b>			
GRCD-3PD	GRCD3PD120V	\$11156	<i>Designer Series</i> , with (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1710 Watts, NEMA 5-15P
GRCDH-3PD	GRCDH3PD120V	12197	<i>Designer Series</i> , Humidified, with (2) Shelves and (6) Incandescent Light Bulbs, 3-Pan Capacity, 45½" W x 26" D, 1960 Watts, NEMA 5-20P

**HOLDING & DISPLAY CABINETS\***

Model	Item Number	Voltage/Phase 120/1	Description
<b>Plate Warmers</b>			
PWC-12	PWC.12BLK515	\$ 3416	Countertop, in <i>Designer Black</i> , 460 Watts, NEMA 5-15P
PWC-12	PWC.12SS515	2899	Countertop, in <i>Stainless Steel</i> , 460 Watts, NEMA 5-15P
PWB-12	PWB.12BLK515	3138	Built-In, in <i>Designer Black</i> , 460 Watts, NEMA 5-15P
PWB-12	PWB.12SS515	2621	Built-In, in <i>Stainless Steel</i> , 460 Watts, NEMA 5-15P
<b>Flav-R-Fresh® Humidified Impulse Display Cabinets</b>			
FDWD-1	FDWD1	\$ 5777	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
FDWD-1X	FDWD1X	5600	With (1) Door and (1) 4-Shelf Multi-Purpose Rack, 1360 Watts, NEMA 5-15P
FDWD-2	FDWD2	5959	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 1360 Watts, NEMA 5-15P
<b>Flav-R-Savor® Humidified Holding &amp; Display Cabinets</b>			
FSD-1	FSD1-1	\$ 6991	With (1) Door and (1) Motorized 3-Tier Revolving Circle Rack, 27⅞"H, 1414 Watts, NEMA 5-15P
FSD-1X	FSD1X-1	6781	With (1) Door and (1) 3-Tier Pan Rack, 27⅞"H, 1414 Watts, NEMA 5-15P
FSDT-1	FSDT1-1	7108	With (1) Door and (1) Motorized 4-Tier Revolving Circle Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-1X	FSDT1X-1	6830	With (1) Door and (1) 4-Tier Pan Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-2	FSDT2-1	7672	With (2) Doors and (1) Motorized 4-Tier Revolving Circle Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
FSDT-2X	FSDT2X-1	7399	With (2) Doors and (1) 4-Tier Pan Rack, 32⅝" H, 1414 Watts, NEMA 5-15P
<b>Flav-R-Savor® Humidified Holding Cabinets</b>			
FSHC-7-1	FSHC7-1	\$ 9942	With (1) Door and 4" Diameter Casters, 7-Pan Capacity, 1697 Watts, NEMA 5-15P
FSHC-12W1	FSHC-12W1	15827	With (1) Lexan® Door and 5" Diameter Casters, 12-Pan Capacity, 1650 Watts, NEMA 5-15P
FSHC-17W1	FSHC-17W1	16081	With (1) Lexan® Door and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P
FSHC-17W1D	FSHC-17W1D	17301	Single Opening, with (2) Dutch Doors and 5" Diameter Casters, 17-Pan Capacity, 1650 Watts, NEMA 5-15P



**TOASTERS**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 240/1	Description
<b>Pop-Up Toasters</b>					
TPT-120	TPT3.120CSA	\$ 696			In Stainless Steel, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120	TPT120.CSABB515	874			In Bold Black Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-120	TPT120.CSARR515	874			In Radiant Red Gloss finish, with (4) Self-Centering 1¼" Wide Slots, 1800 Watts, NEMA 5-15P
TPT-208	TPT3.208CSA		\$1256		In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
TPT-240	TPT3.240			\$1256	In Stainless Steel, with Selector Switch and (4) Self-Centering 1¼" Wide Slots, 2600 Watts, NEMA 6-15P
<b>Toast-Qwik® Horizontal Conveyor Toasters (Third Generation)</b>					
TQ3-10	TQ310120BK515	\$2026			In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-10	TQ310120BK520	2026			In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 5-20P
TQ3-10	TQ310208BK615		\$2026		In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-10	TQ310240BK615			\$2026	In Designer Black, 5-Slice per Minute Capacity, 1780 Watts, NEMA 6-15P
TQ3-20	TQ320208B615		5494		In Designer Black, Programmable, 11-Slice per Minute Capacity, 2470 Watts, NEMA 6-15P
TQ3-20H	TQ320H208B620		5543		In Designer Black, Programmable, 11-Slice per Minute Capacity, 2620 Watts, NEMA 6-20P
TQ3-400	TQ3400120BCSA	3894			In Designer Black, Programmable, 6-Slice per Minute Capacity, 1780 Watts, NEMA 5-15P
TQ3-900	TQ3900208B620		4432		In Designer Black, Programmable, 15-Slice per Minute Capacity, 3020 Watts, NEMA 6-20P
TQ3-900H	TQ3900H208B620		4432		In Designer Black, Programmable, 6-Slice per Minute Capacity, 3" H Opening, 3020 Watts, NEMA 6-20P
<b>Toast-Qwik® Horizontal Conveyor Toasters (Second Generation)</b>					
TQ-10	TQ10120CSA	\$2558			5-Slice per Minute Capacity, 1800 Watts, NEMA 5-15P
TQ-10	TQ10208		\$2558		5-Slice per Minute Capacity, 1800 Watts, NEMA 6-15P
TQ-400	TQ400208		3994		6-Slice per Minute Capacity, 2200 Watts, NEMA 6-15P
TQ-400H	TQ400H208		3994		6-Slice per Minute Capacity, 3" H Opening, 2200 Watts, NEMA 6-15P
TQ-800	TQ800208		4553		14-Slice per Minute Capacity, 3300 Watts, NEMA 6-20P
TQ-800H	TQ800H208		4553		14-Slice per Minute Capacity, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-800HBA	TQ800HBA208		4553		14-Slice per Minute Capacity, Bagels or Buns, 3" H Opening, 3300 Watts, NEMA 6-20P
TQ-1800	TQ1800208		5670		30-Slice per Minute Capacity, 4400 Watts, NEMA 6-30P
TQ-1800H	TQ1800H208		5670		30-Slice per Minute Capacity, 3" H Opening, 4400 Watts, NEMA 6-30P
<b>Toast King® Vertical Conveyor Toasters</b>					
TK-100	TK100208CSA		7594		16-Slice per Minute Capacity, 5038 Watts, NEMA 6-30P

**INDUCTION EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Description
<b>Drop-In Induction Dry Well</b>				
IWELB-FUL-A	IWELBFULA515	\$3831		1-Pan Capacity, 720 Watts, NEMA 5-15P
IWELB-FUL-A	IWELBFULA615		\$3831	1-Pan Capacity, 720 Watts, NEMA 6-15P
<b>Boxer® Countertop Induction Ranges</b>				
IRNG-BXC1-14	IRNGBXC114515	\$1681		(1) Hob, 1440W, NEMA 5-15P
<b>Rapide Cuisine® Countertop Heavy-Duty Induction Ranges</b>				
IRNG-HC1-14	IRNGHC114SB515	\$2117		(1) Hob, 1440W, NEMA 5-15P
<b>Rapide Cuisine® Countertop Programmable Induction Ranges</b>				
IRNG-PC1-14	IRNGPC114SB515	\$1944		(1) Hob, in Stainless Steel and Bold Black, 1440W, NEMA 5-15P
IRNG-PC1-18	IRNGPC118SB520	1944		(1) Hob, in Stainless Steel and Bold Black, 1800W, NEMA 5-20P



**INDUCTION EQUIPMENT**

Model	Item Number	Voltage/Phase		Description
		120/1	208/1	
<b>Rapide Cuisine® Drop-In Programmable Induction Ranges</b>				
IRNG-PB1-14	IRNGPB114515	\$2117		(1) Hob, 1440W, NEMA 5-15P
IRNG-PB1-18	IRNGPB118520	2117		(1) Hob, 1800W, NEMA 5-20P
<b>Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Induction Range</b>				
IRNG-PC1-36	IRNGPC136SB620	\$3090		(1) Hob, 3120-3600 Watts, NEMA 6-20P
<b>Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Induction Range</b>				
IRNG-PB1-36	IRNGPB136SB620	\$3260		(1) Hob, 3120-3600 Watts, NEMA 6-20P
<b>Rapide Cuisine® Countertop Programmable High-Powered/Heavy-Duty Dual Induction Ranges</b>				
IRNG-PC2F-29	IRNGPC2F29G30	\$6047		(2) Hobs Front-to-Back, 2496-3600 Watts per Coil, NEMA 6-30P
IRNG-PC2F-36	IRNGPC2F36G50	6716		(2) Hobs Front-to-Back, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2F-24-IA	IRNGPC2F24IA620	6351		(2) Hobs Front-to-Back with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2F-36-IA	IRNGPC2F36IA630	7052		(2) Hobs Front-to-Back with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
IRNG-PC2S-29	IRNGPC2S29G30	6047		(2) Hobs Side-to-Side, 2496-2880 Watts per Coil, NEMA 6-30P
IRNG-PC2S-36	IRNGPC2S36G50	6716		(2) Hobs Side-to-Side, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PC2S-24-IA	IRNGPC2S24IA620	6351		(2) Hobs Side-to-Side with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PC2S-36-IA	IRNGPC2S36IA630	7052		(2) Hobs Side-to-Side with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-20P
<b>Rapide Cuisine® Drop-In Programmable High-Powered/Heavy-Duty Dual Induction Ranges</b>				
IRNG-PB2-36	IRNGPB236G50	\$5948		(2) Hobs, 3120-3600 Watts per Coil, NEMA 6-50P
IRNG-PB2-24-IA	IRNGPB224IA620	5956		(2) Hobs with Input Averaging, 1803/2400 Watts per Coil, NEMA 6-20P
IRNG-PB2-36-IA	IRNGPB236IA630	6248		(2) Hobs with Input Averaging, 3120/3600 Watts per Coil, NEMA 6-30P
<b>Palletti® Countertop Induction Warmers</b>				
IWRM-C1-1317-06	IWRMC113176B515	\$1512		600 Watts, NEMA 5-15P
IWRM-CD1-03	IWRMCD13B515	1679		360 Watts, NEMA 5-15P
<b>Palletti® Drop-In Induction Warmers</b>				
IWRM-B1-1313-06	IWRMB113136B515	\$1512		With Black Glass-Ceramic Top, 600 Watts, NEMA 5-15P
IWRM-B1-1313-06	IWRMB113136W515	1512		With White Glass-Ceramic Top, 600 Watts, NEMA 5-15P
<b>Maskerade® Undercounter Induction Warmer</b>				
IWRM-UT-06	IWRMBUT6515	\$2438		With Slip-Resistant Trivet, 600 Watts, NEMA 5-15P

**LIGHT COOKING EQUIPMENT**

Model	Item Number	Voltage/Phase		Description
		120/1		
<b>Panini Grills</b>				
PG14G-1	PG14G1515	\$2397		With Grooved Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14F-1	PG14F1515	2397		With Flat Top and Bottom Plates, 1800 Watts, NEMA 5-15P
PG14FG-1	PG14FG1515	2397		With Grooved Top and Flat Bottom Plates, 1800 Watts, NEMA 5-15P
<b>Snack Systems</b>				
SNACK-1	SNACK1.515	\$2443		With (1) Set of Round Belgian Waffle Plates, 900 Watts, NEMA 5-15P
SNACK-2	SNACK2.520	3957		With (2) Sets of Round Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
<b>Accessories</b>				
FREESTYLE		\$ 408		(1) Set of Freestyle Plates
BELGIAN		408		(1) Set of Belgian Waffle Plates
COFFEEBEAN		408		(1) Set of Coffee Bean Plates
SANDWICH		408		(1) Set of Sandwich Plates
PANINI		408		(1) Set of Panini Plates
DONUT		408		(1) Set of Donut Plates
CHELKY		408		(1) Set of Chelky Plates
HEART WAFFLE		408		(1) Set of Norwegian Waffle Plates
WM-BRUSH		29		Nylon Brush
WAF-FORK		10		Waffle Fork



**LIGHT COOKING EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Description
<b>Round Waffle Makers</b>			
RWM-1	RWM1.515	\$ 1440	(1) Set of Standard Waffle Plates, 900 Watts, NEMA 5-15P
RWM-1B	RWM1B.515	1440	(1) Set of Belgian Waffle Plates, 900 Watts, NEMA 5-15P
RWM-2	RWM2.520	2508	(2) Sets of Standard Waffle Plates, 1800 Watts, NEMA 5-20P
RWM-2B	RWM2B.520	2508	(2) Sets of Belgian Waffle Plates, 1800 Watts, NEMA 5-20P
<b>Flip Waffle Maker</b>			
FWM-18	FWM1B.515	\$ 3144	(1) Set of Belgian Waffle Plates, 1350 Watts, NEMA 5-15P
<b>Accessories</b>			
MINI-WAFFLE		\$ 126	(1) Set of Mini Belgian Waffle Plates
WM-BRUSH		29	Nylon Brush
WAF-FORK		10	Waffle Fork

**WATER HEATING EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
<b>Atmospheric Water Dispenser</b>							
AWD-12	AWD12208630P		\$ 8368				
<b>Powermite® Gas Booster Water Heaters (Quick-Ship models are manufactured with Orifice Kits up to 2000 foot elevation)</b>							
PMG-100	PMG100120NAT		\$23683				
PMG-200	PMG200120NAT		28092				
<b>Compact Electric Booster Water Heaters with Legs</b>							
C-4	C42081LE		\$ 5423				
C-5	C52081LE		5495				
C-6*	C620813LE		5592	\$ 5592			
C-6*	C624013LE				\$ 5592	\$ 5592	
C-7*	C720813LE		5670	5670			
C-7*	C724013LE				5670	5670	
C-9*	C920813LE		5729	5729			
C-9*	C924013LE				5729	5729	
C-12	C122081LE		6060				
C-12	C122083LE			6060			
C-12	C122401LE				6060		
C-12	C122403LE					6060	
C-12	C124803LE						\$ 6060
C-15	C152081LE		6183				
C-15	C152083LE			6183			
C-15	C152401LE				6183		
C-15	C152403LE					6183	
C-15	C154803LE						6183
C-17	C172083LE			6222			
C-24	C242083LE			8345			
C-27	C272083LE			8475			
C-27	C272403LE					8475	
C-27	C274803LE						8475
C-30	C302083LE			8553			
C-30	C302403LE					8553	
C-30	C304803LE						8553
C-36	C362083LE			8943			
C-36	C362403LE					8943	
C-36	C364803LE						8943
C-45	C452083LE			10131			
C-45	C452403LE					10131	
C-45	C454803LE						10131
C-54	C542083LE			10410			
C-54	C542403LE					10410	
C-54	C544803LE						10410
C-57	C572083LE			10618			
C-57	C574803LE						10618


\* Open delta, single or three phase.  
 • Without low-water cut-off.



**WATER HEATING EQUIPMENT**

Model	Item Number	Voltage/Phase 120/1	Voltage/Phase 208/1	Voltage/Phase 208/3	Voltage/Phase 240/1	Voltage/Phase 240/3	Voltage/Phase 480/3
<b>Imperial Electric Booster Water Heaters with Legs</b>							
S-12	S122083LE			\$ 8475			
S-15	S152083LE			8553			
S-36	S362083LE			10832			
S-36	S364803LE						\$10787
S-45	S452083LE			11501			
S-45	S454803LE						11436
S-54	S542083LE			11534			
S-54	S544803LE						11463
<b>Accessories</b>							
QSFLOORMOUNT		\$ 530			Additional Stainless Steel Floor Mounting Leg Assembly		
QSBPRV		305			Back Pressure Relief Valve		
QSPRVB		299			Additional Brass Pressure Reducing Valve with Bypass		
QSSSA-LEGS		340			Additional Stainless Steel Adjustable Legs (6" to 7")		
QSWATERTREAT		1368			Blended Phosphate Injection System (not for potable water use)		
QSSHOCK		195			Shock Absorber to reduce water hammer		
QSBBOOSTERBRKT		119			Additional Slide Brackets (for Compact models only)		

- \* Open delta, single or three phase.
- Without low-water cut-off.



People who serve, products that solve.™



Hatco

P.O. Box 340500 | Milwaukee, WI 53234-0500 USA

414-671-6350

[www.hatcocorp.com](http://www.hatcocorp.com) | [support@hatcocorp.com](mailto:support@hatcocorp.com)

Follow us on:



Form No. Canadian Quick-Ship Program | January 2025