



# CANADIAN FOODSERVICE EQUIPMENT - SUPPLEMENTAL PRICE LIST

# Flav-R 2-Go<sup>®</sup> Built-In Outdoor Locker System

Boost efficiency and elevate the pickup experience with the Hatco Flav-R 2-Go® Built-In Outdoor Locker System. Featuring separate lockers for interior loading and exterior pickup, this innovative solution keeps orders moving and operations flowing. It streamlines order handoff by keeping ambient or hot meals secure, organized and ready for pickup. Staff load orders directly from the kitchen, while customers and delivery drivers pick them up outside — quickly, contact-free and without stepping indoors.

- Front and back lockers are sold separately for flexible pricing and installation options, and are designed to seamlessly join together to form a complete locker system
- Available in configurations of 7 or 11 cubbies to suit your needs
- Ambient holding is standard. Heated operation is available for F2GBOB models (interior operator side) only; heated models include individual thermostatic temperature controls for each cubby and support a temperature range from ambient to 200°F (93°C)
- Customer-facing touchscreen is rated for outdoor use, featuring a brighter display, thicker glass and anti-glare film
- 10" (257 mm) touchscreens on both customer and operator sides allow for quick, easy access

- Flashing LED lights will indicate the correct cubby for order pickup
- F2GBOF models (exterior customer side) feature insulated front doors, which shield against outdoor elements and maintain optimum temperatures in each cubby
- F2GBOB models (interior operator side) feature optional screen-printed glass doors for added privacy
- Adjustable mounting flanges accommodate wall thicknesses from 2" to 10" (51 to 254 mm)
- Heavy-duty outdoor-rated rotary latches, designed to meet IP65 rating, secure each cubby individually






**F2GBOB-7** shown from interior operator side.




AV-R 2 GO BU	ILT-IN OUTDOOR LOCKE	er system (	FRONT AND BACK M	ODELS)			
Model Number	<b>Dimensions</b> (W x D x H)	Number of Lockers	Internal Dimensions (W x D x H)↔	Voltage	Watts	Amps	List Price
F2GB0F-7	391/2" x 141/2" x 731/2" (1003 x 368 x 1867 mm)	7	12" x 12" x 12" (305 x 305 x 305 mm)	120	15.6	1.3	\$29304
F2GB0B-7	39 <sup>21/</sup> <sub>50</sub> " x 14 <sup>1/</sup> <sub>2</sub> " x 69 <sup>1/</sup> <sub>2</sub> " (1001 x 368 x 1765 mm)	7	12" x 12" x 12" (305 x 305 x 305 mm)	N/A	N/A	N/A	9299
F2GB0F-11	56½" x 14½" x 73½" (1435 x 368 x 1867 mm)	11	12" x 12" x 12" (305 x 305 x 305 mm)	12	36	3.0	36785
F2GB0B-11	56 <sup>21/</sup> <sub>50</sub> " x 14 <sup>1/</sup> <sub>2</sub> " x 69 <sup>1/</sup> <sub>2</sub> " (1435 x 368 x 1765 mm)	11	12" x 12" x 12" (305 x 305 x 305 mm)	N/A	N/A	N/A	12046






# Flav-R 2-Go<sup>®</sup> Built-In Outdoor Locker System (Cont.)

## **HOW THE SYSTEM WORKS**



ODTIONS (a)	vailable at time of purchase only)	
_	n – F2GBOB-07 and F2GBOB-11 Models (Interior Operator Side) Only –	
HEAT-7	Heated Operation for 7-Cubby Unit	\$1162
HEAT-11	Heated Operation for 11-Cubby Unit	1772
Glass Doors - F2	GBOB-07 and F2GBOB-11 Models (Interior Operator Side) Only –	
GLASS-7	Glass Door for 7-Cubby Unit	2091
GLASS-11	Glass Door for 7-Cubby Unit	3286
Door Colors - F20	GBOF-07 and F2GBOF-11 Models (Exterior Customer Side) Only – Non-standard door co	lors are non-returnable – Stainless Steel standard –
BLACK	· · ·	No Charge
Control Screen L	ocation - All Models Row 3, Column 2 standard –	
CNTRLPANEL	Row 2, Column 2	No Charge
Cord Location - I	F2GB0B Heated Models Only – No Cord standard	
CORDLEFT	Bottom Left	No Charge
CORDRIGHT	Bottom Right	No Charge







# Optional Dekton® Ultracompact Stone Surfaces for Hot/Cold Built-In Simulated Stone Shelves

Hatco's HCSSBR and HCSSBX Hot/Cold Built-In Simulated Stone Shelves not only easily transition between heated and cold shelves, but now include Dekton® stone as an optional surface. The optional Dekton surface comes in three stone colors: Domoos, Rem and Soke®.

Dekton® is a sophisticated mixture of over twenty minerals extracted from nature, resistant to scratches and impact. Dekton® stone can withstand abrasion better than granite or porcelain. The sintering and compression techniques used to manufacture Dekton® make it completely non-porous and resistant to water and stains, which can be removed easily with standard cleaning products.

• Due to the natural texture, patterns will vary.

- A carbon neutral product
- Abrasion, impact, scratch and heat resistant
- Contains a non-porous surface, making it water and stain resistant
- Available in Rem, Soke and Domoos





#### Dekton® stone surfaces are now available for use on these models:

HCS	SBR	HCSSBX			
· HCSSBR-2418	· HCSSBR-3618	· HCSSBX-2418	· HCSSBX-3618		
· HCSSBR-3018	· HCSSBR-4818	· HCSSBX-3018	· HCSSBX-4818		

Dekton® Stone	Colors – All Dekton s	surfaces are non-	-returnable –		
HCSSBR-2418 -	- Hot/Cold Built-In Si	helves –	HCSSBR-3618	– Hot/Cold Built-II	Shelves –
DOMOOS	Domoos	\$812	DOMOOS	Domoos	\$1314
REM	Rem	812	REM	Rem	1314
SOKE	Soke	812	SOKE	Soke	1314
HCSSBR-3018 -	- Hot/Cold Built-In Si	helves –	HCSSBR-4818	– Hot/Cold Built-In	Shelves -
DOMOOS	Domoos	\$1140	DOMOOS	Domoos	\$1373
REM	Rem	1140	REM	Rem	1373
SOKE	Soke	1140	SOKE	Soke	1373
HCSSBX-2418 -	- Hot/Cold Built-In Si	helves –	HCSSBX-3618	– Hot/Cold Built-Ir	Shelves -
DOMOOS	Domoos	\$812	DOMOOS	Domoos	\$1314
REM	Rem	812	REM	Rem	1314
SOKE	Soke	812	SOKE	Soke	1314
HCSSBX-3018 -	- Hot/Cold Built-In Si	helves –	HCSSBX-4818	- Hot/Cold Built-Ir	Shelves -
DOMOOS	Domoos	\$1140	DOMOOS	Domoos	\$1373
REM	Rem	1140	REM	Rem	1373
SOKE	Soke	1140	SOKE	Soke	1373

#### Dekton® surfaces that are available for these models:









# Optional Glass-Ceramic Top Surfaces for Hot/Cold Built-In Simulated Stone Shelves

Hatco's HCSSBR and HCSSBX Hot/Cold Built-In Simulated Stone Shelves not only easily transition between heated and cold shelves, but now they include an optional sleek black or white glass-ceramic top surface to elevate foodservice operations.

- Available with a black or white glassceramic top surface at no additional cost
- Glass-ceramic surfaces are made with approved foodsafe materials





HCSSBR-4818 with optional white glass-ceramic top surface

# Glass-ceramic top surfaces are now available in black or white on these models at no additional cost:

HCS	SBR	HCSSBX			
· HCSSBR-2418	· HCSSBR-3618	· HCSSBX-2418	· HCSSBX-3618		
· HCSSBR-3018	· HCSSBR-4818	· HCSSBX-3018	· HCSSBX-4818		

OPTIONS (available at time of purchase only)					
Glass-Ceramic Cold	ors –				
BLACKGLASS	Black Glass-Ceramic Top	No Charge			
WHITEGLASS	White Glass-Ceramic Top	No Charge			

**NOTE:** The HCSSBR-4818 and HCSSBX-4818 models with the glass-ceramic top surface option will be made with two pieces of glass-ceramic, and will have a ½" seam in the middle where the sections of glass meet (shown in images above). All other sized units will have surfaces that consist of a single piece of glass-ceramic.

NOTICE: Effective
January 1, 2025, the HCSSB
Hot/Cold Built-In Simulated
Stone Shelves are no longer
available. For inquiries or to
explore alternative equipment
solutions, please contact our
Customer Service Team at
support@hatcocorp.com.

HCSSBR and HCSSBX models are still available.





# DCSB2 Decorative Carving Stations

DCSB2 Decorative Carving Stations provide proper food serving temperatures by combining the Hatco Decorative Heat Lamp with a simulated stone Heated Base to create an attractive carving display. Perfect for chef stations in restaurants, hotels, country clubs, casinos and for any catered event.

- Available with a rounded or rectangular heated simulated stone base
- The patented telescoping heated Decorative Lamp has a 30° shade pivot
- Heated bases are made of foodsafe materials and controlled by an adjustable thermostat and power switch
- Units come with matching cutting board, keeping juices contained and tablecloths clean
- Sneeze guard is removable for easy cleaning
- Models with simulated stone are Swanstone®





DECORATIVE CARVING STATIONS								
Model	No. of Lamps	Width	Heated Base Surface Area	<b>Voltage</b> Single Phase	Watts	Approx. Ship Weight	List Price	
DCSB2400-R24-1	1	26"	24" diameter	120	600	75 lbs.	\$5410	
DCSB2400-2420-1	1	24"	24"W x 20"D	120	750	82 lbs.	6428	
DCSB2400-3624-2	2	36"	36"W x 24"D	120	1300	128 lbs.	8454	


All Decorative Carving Station Models Feature:

Models Ship with: DCSB2400-R24-1, -2420-1: One clear coated bulb, base heat, glass sneeze guard and cutting board.

DCSB2400-3624-2: Two clear coated bulbs, base heat, glass sneeze guard and cutting board. Telescoping Clearance: DCSB2400-R24-1, -2420-1, -3624-2: (bottom of shade to top of cutting board) 14"-26".

Cord Location: DCSB2400-R24-1, -2420-1, -3624-2: Base of unit, server side on left.

	) in Plated Finish, no additional charge –	
lon-Standard co	ors are non-returnable – Bright Nickel Standard –	
BBRASS	Bright Brass	No Charge
BCOPPER	Bright Copper	No Charge
ABRASS	Antique Brass	No Charge
ABRONZE	Antique Bronze	No Charge
GGRAN	Gray Granite	No Charge
	Bermuda Sand	No Charge
BSAND	Delinida dana	
BSAND	ated stone <sup>9</sup> , no additional charge –	
BSAND Trim Ring in simul		<u> </u>
BSAND Trim Ring in simul	ated stone <sup>9</sup> , no additional charge –	No Charge



### **Canadian Supplemental Price List**

### **Panini Grill**

The Hatco® Panini Grill will help expand your menu and your sales. Available with a grooved, flat or combination of both surfaces to accomodate all of your grilling needs. Perfect for making anything from sandwiches and quesadillas to chicken and steak. Basically anything that can be grilled can be done right on your countertop without having to have a dedicated grill space. Digital control for both time and temperature help lend to the ease of use. A great addition to any kitchen set up.


- Adjustable time/temperature controls enable operators to cook continuous, consistent quality products
- Exclusive heating elements provide exceptional heat distribution throughout the entire cooking plate, ensuring even cooking of each product
- Compact design is suitable for any location and stainless steel frame provides durability and easy cleaning
- Comes with a scraper and removable crumb tray for easy clean up between uses

- Can use on products up to 3" thick
- Maximum temperature of 500°
- Comes with a scraper and removable grease trough for easy clean up between uses
- Convenient handles on either side of unit make it easy to move from one location to another



PANINI GRILL								
	Plate De	scription					_	
Model Number	Bottom Plate	Top Plate	<b>Dimensions</b> (W x D x H)	Voltage	Watts	Amps	Plug	List Price
PG14G-1	Grooved	Grooved	16.81" x 17.32" x 8.56"	120	1800	15	NEMA 5-20P	\$2397
PG14F-1	Flat	Flat	16.81" x 17.32" x 8.56"	120	1800	15	NEMA 5-20P	2397
PG14FG-1	Flat	Grooved	16.81" x 17.32" x 8.56"	120	1800	15	NEMA 5-20P	2397







# **Induction Griddle**

Built to withstand the rigorous demands of commercial foodservice kitchens, Hatco's heavy-duty Induction Griddle is the ultimate countertop workhorse. This versatile unit delivers exceptional performance across a wide range of menu items - from fluffy pancakes to juicy burgers and more — with a durable, polished steel surface designed for highvolume use. It also includes a wide grease trough, an oversized drain, and a removable grease pan to ensure hasslefree cleanup. This griddle is a must-have for any operation looking to combine efficiency, durability and precision cooking.

- Cooktop reaches 350°F (177°C) in 12 minutes, with a maximum cooking temperature of 550°F (288°C)
- Power Save Mode maintains a lower, user-set temperature to reduce energy use without shutting off the unit
- 12 induction coils deliver consistent, even heat distribution across the entire cooking surface
- Two independently controlled heat zones, each with four temperature sensors, ensure responsive and reliable temperature management
- Each heat zone features a digital readout and control knob for 1° adjustments, offering precise control to reach and maintain desired cooking temperatures



INDUCTION GRIDE	DLE				
Model	<b>Dimensions</b> W x D x H	<b>Voltage</b> Single Phase	Watts	Plug	List Price
IGRID-2418-FS	24" x 25%" x 13¾"	208-240	6240-7200	NEMA 6-50P	\$15818

#### All Drop-In Induction Dry Well Models Feature:

**Models Shipped with:** A 78" cable from the base to the control and a 71" cord and plug. **Cord Location:** Bottom right side.

ACCESSORI	<b>ES</b> (available for purchase at any time)	
Plate Rail –		
PLATERAIL10	10" Plate Rail	\$451



**IGRID-2418-FS** shown with Plate Rail Accessory attached.

### **Canadian Supplemental Price List**

# Flav-R-Savor® Refrigerated Air Curtain Merchandiser

The Hatco Flav-R-Savor® Air Curtain Merchandiser is the ultimate solution for showcasing fresh, cold products while driving impulse sales. Designed for high-end merchandising, this sleek countertop unit offers easy a ccessibility and optimal temperature control. With even air distribution and superior product visibility, it not only preserves product freshness but also enhances the appeal of packaged foods and cold beverages — perfect for boosting profits and elevating foodservice offerings.

- Product temperature range between 31°F to 41°F (-1°C to 5°C)
- Simple, intuitive digital controls
- 3500K LED lights on the top, front and sides create balanced lighting that highlights food products and beverages
- Includes one adjustable, removable 13" (330 mm) deep shelf
- Doorless design allows for immediate access to products, prevents the spread of germs, and eliminates the need to wipe down handles and doors
- Swing-out, left-hinged rear door allows for loading the unit without blocking customer access
- Sleek black textured exterior with insulated glass end panels
- Uses eco-friendly R-290 refrigerant
- Comes standard with a night shade to conserve energy when unit is not in use and a magnetically attached sign holder [Sign dimensions: 23.875" W x 3.5" H x .25" D (606 x 89 x 6 mm)]
- Equipped with 4" (102 mm) legs and a 6' (1829 mm) cord and plug



### FS3RAC-2726 In *Designer* Black with sign holder (Sign not included)



In *Designer* Black with night shade

FLAV-R-SAVOR REFRIGERATED AIR CURTAIN MERCHANDISER							
Model Number	<b>Dimensions</b> (W x D x H) height includes legs	Chamber Height	Voltage	Watts	Amps	Plug	List Price
FS3RAC-2726	26.625" x 26.75" x 38.125" (676 x 679 x 1045 mm)	16.64" (423 mm)	115	9.8	6.0	NEMA 5-15P	\$24922

OPTIONS (available at time of purchase only)		
Designer Color – Non-standard colors are non-returnable – Designer Black standard		
Gray	Gray Granite	No Charge